

A Discrete Inventory Model with Price Discount Based on Time

Arpita N. Shah

Ph.D Student, Department of Statistics, The M.S.University of Baroda, Vadodara, India

Abstract: We present an inventory model in which the items are initially sold at a regular price p_1 per unit, and after a specified duration T_0 , the unsold items, if any, are sold at a reduce price p_2 . It is assumed that this price reduction does not affect the demand rate for the items. The demand is assumed to be Poisson and holding cost is incurred only for the period during which the inventory items are maintained in stock. As the closed form expression for optimal order quantity is not obtainable, we present a program in C++ to obtain optimal order quantity and the associated minimum cost

Keywords: Inventory model, Value deteriorating items, Poisson demand, Price discount

1. Introduction

For many products, it is a common phenomenon that after an initial period of popularity, demand of product decreases. As described in this section, many authors have developed inventory models where demand of product varies with time. It is a common practice among sellers to reduce the selling price of product to deal with the decreasing demands. End of season sale of items such as fashion goods, and reducing prices of electronic gazettes over time are excellent examples of this practice. We can, therefore, categorize these types of items as value deteriorating items. Products that are kept lying on the racks for very long, deteriorate in their appearance and may also deteriorate in quality due to dusting and/ or exposure to environment. This also increases holding costs. For such reasons, as soon as the product cycle in terms of the requirement/ demand completes, sellers would like to do away with that product, although at a lower price, which may or may not cover the cost but certainly conserve on the holding cost. Outdated products due to changed fashion or taste of buyers also command lower prices in the market place. This practice of „stock clearance sale“ also helps to ensure smooth flow of money in the business system.

In the present paper we incorporate this phenomenon in the proposed model and obtain optimum inventory levels. Since the product is required to be sold at a lower price (sometimes significantly lower), the model can be regarded as a model for value deteriorating items.

Whitin (1952) appears to be first who recognized and incorporated this phenomenon while proposing an inventory model for fashion goods. He assumed that items on hand at the end of the period are liquidated at a loss (i.e. value deteriorated). He assumed that the cost of liquidating an unsold item dominates the set up cost and holding cost and hence did not consider these costs in his analysis.

Although, we are not directly modeling demand as a function of time, the model proposed in this paper can also be viewed from the point of view of time dependent demand. By “time dependent demand”, we mean demand that varies with time. Several researchers have considered time dependent demand patterns, for inventory models. The

age-on-shelf of inventory may make a negative impact on demand because of the loss of confidence of consumers on the quality of such products. As discussed by Goyal and Giri (2001), and Ruxain et al. (2010) in their review, most of the continuous-time inventory models have been developed assuming either linearly varying demand or exponentially varying demand patterns. Resh et al. (1976) and Donaldson (1977) have also considered an inventory model with a linear trend in demand. Goyal (1986), Goswami and Chaudhuri (1991), Chung and Ting (1993), Dave and Patel (1981), and Dutta and Pal (1992) are some more authors who also considered models with time proportional (i.e. linearly varying with time) demand. Hariga and Benkherouf (1994), and Wee (1995) considered exponentially time varying demand. Giri and Chaudhuri (1997), Papachristos and Skouri (2000), Chu and Chen (2002), Khanra and Chandhuri (2003), Yang (2005), Dye et al. (2006) also considered time dependent demand.

Mishra (2013) proposed a deterministic model with demand rate and holding cost as liner function of time. Tripathi (2013) developed an inventory model for time varying demand and constant demand. Sing, et al (2013) and Mishra et al. (2013) also proposed model with time dependent demand. Jagadeeswari and Chenniappan (2014) developed Inventory Model for Deteriorating Items with Time – Quadratic Demand. S.Kumar and Rajput (2015) developed fuzzy inventory model for time dependent demand.

Hill (1995) proposed a “ramp-type” time dependent demand. It is a combination of linearly varying demand and exponentially varying demands over the entire time horizon. Mandal and Pal (1998), Deng et al (2007), Skouri et al. (2007) also consider the ramp type demand in the study of inventory for the deteriorating items. Manna and Chaudhuri (2003) also considered ramp type demand pattern that is generally followed by new brands of consumer goods coming in the market. Panda et al. (2008) discussed an inventory model for a seasonal product with constant deterioration rate and a ramp-type time dependent demand. Tend et al. (2011) also consider ramp type demand rate in their work. Karmakar and Dutta Chaudhury (2014) also consider ramp type demand, constant deterioration rate and holding cost as a linearly increasing function of time. Jagadeeswari and Chenniappan (2014) considered

deterioration rate is constant and quadratic time dependent demand.

Generally, in market, it is observed that a price reduction results in an increased demand. The retailers exploit this phenomenon by offering price discounts to their customers to address the problem of decreasing demands. This policy is frequently used in supermarkets, malls etc. Wee and Yu (1997) considered the effects of the temporary discount sale when the items deteriorate exponentially with time.

In the work referenced above, it appears that Whitin (1952) is the only author who considered items with discrete demand. Many authors considered time varying demand but no one seems to have considered price discount with time in order to maintain demand.

In the present paper, we propose an inventory model for the inventory items having unit demand, where seller takes the approach described above to deal with reducing demand rate. We further assume that the price discount is offered in such a way that the demand rate remain unchanged after the discount (i.e. demand rate is maintained).

2. Notations

Following notations are used in this paper.

- n : Lot size. (Initial inventory level)
- T : Cycle length (time to reorder)
- T_0 : Time after which items are sold at a reduced price.
- C_1 : Holding cost per unit per unit time before time T_0 .
- C_2 : Holding cost per unit per unit time after time T_0 .
- C : Cost of inventory per unit.
- C_0 : Ordering cost per order.
- θ : Mean customer inter arrival time. (Equivalently,
- Customer arrival rate = $\frac{1}{\theta}$)

3. The Proposed Model

Following are the basic assumptions of the model.

- 1) Customer arrival process is Poisson with arrival rate of $\frac{1}{\theta}$ customers per unit time. It is further assumed that each customer has a demand of one unit.
- 2) Supply/ replenishment is instantaneous.
- 3) Reorder is placed as soon as inventory level reaches zero.
- 4) Holding cost is incurred only for the period during which the items are in stock.

$$\text{Ordering cost} = C_0 \quad \dots (1.3.1)$$

$$\text{Cost of inventory} = nC \quad \dots (1.3.2)$$

$$HC_1 = \begin{cases} C_1(nt_1 + (n-1)t_2 + \dots + (n-(x-1))t_x + (n-x)(T_0 - T_x)) ; x < n \\ C_1(nt_1 + (n-1)t_2 + \dots + 1 \cdot t_n) ; x = n \end{cases}$$

The holding cost that incur after time T_0 , is

$$HC_2 = \begin{cases} C_2((n-x)(T_{x+1} - T_0) + (n-(x+1))t_{x+2} + \dots + t_n) ; x < n \\ 0 ; x = n \end{cases}$$

Suppose inventory is maintained for a discrete item. The stock level is raised to n units in the beginning. Items are sold at a regular unit price p_1 up to time T_0 . If there are any unsold units left at time T_0 , they are sold at a reduce price p_2 . Since holding cost includes the cost of tied up capital, reduction in the selling price leads to an increased holding cost. In the following development, instead of directly using sale prices p_1 and p_2 , we use the resultant holding costs C_1 and C_2 .

4. Determination of Optimum Inventory Level

Initially at time $t_0 = 0$, let the inventory level be raised to n units. Suppose i^{th} - customer arrives at time t_i , so that at time $t_1 + \dots + t_i$, inventory level reduces to $(n - i)$ units for $i = 1, 2, \dots$

Let x be the number of units sold up to a specified time T_0 . In practice, two cases may arise $x = n$ or $x < n$. If $x < n$, then remaining $n - x$ units are sold at a reduce price. Here x should be viewed as a realized value of r.v. X .

In the proposed model, number of unit sold is same as the number of customers arrived. As customer arrival process is Poisson and since number of units sold cannot exceed the initial inventory level n , it is clear that X follows truncated Poisson distribution, truncated above at n .

At time $T = t_1 + t_2 + \dots + t_n$, inventory level becomes zero. At this time reorder is made and the next cycle starts. Clearly, the cycle length T is a random variable.

As the customer arrival process is Poisson, the inter-arrival times t_i are identically and independently distributed (iid) exponential random variables, with common mean θ .

That is,

$$t_i \sim \text{Exp}(\theta), i = 1, 2, \dots, n.$$

Then the expected value of Cycle length $T = \sum t_i$ is given by $E(T) = n\theta$

In order to obtain the optimal order quantity, we need to minimize the expected total inventory cost per unit time with respect to the initial inventory level n . The total inventory cost for one cycle is given by

$$\text{Total cost} = \text{Ordering cost} + \text{Inventory cost} + \text{Holding cost}$$

The holding cost that incur before time T_0 is

Here T_x and T_{x+1} are the arrival times of x^{th} and $(x+1)^{\text{th}}$ customers respectively, i.e. $T_x = \sum_{i=1}^x t_i$ and $T_{x+1} = T_x + t_{x+1}$
 Hence we have

Total holding cost = $HC_1 + HC_2$

$$= \begin{cases} C_1(nt_1 + (n-1)t_2 + \dots + (n-(x-1))t_x + (n-x)(T_0 - T_x)) + \\ C_2((n-x)(T_{x+1} - T_0) + (n-(x+1))t_{x+2} + \dots + t_n) ; x < n \\ C_1(nt_1 + (n-1)t_2 + \dots + (n-(x-1))t_n) ; x = n \end{cases} \dots (1.3.3)$$

Total cost for one cycle is sum of ordering cost, inventory cost and holding cost.

From (1.3.1) - (1.3.3),

The total inventory cost per unit time, with initial inventory level n, is

$$TC(n) = \begin{cases} \frac{1}{T} \left(C_0 + nc + C_1 \left(\frac{nt_1 + (n-1)t_2 + (n-2)t_3 + \dots + (n-(x-1))t_x + (n-x)(T_0 - T_x)}{(n-(x-1))t_x + (n-x)(T_0 - T_x)} \right) + C_2 \left((n-x)(T_{x+1} - T_0) + (n-(x+1))t_{x+2} + \dots + t_n \right) \right) ; x < n \\ \frac{1}{T} (C_0 + nc + C_1(nt_1 + (n-1)t_2 + (n-2)t_3 + \dots + t_n)) ; x = n \end{cases} \dots (1.3.4)$$

Since $TC(n)$ is a random variable, we minimize $E(TC(n))$ with respect to n for obtaining the optimum inventory level.

This is a Gamma integral with shape parameter $\alpha = 0$. It may be recalled that the Gamma integral converges if and only if

The case, $n = 1$ requires a special attention.

$\alpha > 0$. Thus, it follows that $E\left(\frac{1}{T}\right)$ diverges to ∞ .

For $n = 1, T = t_1 \sim Exp(\theta)$. Hence

$$E\left(\frac{1}{T}\right) = \frac{1}{\theta} \int_0^\infty e^{-t/\theta} t^{-1} dt$$

As a result, for $n = 1$, expected total cost per unit time is infinite. So optimum inventory level cannot be 1.

For $n > 1, E(TC(n))$ is computed as $E(TC(n)) =$

$$E(TC(n)|X = x) = \begin{cases} (C_0 + nc)E\left(\frac{1}{T}\right) + C_1 \left(n E\left(\frac{t_1}{T}\right) + (n-1)E\left(\frac{t_2}{T}\right) + \dots + (n-(x-1)) E\left(\frac{t_x}{T}\right) + (n-x)E\left(\frac{T_0 - T_x}{T}\right) \right) + C_2 \left((n-x)E\left(\frac{T_{x+1} - T_0}{T}\right) + (n-(x+1)) E\left(\frac{t_{x+2}}{T}\right) + \dots + 2 E\left(\frac{t_{n-1}}{T}\right) + E\left(\frac{t_n}{T}\right) \right) ; x < n \\ (C_0 + nc)E\left(\frac{1}{T}\right) + C_1 E\left(\frac{t_i}{T}\right) (n + (n-1) + (n-2) + \dots + (1)) ; x = n \end{cases}$$

$$E(TC(n)|X = x) = \begin{cases} (C_0 + nc) E\left(\frac{1}{T}\right) + C_1 E\left(\frac{t_i}{T}\right) (n + (n-1) + (n-2) + \dots + (n-(x-1))) + (n-x)C_1 \left(E\left(\frac{T_0}{T}\right) - E\left(\frac{T_x}{T}\right) \right) + (n-x)C_2 \left(E\left(\frac{T_{x+1}}{T}\right) - E\left(\frac{T_0}{T}\right) \right) + C_2 E\left(\frac{t_i}{T}\right) ((n-(x+1)) + \dots + 2 + 1) ; x < n \\ (C_0 + nc)E\left(\frac{1}{T}\right) + C_1 E\left(\frac{t_i}{T}\right) (n + (n-1) + (n-2) + \dots + (1)) ; x = n \end{cases} \dots (1.3.5)$$

As per the model assumptions, we have for $n > 1$,

$$E\left(\frac{1}{T}\right) = \frac{1}{\theta(n-1)}, E\left(\frac{t_i}{T}\right) = \frac{1}{n}, E\left(\frac{T_0}{T}\right) = \frac{T_0}{\theta(n-1)}$$

$$E\left(\frac{T_x}{T}\right) = \frac{x}{n}, E\left(\frac{T_{x+1}}{T}\right) = \frac{x+1}{n}$$

Also, we have,

$$n + (n-1) + (n-2) + \dots + (n-(x-1)) = \frac{x}{2} (n + n - (x-1))$$

$$(n-(x+1)) + \dots + 2 + 1 = \frac{n-(x+1)}{2} (n-(x+1) + 1)$$

Therefore,

$$E(TC(n)|X = x) = \begin{cases} \left(\frac{C_0 + nc}{\theta(n-1)} + C_1 \frac{x(2n-x+1)}{2n} + (n-x)C_1 \left(\frac{T_0}{\theta(n-1)} - \frac{x}{n} \right) + \right. \\ \left. (n-x)C_2 \left(\frac{x+1}{n} - \frac{T_0}{\theta(n-1)} \right) + C_2 \frac{(n-x-1)(n-x)}{2n} \right) & ; x < n \\ \frac{C_0 + nc}{\theta(n-1)} + C_1 \frac{n+1}{2} & ; x = n \end{cases}$$

$$= E(TC(n)|X = x) = \begin{cases} \left(\frac{C_0 + nc}{\theta(n-1)} + \frac{n}{n-1} \frac{T_0}{\theta} (C_1 - C_2) + \frac{x}{n-1} \frac{T_0}{\theta} (C_2 - C_1) + \frac{n+1}{2} C_2 + \frac{x}{2n} (C_1 - C_2) \right. \\ \left. + \frac{(C_1 - C_2)}{2n} x^2 \right) & ; x < n \\ \frac{C_0 + nc}{\theta(n-1)} + C_1 \frac{n+1}{2}; & ; x = n \end{cases}$$

writing $\lambda = \frac{T_0}{\theta}$, and $k_n = \sum_{x=0}^n \frac{\lambda^x}{x!}$

$$E(TC(n)) = \sum_{x=0}^{n-1} \left(\frac{C_0 + nc}{\theta(n-1)} - \frac{n}{n-1} \lambda (C_2 - C_1) + \frac{x}{n-1} \lambda (C_2 - C_1) + \frac{n+1}{2} C_2 - \frac{x}{2n} (C_2 - C_1) - \frac{(C_2 - C_1)}{2n} x^2 \right) \frac{\lambda^x / x!}{k_n} + \left(\frac{C_0 + nc}{\theta(n-1)} + C_1 \frac{n+1}{2} \right) \frac{\lambda^n / n!}{k_n} \dots (1.3.6)$$

Add and subtract n^{th} term in 2nd, 3rd, 5th and 6th term in above expression (1.3.6),

$$E(TC(n)) = \sum_{x=0}^{n-1} \frac{C_0 + nc}{\theta(n-1)} \frac{\lambda^x / x!}{k_n} + \frac{C_0 + nc}{\theta(n-1)} \frac{\lambda^n / n!}{k_n} - \sum_{x=0}^{n-1} \frac{n}{n-1} \lambda (C_2 - C_1) \frac{\lambda^x / x!}{k_n} - \frac{n}{n-1} \lambda (C_2 - C_1) \frac{\lambda^n / n!}{k_n} + \sum_{x=0}^{n-1} \frac{x}{n-1} \lambda (C_2 - C_1) \frac{\lambda^x / x!}{k_n} + \sum_{x=0}^{n-1} \frac{n+1}{2} C_2 \frac{\lambda^x / x!}{k_n} + \frac{n+1}{2} C_2 \frac{\lambda^n / n!}{k_n} - \frac{n+1}{2} C_2 \frac{\lambda^n / n!}{k_n} + \frac{n+1}{2} C_1 \frac{\lambda^n / n!}{k_n} - \sum_{x=0}^{n-1} \frac{x}{2n} (C_2 - C_1) \frac{\lambda^x / x!}{k_n} - \frac{n}{2n} (C_2 - C_1) \frac{\lambda^n / n!}{k_n} + \frac{n}{2n} (C_2 - C_1) \frac{\lambda^n / n!}{k_n} - \sum_{x=0}^{n-1} \frac{x^2}{2n} (C_2 - C_1) \frac{\lambda^x / x!}{k_n} - \frac{n^2}{2n} (C_2 - C_1) \frac{\lambda^n / n!}{k_n} + \frac{n^2}{2n} (C_2 - C_1) \frac{\lambda^n / n!}{k_n}$$

$$\Rightarrow E(TC(n)) = \frac{C_0 + nc}{\theta(n-1)} - \frac{n}{n-1} \lambda (C_2 - C_1) + \sum_{x=0}^n \frac{x}{n-1} \lambda (C_2 - C_1) \frac{\lambda^x / x!}{k_n} + \frac{n+1}{2} C_2 - \frac{n+1}{2} (C_2 - C_1) \frac{\lambda^n / n!}{k_n} + \frac{n+1}{2} (C_2 - C_1) \frac{\lambda^n / n!}{k_n} - \sum_{x=0}^n \frac{x}{2n} (C_2 - C_1) \frac{\lambda^x / x!}{k_n} - \sum_{x=0}^n \frac{x^2}{2n} (C_2 - C_1) \frac{\lambda^x / x!}{k_n}$$

Thus,

$$E(TC(n)) = \frac{C_0 + nc}{\theta(n-1)} - \frac{n}{n-1} \lambda (C_2 - C_1) + \frac{n+1}{2} C_2 + \frac{\lambda}{n-1} (C_2 - C_1) \sum_{x=0}^n \frac{x \lambda^x / x!}{k_n} - \frac{(C_2 - C_1)}{2n} \sum_{x=0}^n \frac{x \lambda^x / x!}{k_n} - \frac{(C_2 - C_1)}{2n} \sum_{x=0}^n \frac{x^2 \lambda^x / x!}{k_n} \dots (5.3.7)$$

$$E(TC(n)) = \frac{C_0 + nc}{\theta(n-1)} - \frac{n}{n-1} \lambda (C_2 - C_1) + \frac{n+1}{2} C_2 + \frac{\lambda}{n-1} (C_2 - C_1) E(X) - \frac{(C_2 - C_1)}{2n} (E(X^2) + E(X))$$

Where

$$E(X) = \sum_{x=0}^n \frac{x \lambda^x / x!}{k_n} \text{ and } E(X^2) = \sum_{x=0}^n \frac{x^2 \lambda^x / x!}{k_n}$$

It may be noted here that the expected total cost does not directly depend on C_1 and C_2 , it rather depends on the difference $(C_2 - C_1)$. This difference is precisely the cost of liquidating unsold items, the cost considered by Whitin

(1952). Thus our result is in agreement with Whittin's assumption that holding cost is not an important variable for determining optimal ordering quantity for value deteriorating items. However, since our model is different from that of Whittin, the overall cost function obviously differs.

As moments of truncated above Poisson distribution are not available in a closed form, obtaining the formula of $E(TC(n))$ and hence that of the optimal value of n in a closed form is difficult. We, therefore, present an algorithm for the calculation of optimal value of n and the associated minimum cost. An implementation of the same in C++ is presented in the appendix. The algorithm is described in the next section.

5. Algorithm

- Step 1: Enter the value of $C_0, C_1, C_2, C, \theta, T_0$.
 Step 2: Compute $\lambda = \frac{T_0}{\theta}$.
 Step 3: Set $n = 2, E(TC(1)) = \text{LARGE}$
 Step 4: Compute

$$k_n = \sum_{x=0}^n \frac{\lambda^x}{x!}$$

 Step 5: Compute

$$e_1 = \frac{C_0 + nC}{\theta(n-1)}, e_2 = \frac{n}{n-1} \lambda (C_1 - C_2), e_3 = \frac{n+1}{2} C_2$$

 Step 6: Compute

$$\text{sum1} = \frac{1}{k_n} \sum_{x=0}^n x \lambda^x / x! \text{ as } \text{sum1} = \lambda \left(1 - \frac{\lambda^n / n!}{k_n}\right)$$

 Step 7: Compute

$$e_4 = \frac{\lambda (C_1 - C_2)}{n-1} \text{sum1}$$

$$e_5 = \frac{1}{2n} (C_1 - C_2) \text{sum1}$$

 Step 8: Compute $\text{sum2} = \sum_{x=0}^n \frac{x^2 \lambda^x / x!}{k_n}$ as

$$\text{Sum2} = \text{sum1} + \lambda^2 \left(1 - \frac{1}{k_n} \frac{\lambda^{n-1}}{(n-1)!} - \frac{1}{k_n} \frac{\lambda^n}{n!}\right)$$

 Compute $e_6 = \frac{C_1 - C_2}{2n} \text{sum2}$
 Step 9: Compute $ETC(n) = e_1 + e_2 + e_3 - e_4 + e_5 + e_6$

Appendix

Using this program we can find optimum inventory level and total cost model developed in this paper.

```
#include<iostream>
using namespace std;
#include<cmath>
int main()
{
    double c0,c1,c2,c,t0, sum,term;
    int x,j;
    float theta,n,lm;
    double e1,e2,e3,e4,e5,e6;
    double sum1, sum2;
    double etc[100];
    etc[0]= 15000000;
```

Step 10: If $E(TC(n)) > E(TC(n-1))$ then out put the value of $n-1$ as the optimal solution and stop. Else set $n = n + 1$. And go to step 4.

6. An Illustrative Example

Suppose that demand for a product is 20 per month and customer arrival process is a Poisson process with each customer having demand of one unit. Holding cost per unit per unit time is Rs. 500 before time T_0 . Holding cost per unit per unit time is Rs. 750 after time T_0 . Ordering cost is Rs.10000 per order. Suppose shortages are not allowed and the purchasing cost per unit is Rs.12000. Here we determine expected total cost and optimal quantity.

This example is solved with the help of program develop in C++ (see Appendix-E)

$C = 12000, C_0 = 10000, C_1 = 500, C_2 = 750, T_0 = 3, \theta = 0.05, 1/\theta = 20$

Using the program developed in Appendix – E, we get the optimal value of $n=43$ with $E(TC)=2,61,251.1$.




Figure 1.5: Expected total cost as a function of n when Sale Price decreases with Time

The graph describes the relationship between expected total cost and initial inventory level. As it can be observed, the curve for $E(TC(n))$ is a convex function of n , with minimum cost achieved at $n=43$ units.

```
cout<<"Enter the value of co : ";
cin>>c0;
cout<<"Enter value of c1 : ";
cin>>c1;
cout<<"Entert value of c2 : ";
cin>>c2;
cout <<"Enter value of c : ";
cin>>c;
cout<<"Enter value of theta : ";
cin>>theta;
cout<<"Enter the value of t0 : ";
cin>>t0;
lm=t0/theta;
cout<<"value of lambda ="<<lm<<endl;
n = 2;
j=1;
```

```
do
{
e1 = (c0 + n*c)/(theta*(n-1));
e2 = n*lm*(c2-c1)/(n-1);
e3 = c2*(n+1)/2 ;
term = 1;
sum =1;
for(x=1; x<=n; x++)
{
term *= lm/x;
sum += term; // compute kn
}
cout<<"sum = "<<sum;
sum1=0;
sum1= lm*(1-term/sum);
e4= (c2-c1)*lm*sum1/(n-1);
e5 = (c2-c1)* sum1/(2*n) ;
sum2=sum1+(lm*lm)*(1-(term+term*n/lm)/sum);
cout<<"sum1 = "<<sum1 <<" sum2 = "<<sum2;
e6 = (c2-c1)*sum2/(2*n);
etc[j] = e1 - e2 + e3 + e4 - e5 - e6;
cout<<"n =:" << n <<" " E(tc): "<<etc[j]<<endl;
cout<<"e1 = "<<e1 <<" e2 = "<<e2<<"e3 =
"<<e3<<endl;
cout<<"e4= "<<e4<<" e5 = "<<e5<<" e6 =
"<<e6<<endl;
n++;
j++;
}
while(etc[j-1]<etc[j-2]);
n=n-1;
cout<<"optimal value of n = "<<n-1<<endl;
return 0 ;
}
```

References

- [1] A. Goswami and K .S. Chaudhuri, (1991) "An EOQ model for deteriorating items with shortages and linear trend in demand", Journal of Operational Research Society 42 (1105 – 1110).
- [2] B. Karmakar and K. D. Choudhury (2014) "Inventory models with ramp-type demand for Deteriorating items with partial Backlogging and time-varying holding cost", Yugoslav Journal of Operations Research, Vol.24 (2014) No. 2(249 – 266).
- [3] C.-Y. Dye, H.-J. Chang and J.-T. Teng, (2006) "A deteriorating inventory model with time-varying demand and shortage-dependent partial backlogging [J]," European Journal of Operational Research, Vol. 172, (417–429).
- [4] D. Singh, R. P. Tripathi and Tushita Mishra (2013) "Inventory Model with Deteriorating Items and Time dependent Holding cost" Global Journal of Mathematical Sciences: Theory and Practical. Vol-5(4) 213-220.
- [5] Donaldson, W.A., (1977), "Inventory replenishment policy for a linear trend in demand an analytical solution". Opl. Res. Qly. Vol.28 (663-670).
- [6] H. M. Wee (1995) "A deterministic lot size inventory model for deteriorating items with shortages and declining market."Computer & Operations Research Vol.22(3) 345-356.
- [7] H.M. Wee and J. Yu (1997): "A deteriorating inventory with temporary price discount", IJPE, 53 (81-90).
- [8] J. Jagadeeswari, P. K. Chenniappan (2014) "An Order Level Inventory Model for Deteriorating Items with Time – Quadratic Demand and Partial Backlogging" Journal of Business and Management Sciences, Vol. 2, No. 3A, 17-20.
- [9] J. T. Teng, Donald Chan and C .T. Chang (2011) "On Inventory Models with Ramp Type Demand Rate, Partial Backlogging and Weibull Deterioration Rate" Tamsui Oxford Journal of Information and Mathematical Sciences 27(1) 61-66.
- [10] K. J .Chung and P .S. Ting, (1993) "A heuristic for replenishment of deteriorating items with a linear trend in demand "Journal of Operational Research Society Vol.44 (1235-1241).
- [11] K. Skouri, I. Konstantaras, S. Papachristos, and I. Ganas, (2007) "Inventory models with ramp type demand rate, partial backlogging and Weibull deterioration rate [J]," European Journal of Operational Research.
- [12] M. A. Hariga & L. Benkherouf (1994) "Optimal anf heuristic inventory replenishment models for deteriorating items with exponential time varying demand" Eurp. .J. of Opl .Res. Vol.79,(123-137).
- [13] Manna, S.K and Choudhuri, K.S (2003) "An EOQ model with ramp type demand rate, time dependent deterioration rate, unit production cost and shortages." Int. J .Systems Sci., Vol.34, No.4; (237-243).
- [14] Mishra, V.K. (2013). "An inventory model of instantaneous deteriorating items with controllable deterioration rate for time dependent demand and holding cost". Journal of Industrial Engineering and Management, Vol. 6(2), 495-506.
- [15] P. Chu and P. S. Chen, (2002); "A note on inventory replenishment policies for deteriorating items in an exponentially declining market," Computers & Operations Research, Vol. 29, pp. 1827–1842.
- [16] P. S. H. Deng, R. H.-J. Lin, and P. Chu, (2007); "A note on the inventory models for deteriorating items with ramp type demand rate," European Journal of Operational Research, Vol. 178, No. 1 (112–120).
- [17] Pal, S., Goswami, A., and Chaudhuri, K.S., (1993); "A deterministic inventory model for deteriorating items with stock-dependent rate", International Journal of Production Economics, Vol.32 (291-299).
- [18] R. M .Hill (1995) "Inventory model for increasing demand followed by level demand" J.of Opl.Res.Soc.,Vol.46 (1250-1259).
- [19] Resh, M.; Friedman; Barbosa, L.C. (1976). "On a general solution of the deterministic lot size problem with time proportional demand". Operation Research. Vol.2,No.4 (718-725)
- [20] Ruxian Li, HondjievLan, John R. Mawhinney (2010) "A Review on Deteriorating Inventory Study" J. Service Science & Management, ,Vol.3 (117-129)
- [21] S. K. Goyal & B.C.Giri (2001) "Recent trend in modeling of deteriorating inventory" EJOR Vol. 134(1-16)
- [22] S. K. Goyal (1986), "A heuristic for replenishment of trend inventories considering shortages" J.opl.Res.Sco. Vol. 39 (885-887).

- [23] S. Khanra and K. S. Chaudhuri, (2003) "A note on an order-level inventory model for a deteriorating item with time-dependent quadratic demand [J]," Computers & Operations Research, Vol. 30, (1901 –1916),
- [24] S. Panda, S. Senapati, and M. Basu, (2008) "Optimal replenishment policy for perishable seasonal products in a season with ramp-type time dependent demand," Computers & Industrial Engineering, Vol. 54, (301 – 314).
- [25] S. Papachristos and K. Skouri, (2000) "An optimal replenishment policy for deteriorating items with time-varying demand and partial-exponential type-backlogging," Operations Research Letters, Vol. 27, (175–184).
- [26] Sushil Kumar*, U. S. Rajput (2015) "Fuzzy Inventory Model for Deteriorating Items with Time Dependent Demand and Partial Backlogging" Applied Mathematics, vol. 6, 496-509.
- [27] T. K. Dutta & A. K. Pal (1992), "Replenishment policy for deteriorating items with Time-proportional demand". An extension of Silver's Heuristic. AMSE periodicals, Advances in Modeling and simulation (France). Vol.3, No.3 (41-50).
- [28] Tripathi, R. P. (2013): Inventory model with different demand rate and different holding cost. International Journal of Industrial Engineering and Computation, Vol. 4 (437-446).
- [29] U. Dave and L. K. Patel (1981) "(T,S_i) policy inventory model for deteriorating items with time proportional demand" J. Opl Res. Soc. Vol.32(137-142).
- [30] Vinod Kumar Mishra, Lal Sahab Singh and Rakesh Kumar (2013); "An Inventory Model for Deteriorating Items with time dependent demand and time varying holding cost under partial backlogging." Journal of Industrial Engineering International, Vol. 9:4
- [31] Whitin (1952), "Inventory control in theory and practice." The Quarterly J. Of Econ. (502-521).
- [32] Yang (2005) "A comparison among various partial backlogging inventory lot –size model for deteriorating items on the basis of maximum profit," IJPE Vol.96(119-128).