

# Flood Control and Prediction of Flood Using HEC-RAS – A Review

Sania Modak<sup>1</sup>, Prashant Nagarnaik<sup>2</sup>

<sup>1</sup>PG Student, Department of Civil Engineering, G.H. Rasoni College of Engineering Nagpur, India

<sup>2</sup>Dean Deputy Director, Department of Civil Engineering, G.H. Rasoni College of Engineering Nagpur, India

**Abstract:** Flood is very common in India. Many parts of the country influenced because of the flood. 76% of rainfall out of rainfall total calculated and distributed on the earth surface. Surat is the main city of Gujrat. In rainy season Surat city highly affected due to flood. Flood is the major problem of Surat city. Flood is occurring in Tapi River during monsoon and influence many area. Flood is responsible for property and live losses. HEC-RAS Hydraulic Engineering Center's Analysis System is the software which is used for controlling flood. HEC-RAS is the advance computing technique gives flood warnings govern water flow and compute water surface profile. Various one dimensional hydrodynamics models using for calculating flood event. Simulation of floods 30 years past flood data were addressed in present study. Cross-sections extracted from Auto-Cad file of lower Tapi River.

**Keywords:** Flood control, water, simulation, HEC-RAS, numerical technology

## 1. Introduction

In India flood is the most common disaster. Surat city is the highly affected city because of flood. City suffers many damages and loses every year or every alternate year due to flood. Advance computing facilities gives easy way to forecasting and mapping of flood. This gives flood warning. Tapi River is the west flowing and among the largest river of India. 725km. long and originated from MP. Arabian sea at west side of the Surat city which nearly 20km. Tapi tributaries on right bank and left bank are 14. The study area taken from Wair cum causeway at Dumas to Hazira is approximate distance is 19km. Study of various cross-sections to identify problems of the system. When water overflows over the banks in this stage flow rate is high cause flood. Flood causes various losses such as property and life. To increasing carrying capacity of the river by using the past flood data because of the water software.

## 3. Model Parameters

SMC which is provide the topographic data of reach in the form of CAD-File and Cross-sections at different locations in the reach. Central Water Commission provided the Daily discharge data for the Tapi basin from 1995-2005 and the Flood data has been provided by Flood Cell Surat. The following data were collected to enhance the study of steady and unsteady flow analysis.

Following are the data collected for study area:

- Index Plan, Toposheets, AutoCAD map of the reaches.
- Detailed cross sections study river reach were collected from SMC.
- Discharge VS Water Surface Levels (Elevation) were collected from State Water Data Center, Gandhinagar.
- Past Flood Peak Discharge Data were collected from flood cell of Surat Municipal Corporation as shown in Table



Figure 1: Study Gujrat Tapi River map

## 2. HEC-RAS

HEC-RAS software is the advance computing technique use to control the flood. This software gives easy for mapping flood and inundation. HEC-RAS provides information about the flood. HEC-RAS software designed the USACE. HEC-RAS calculate 1D steady and unsteady hydraulics of river. 1D steady flow is taken in study.

Table 1: Flood Data(Source-SMC, Surat)

PAST FLOOD PEAK DISCHARGE			
Sr. No.	Year	Lakh cusecs	Cumecs
1	1990	4.90	10075
2	1991	3.68	10420
3	1992	1.84	5210
4	1993	3.35	9486
5	1994	8.87	14857
6	1995	4.01	11366
7	1996	2.12	5994
8	1997	4.94	13988
9	1998	10.53	19817
10	1999	3.30	9344
11	2000	2.38	6739
12	2001	3.09	8750
13	2002	4.32	12233
14	2003	3.32	9405
15	2004	3.89	11015
16	2005	4.68	13252
17	2006	12.05	25788
18	2007	6.37	18024
19	2013	5.31	15050

Volume 6 Issue 3, March 2017

[www.ijsr.net](http://www.ijsr.net)

Licensed Under Creative Commons Attribution CC BY

#### 4. Literature Review

Fleenor et al.(2003) Evaluated three Numerical Models of Flood and Tide Propagation which are using widely for prediction of flood stage all around the world. The HEC-RAS and DHI they used this software to bench mark test. Both HECRAS and MIKE11 are successful in bench mark case.

Bennett et al. (2004) It gives the comparison between HECRAS and MIKE11 are used for three unsteady flow. However, it is a wrong assumption that development of model always done in same way also three assumption of same modelling also their differences including three model equation approach for their development resulting which compared with Tillamook Valley.

Goodellet.al.(2006)Examine the steps required to perform a flood inundation mapping which study out using HECRAS for Backlick Run River (W.C) which also evaluating the capabilities of HECRAS and HEC-GeoRAS.

Brunner et al(2008)Carried out the study on HEC-RAS which used for three a one-dimensional steady or unsteady open channel flow analysis; produce by U.S. Army Corp Engineer Hydrologic Engineering Center's. It mostly used for one-dimensional program in the world, HECRAS is used for a number of applications, such as flood reduction studies, flood insurance and, bridge hydraulics, stream restoration, and dam break analyses.

Agnihotriet. al. (2011) Examined the over-flooded cross-sections and modified that cross-section of river Tapi using geospatial technologies. This helps to prepare plan for flood mitigation in Surat city to three controlling flood over Tapi River. Modified HECRAS software is used. ArcGIS software use to predations of map for flood inundation.

Desai et. al.(2012)Analysed the flood management approach as available from Literature, Practice reports and also defined three system which were based on: a) prediction of daily inflow (CWC), b) Decision making Processing of data and (Gov. of Guj.), c) Rules for operation of reservoir to meet specified objective.

#### 5. Conclusion

HEC-RAS is a advance software is easy and powerful to determining water surface profile. It gives flood warning and prevent from flooding. The levees need to increase to prevent excess flooding over retaining wall or levees. Inundation maps created by HEC-RAS are useful for various emergency plan of action.

#### References

[1] Fleenor, William E. "Evaluation of Numerical Model. HEC-RAS and DHI-MIKE 11." (2003).  
[2] Bennett, T., Walton, R., Dickerson, P., and Howard, J. 2004, "Comparison of HEC-RAS and MIKE11 Unsteady Flow Modelling for the Tillamook Valley", Critical Transitions in Water and Environmental Resources Management: pp. 1-8.

[3] Goodell, C., and C. Warren. "Flood Inundation Mapping using HEC-RAS." *Obras y proyectos: revista de ingeniería civil* 2 (2006): 18-23.  
[4] Brunner, G. W. 2008, HEC-RAS, "River Analysis System Hydraulic User's Manual", organization report number CPD-68, 420 pp., U.S. Army Corps of Engineers HEC, Davis, CA.  
[5] Agnihotri, P. G., and J. N. Patel. "Improving Carrying Capacity of River Tapi (Surat, India) By Channel Modification."  
[6] Timbadiya, P. V., P. L. Patel, and P. D. Porey. "Calibration of Channel And Flood Plain Roughness Using 1d/2d Integrated Hydrodynamic Model: A Study Of Surat City On Lower Tapi River."  
[7] Timbadiya, P. V., P. L. Patel, and P. D. Porey. "One-dimensional hydrodynamic modelling of flooding and stage hydrographs in the lower Tapi River in India." *CURRENT SCIENCE* 106.5 (2014): 708-716.  
[8] Desai, Chandra S., and Khaled E. El-Hoseiny. "Prediction of field behavior of reinforced soil wall using advanced constitutive model." *Journal of geotechnical and geoenvironmental engineering* 131.6 (2005): 729-739.  
[9] Jariwala, R. C., and B. K. Samtani. "The Estimation of Flood and Its Control by Section Modification in Mithi and Kankara Tributaries at Surat."  
[10] Sanyal, Joy. *Flood Prediction and Mitigation in Data-Sparse Environments*. Diss. Durham University, 2013.  
[11] Agnihotri P. G and Patel J. N. (2011). "Modification of channel of Surat city over Tapi river using HEC-RAS software.", International Journal of Advanced Engineering Technology.  
[12] Anthony L. Firenzi, M., Chester C. Watson, F. and Brian P. Bledsoe, M. (2000) "Stable Channel Design For Mobile Gravel Bed Rivers," Journal of Water Resource and Protection.  
[13] Beavers (1994). "Hydraulic modelling of river channels using GIS based tools named HEC"  
[14] Frantisek Krovak. (2007). "On the Determination of the Stable Bed Slope of a Channel Using Mathematical Model", Journal of Soil and water Resource., 2, Vol(3) 104-111  
[15] IL Hong, Joongu Kang, Hongkoo Yeo, YongukRyu (2011). "Channel Response Prediction for Abandoned Channel Restoration and Applicability Analysis" Journal of Engineering, 2011, 3, 461-469  
[16] John Shelly and Parr David A. (2009) "Hydraulic design functions for Geomorphic channel design and analysis using HEC-RAS", Journal of World Environmental and Water Resources Congress.  
[17] Lane, E.W. (1955) "Design of Stable Channels." Trans. American society of Civil Engineering., Vol. 120.  
[18] Mark Jensen Ian Tod Johannes DeVries., "Using hec-ras to model canal systems" Journal of Engineering.  
[19] Millar (2005). "External hypothesis model by considering a simplified trapezoidal cross-section.  
[20] Neary Vincent S. Neary and NicKorte. (2001) "Preliminary channel design of Blue River reach enhancement in Kansas city" American society of Civil Engineering  
[21] Parker etl. (2007). "A physical based model includes an Emperical related for the sediment supply"

- [22] Richard D. Hey M. And Colin R. Thome, Aff. M. (1984).  
“*Stable channels with mobile gravel bed*”, Journal of American society of Civil Engineering.
- [23] Timbadiya P. V., Patel P., PoreyPrakash D., (2011)  
“*Calibration of HEC-RAS model on Prediction of Flood for lower Tapi river India,*” Journal of Water Resource and Protection.
- [24] Garde R. J, RajuRanga K. G. (2000). “ *Mechanics of Sediment Transportation and alluvial streams problems*”  
New Age International publishers (P) Ltd. New Delhi, India
- [25] Shitole. M. S. A report on” *Mathematical model studies for Tapi River flood level predictions and preliminary studies on Ukai reservoir operation* “Technical report no. 3739 Nov.2000 –CWPRS Pune”.
- [26] SVNIT, Surat, Civil Engineering Department, A report on “*General ground levels around ONGC compound*” after flood 1998.

