

Survey on Hue-Preserving Color Image Enhancement without Gamut Problem

Shreha Bisla¹

¹Department of Computer Science and Engineering, Mody University, Lakshmangarh, Rajasthan, India

Abstract: *In many color picture enhancing procedures for handling force and immersion in color pictures keeping hue unaltered is the change of the picture information from RGB space to other shading spaces, for example, LHS, HSI, YIQ, HSV, and so forth. Changing starting with one space then onto the next and preparing in these spaces as a rule produce extent issue, i.e., the estimations of the factors may not be in their separate interims. A guideline is recommended to make the changes extent issue free, utilizing a similar rule a class of shade protecting complexity upgrade changes are proposed, which sum up the current dim scale differentiate escalation procedures to shading pictures. These changes are likewise observed to sidestep the previously mentioned shading coordinate changes for picture upgrade.*

Keywords: Color Image Enhancing Techniques, Intensity, Saturation, Hue, RGB, LHS, HSI, YIQ, HSV, Gamut Problem

1. Introduction

Picture upgrade is utilized to enhance the nature of a picture for visual impression of individuals. It is likewise utilized for low level vision applications. It is an undertaking in which the arrangement of pixel estimations of one picture is changed to another arrangement of pixel values so that the new picture framed is outwardly satisfying and is additionally more appropriate for investigation. The fundamental systems for picture improvement, for example, differentiate extending, cutting, histogram leveling, for dim scale pictures are talked about in many books. The speculation of these strategies to shading pictures is not straight forward. Not at all like dark scale pictures, there are a few figures shading pictures like tint which should be appropriately dealt with for improvement. These will be talked about here.

A few calculations are accessible for difference upgrade in dark scale pictures, which change the dim estimations of pixels relying upon the criteria for improvement. Then again, writing on the upgrade of shading pictures is not as rich as dim scale picture improvement.

Tint, immersion and power are the properties of shading. Tone is that trait of a shading which chooses what sort of shading it is, i.e., a red or an orange. In the range each shading is at the most extreme immaculateness (or quality or extravagance) that the eye can acknowledge, and the range of hues is portrayed as completely immersed. On the off chance that immersed shading is weakened by being blended with different hues or with white light, its abundance or immersion is diminished. With the end goal of improving a shading picture, it is to be seen that tone ought not change for any pixel. In the event that shade is changed then the shading gets changed, subsequently misshaping the picture. Consider the situation where the pixel values leave limits subsequent to handling, because of the nonlinear way of the uniform shading spaces, transformation from these spaces with changed power and immersion qualities to RGB space creates range issue. By and large this issue is handled either by section the out of limit qualities to the limits or by standardization. Cutting the qualities to the limits makes undesired move of tone and stan-

dardization lessens a portion of the accomplished force during the time spent improvement which is against its target.

2. Material and Methods

2.1 Image

A picture can be characterized as a two-dimensional flag (simple or computerized), that contains force (grayscale), or shading data orchestrated along a x and y spatial hub. For all intents and purposes, everything around us includes pictures and picture preparing.

2.2 Need of Image Processing

Change of pictorial data for human perception. Image preparing for self-ruling machine application. This has different applications in enterprises especially for quality control, in get together computerization and numerous such applications. Effective capacity and transmission.

2.3 Image Enhancement

Picture upgrade is fundamentally enhancing the interpretability or impression of data in pictures for human watchers and giving 'better' contribution for other robotized picture handling strategies. The key target of picture upgrade is to alter ascribes of a picture to make it more appropriate for a given assignment and a particular spectator. Amid this procedure, at least one qualities of the picture are altered. The selection of qualities and the way they are adjusted are particular to a given assignment. In addition, eyewitness particular elements, for example, the human visual framework and the onlooker's understanding, will present a lot of subjectivity into the decision of picture upgrade techniques. There exist numerous systems that can upgrade an advanced picture without ruining it.

These upgrade operations are performed to alter the picture splendor, differentiate or the appropriation of the dim levels. As an outcome the pixel esteem (powers) of the yield picture will be altered by the change work connected on the information values. Picture improvement is con-

nected in each field where pictures are should to be comprehended and dissected. For instance, restorative picture investigation, examination of pictures from satellites and so forth.

3. Image Enhancing Techniques

Picture improvement is broadly utilized as a part of PC graphics. The key destinations of picture upgrade systems is to prepare a picture so that the outcome is more appropriate than the first picture for a particular application. Two primary techniques for picture upgrade:

- (i) Spatial domain methods.
- (ii) Frequency domain methods.

3.1 Intensity

Force alludes to the measure of light or the numerical estimation of a pixel. For instance, in grayscale pictures, it's portrayed by the dim level an incentive at each pixel. In the advanced Image handling discernment, the force of a picture could allude to a worldwide measure of that picture, for example, mean pixel power. For instance in a 8 bit grayscale picture there are 256 dark levels. Presently any pixel in the picture can have an incentive from 0 to 255 and that will be its power.

A relative measure of picture power could be the manner by which brilliant (mean pixel force) the picture shows up contrasted with another picture.

3.2 Saturation

Saturation is an expression for the relative transfer speed of the noticeable yield from a light source. As saturation builds, hues seem more "immaculate." As saturation abatements, hues seem more "washed-out." Saturation is the apparent power. As such it is an estimation of how overwhelming the shading is, or how brilliant the protest looks.

3.3 Hue

Most sources of visible light contain vitality over a band of wavelengths. Hue is the wavelength within the visible-light spectrum at which the energy output from a source is most noteworthy.

4. Hue Preserving Transformations

Hue preservation is vital for color picture improvement. Distortion may happen if tone is not safeguarded. The hue of a pixel in the scene before the change and shade of a similar pixel after the change are to be same for a tone protecting change. In this area, the point is the improvement of a general tone protecting change for difference upgrade. By and large, shading pictures are put away and saw utilizing RGB shading space. To prepare a picture for improvement in any of the previously mentioned spaces (i.e., LHS, HSI, YIQ, and so on.), the picture should be changed to that space.

The changes required in changing the shading picture from RGB space to other said spaces are, for the most part computationally expensive and again the converse facilitate change must be actualized for showing the pictures. Two operations, scaling and moving, are presented for luminance and immersion handling. Scaling and moving are tint protecting operations. Utilizing these two operations tone saving difference upgrade changes are created in this area. To explain scaling and shifting in a mathematical fashion let us denote the normalized grey values for R, G, and B components of a pixel of an image **I** by a vector \hat{y} , where $\hat{y}=(y_1,y_2,y_3)$, y_1,y_2,y_3 correspond to the normalized red, green and blue pixel values respectively. That is $0 \leq y_k \leq 1, k=1,2,3$. A transformation which is a combination of scaling and shifting can be written as;

$$\hat{y}'=(\alpha y_1+\beta, \alpha y_2+\beta, \alpha y_3+\beta) \quad (1)$$

Note that in (1), \hat{y}' is linear in \hat{y}_k for all k, and α and β are not dependent upon \hat{y} .

It can be shown that the transformation, as given in (1), is hue preserving. The expression of hue considered here is the hue as defined in HSI space.

Note that in (1), α and β are not dependent upon \hat{y} . A general transformation in which α and β vary with each but same k for all 1, 2, 3, is defined as

$$y'_k = \alpha(\hat{y})y_k + \beta(\hat{y}) \quad (2)$$

4.1 Linear Transformations

Linear transformations are common for grey scale image enhancement.

If we take $\alpha(\hat{y})$ and $\beta(\hat{y})$ as constant functions in (2), it will reduce to a linear transformation as follows:

$$y'_k = \alpha y_k + \beta \quad (3)$$

where y_k is the grey value of the kth component of the pixel, y'_k is the modified grey value of the kth component of the pixel.

4.2 Non-Linear Transformations

In this segment we attempt to sum up the standard dim scale differentiate improvement systems to shading pictures such that they are tone safeguarding. The goal is to keep the changed values inside the scope of the RGB space, i.e., the changes are free from range issue. Some broad and generally utilized differentiation improvement systems for dim scale pictures are S-sort upgrade, piecewise straight extending, cutting and so on. The systems of these procedures can be found in the writing. Just S-sort change is recorded underneath for dark scale pictures.

$$f_{m,n}(x) = \begin{cases} \delta_1 + (m - \delta_1) \left(\frac{x - \delta_1}{m - \delta_1} \right)^n, & \delta_1 \leq x \leq m \\ \delta_2 - (\delta_2 - m) \left(\frac{\delta_2 - x}{\delta_2 - m} \right)^n, & m \leq x \leq \delta_2 \end{cases} \quad (4)$$

Let 'f' denote the enhancement function. Let x represents the pixel value. Thus $x, f(x) \in [\delta_1, \delta_2]$ where $\delta_1=0, \delta_2=1$

where m and n are two constants, $n \in (0, \infty)$ and $m \in [\delta_1, \delta_2]$. This transformation is written in most general form. If $\delta_1=0, \delta_2=1$ and $m=0.5, n=2$ it provides the standard S-type contrast enhancement.

The above recorded change is one dimensional yet a pixel in a shading picture has a shading vector with three segments R, G, and B. The methodology took after for summing up dim scale differentiate strengthening to shading pictures is talked about beneath.

The summed up change is changed by making the moving capacity to be zero. To disentangle the mappings even more, the direct change as portrayed in past segment is connected at first. Non-direct change is connected on the changed shading vectors. Applying initially the said linear transformation stretches the intervals of the color levels linearly so that the pixel values will be spread to the maximum possible extent for each of the intervals for R, G, and B. After taking $\beta(\hat{y})$ to be zero in the (2), the transformation would become

$$y'_k = \alpha(\hat{y})y_k \quad (5)$$

In the above equation, α is a function of \hat{y} i.e., it modifies the three components of the color vector by three different scales. This leads to change in hue of the color vector, which is against our aim. A way of making this transformation hue preserving is to have the same scale for each of the three components of the vector. It is already shown that this type of scaling is hue preserving. In particular α , can be taken as a function of l_k , where $l_k = y_1 + y_2 + y_3$. Then the transformation will be of the form

$$y'_k = \alpha(l_k)y_k \quad (6)$$

Initially, we define $\alpha(l_k) = f(l_k)/l_k$, where is a $f(l_k)$ nonlinear transformation used in contrast enhancement for grey scale images. For example, S-type transformation is listed earlier in this section. In the present case we can take $\delta_1=0$ and $\delta_2=1$ i.e., . As is a ratio $\alpha(l_k)$ value can be greater than 1. In such a case y'_k value of may exceed 1 and thus resulting in gamut problem. A conceivable answer for this is to change the shading vector to CMY space and process it there. This is appeared in the square graph given underneath. A shading picture upgrade guideline has been expressed previously. Some notable focuses with respect to the above guideline are expressed underneath:

(i) In the proposed standard, force of a pixel is getting changed with the assistance of the complexity improvement work " f". Distinctive complexity improvement capacities give diverse significance to pixels. Be that as it may, require not generally be an element of force. There can be a few tone protecting capacities whose utilitarian structures are not needy upon the force, of the pixel.

(ii) Any dim scale picture upgrade plan can be summed up to shading pictures with the above rule.

(iii) The above strategy likewise has another attractive property i.e., if the upgrade work "f" protects the orderings of then above technique additionally safeguards similar orderings. control remote handset. The examination was effectively led with help of Henry Luce Foundation and Intel co-operation.

5. Gamut Problem

The range, or array, of human color discernment is very large. The two color spaces talked about here traverse just a small amount of the hues we can find in figure 1. Moreover the two spaces don't have a similar array, implying that changing over from one shading space to the next may bring about issues for hues in the external areas of the GAMUTs. This delineation plainly demonstrates the diverse GAMUTs of the RGB and CMYK shading spaces. The foundation is the CIE Chromaticity Diagram (speaking to the entire extent of human shading recognition).




Figure 1: Different GAMUTs of the RGB and CMYK color spaces.

The issue experienced in the force based speculations is the array issue, in which the component computed from the power esteem, by which each of the R,G and B qualities is scaled, scales a high R,G or B esteem out of its permitted space. Nothing unless there are other options referenced procedures take care of this issue with the exception of. To deal with the R, G, and B values surpassing the limits, Wang et. al. recommended standardization of every segment utilizing $(255/\max(\text{RGB}))$. This procedure, in any case, makes the picture darker. Yang et. al. have created cutting systems in LHS and YIQ spaces to deal with the range issue. Cut-out is performed after the improvement. Cutting however mutilates the shade of the picture which is not alluring.

6. Applications

Color image enhancement being a very wide area is further divided into contrast enhancement , blur reduction and removing noise with its applications based as linear contrast stretching, histogram equalization, adaptive contrast enhancement, linear color contrast, color balance, image sharpening, weiner deconvolution, linear filtering, median filter and adaptive filtering. In this segment we are only concerned with the applications related to brightness contrast and color contrast.

7. Conclusion and Future Work

The principle commitment is to build up a calculation to sum up any dim scale picture upgrade strategy to color pictures without experiencing extent issue. The general upgrade by the proposed plan is principally subject to the officially existing distinctive difference improvement ca-

capacities for dim scale pictures. These differentiation upgrade capacities for dark scale pictures are summed up to improve the force of the color images, keeping the tone in place.

A novel plan is proposed to stay away from extent issue emerging amid the procedure of improvement. This plan is utilized to improve the force of shading pictures utilizing tone change work for complexity upgrade. Additionally work can be reached out for different pictures than grayscale pictures to get better outcome with exactness.

References

- [1] Toet, A.(1992), "Multiscale color image enhancement," Pattern Recognit. Lett., vol. 13, pp. 167-174.
- [2] Sarif Kumar Naik and C. A. Murthy 'Hue-Preserving Color Image Enhancement Without Gamut Problem' in IEEE Transactions On Image Processing, Vol. 12, No. 12, December 2003.
- [3] Thomas, B. A., Strickland, R. N., and Rodriguez, J. J. (1997), "Color image enhancement using spatially adaptive saturation feedback," in Proc. IEEE Int. Conf. on Image Processing.
- [4] Berns, R. S., Billmeyer, F. W., and Saltzman, M. (2000), "Billmeyer and Saltzman's Principles of Color Technology", 3rd ed. New York: Wiley.
- [5] Yang, C. C. and Kwok, S. H. (2000), "Gamut Clipping in Color Image Processing", IEEE, pp. 824-827.
- [6] Chen, Soong-Der, and Rahman (2004), "Preserving brightness in histogram equalization based contrast enhancement techniques," Digital Signal Processing, Vol 12, No.5, pp.413-428.
- [7] Sun, C. C. , Ruan, S. J., Shie, M. C., Pai, T. W. (2005), "Dynamic Contrast Enhancement based on Histogram Specification," IEEE Transactions on Consumer Electronics, Vol. 51, No.4, pp.1300-1305.
- [8] Murtaza, Mashhood, Ahmad, Jahanzeb, and Usman (2006), "Efficient Generalized Colored image Enhancement", IEEE, CIS.
- [9] Zhiming, WANG, and Jianhua, TAO (2007) "A Fast Implementation of Adaptive Histogram Equalization" 8th International Conference on Signal Processing