### International Journal of Science and Research (IJSR)

ISSN: 2319-7064 Impact Factor 2024: 7.101

# Assessing Climatic Vulnerability and its Effects on Coastal Rural Communities in Ganjam District, Odisha

#### Dr. Manju Prava Das

Lecturer in Home Science, Savitri Women's College, Bhanjanagar, Odisha, India Email: manjupravadas[at]gmail.com

Abstract: India has a coastline stretching around 7,516 km, of which approximately 5,400 km lies along the mainland. Thirteen coastal states and Union Territories (UTs) in the country are exposed to various climatic vulnerabilities. Among them, four states—Tamil Nadu, Andhra Pradesh, Odisha, and West Bengal- are particularly prone to severe cyclones. The Bay of Bengal is known as one of the most cyclone-prone regions in the world. Odisha stands out as one of India's most climate-vulnerable states. Recurrent natural disasters significantly disrupt livelihoods and reduce the income levels of its people. Poor communities, largely dependent on climate-sensitive sectors such as agriculture, forestry, and fisheries, have limited capacity to adapt to the negative impacts of climate change. These adverse effects often lead to the loss of lives, livelihoods, assets, and infrastructure.

Keywords: Climate, vulnerability, coastal region, cyclone, livelihood

#### Aims & Scope of the Study

This paper seeks to explore the real-life hardships faced by villagers in the coastal areas of Ganjam District, Odisha—communities that repeatedly bear the brunt of climatic adversity particularly frequently occurring cyclones. These residents adversely endure severe livelihood losses, including acute shortages of food, drinking water, and fuel, as well as detrimental impacts on health, education, and infrastructure. Among them, traditional marine fishermen are the worst affected.

#### 1. Introduction

The Bay of Bengal encompasses a 480 km stretch of highly sensitive coastline that frequently faces climate-related hazards such as cyclones and coastal erosion. Nearly onethird of the cyclones forming along India's east coast make landfall in Odisha, making the region particularly vulnerable. Even minor changes in sea behaviour can cause immediate impacts on this fragile coast. The ongoing challenges are intensified by global climate change and the threat of accelerated sea-level rise, which heighten the risks of storm surges, powerful waves, and tsunamis. In recent decades, global sea levels have been rising at a rate of 1.0 to 2.5 mm per year. The Bay of Bengal often experiences harsh weather conditions, marked by heavy monsoon rains during both rainy and winter seasons. Devastating cyclones typically occur in spring and autumn, bringing strong winds and torrential rainfall. Over the past twenty years, Odisha has endured fluctuations—oscillating heatwaves and cyclones, droughts and heavy rains. With the continuing trend of climatic variability, global warming, and intensified greenhouse effects, Odisha's coastal regions are likely to face an increasing number of severe cyclones and intense low-pressure systems in the coming years.

#### 1.1 State of Odisha: At a Glance

Odisha, one of the 29 states of India, is situated along the eastern coast of the country. It shares its borders with West

Bengal to the northeast, Jharkhand to the north, Chhattisgarh to the west and northwest, and Andhra Pradesh to the south and southwest. To its east lies the Bay of Bengal, along which the state extends for about 480 kilometres (301 miles), from Balasore in the north to Malkangiri in the south. Geographically, Odisha is located between latitudes 17.78°N and 22.73°N and longitudes 81.37°E and 87.53°E. The state covers an area of 155,707 square kilometres, accounting for approximately 4.87% of India's total land area. The coastal plain occupies the eastern part of the state. Odisha ranks as the ninth-largest state in India by area and the eleventh by population, which, according to the 2011 Census of India, stands at 41,947,358.

#### General Information on Odisha Coast:

#### **Key Coastal Features of Odisha**

- Coastline Length: Approximately 480 km
- Major Estuaries: Six
- Coastal Districts: Six
- **Coastal Population:** About 36% of the total population and 43% of the urban population
- Fisherfolk Population (Coastal): 1,73,197
- Estimated Fishing Potential: 2,08,000 tonnes per year
- Climate Type: Moist sub-humid to dry sub-humid
- Average Annual Rainfall: 1,100–1,500 mm
- Ports: One major port and one minor port
- **Fishing Harbours:** One major and three minor
- Tidal Regime: Micro- to meso-tidal

#### 1.2 Climatic Vulnerability and Odisha

Vulnerability can be described as the internal risk factor of a system or population exposed to a hazard, reflecting its inherent susceptibility to harm or damage. The state of Odisha is considered highly vulnerable to climate variability and change due to its socio-economic conditions, widespread poverty, and frequent occurrence of cyclones and floods. Nearly one-third of all cyclones that form along India's east coast make landfall along the Odisha coast. Geographically,

Volume 14 Issue 12, December 2025
Fully Refereed | Open Access | Double Blind Peer Reviewed Journal
www.ijsr.net

#### **International Journal of Science and Research (IJSR)** ISSN: 2319-7064

**Impact Factor 2024: 7.101** 

Odisha lies on the eastern seaboard of India, at the head of the Bay of Bengal, and is highly prone to severe tropical cyclones. The state's coastline extends for approximately 480 kilometres, encompassing six coastal districts—Balasore, Bhadrak, Kendrapada, Jagatsinghpur, Puri, and Ganjam. This coastal belt is extremely sensitive to cyclonic disturbances, meaning that even minor changes in sea behaviour can have immediate and significant impacts. Over the past two decades, Odisha has experienced a series of extreme weather events, oscillating between heatwaves and cyclones, droughts and floods. Sea-level rise has also emerged as a critical concern, further intensifying the vulnerability of the coastal region.

Climate change has had significant consequences for both society and the environment, with natural calamities severely impacting livelihoods and reducing income levels across Odisha. Among the six coastal districts, Ganjam is one of the most vulnerable and frequently experiences natural disasters such as droughts, and cyclones. The major flood of 1990, the Super Cyclone of 1999, and Cyclone Phailin in 2013, Titli in 2018, Fani in 2019 have repeatedly disrupted the district's economy and weakened its resilience. Cyclonic events, in particular, have caused a range of direct impacts that threaten livelihoods, including high tides, flooding, saltwater intrusion, and prolonged waterlogging.

In response to the devastation caused by the 1999 Super Cyclone, the state government implemented several measures—such as establishing communication networks, constructing cyclone shelters, and developing improved infrastructure, including permanent housing for economically weaker communities in cycloneprone areas-to reduce the physical vulnerability of the coastal districts. Despite these efforts, several factors continue to heighten Odisha's exposure to cyclones: poor conditions, fragile housing, socio-economic settlements (including populated coastal islands) in areas susceptible to tidal surges, depletion of mangroves and shelterbelt vegetation, the presence of hazardous industries in cyclone-prone zones, and inadequate road connectivity to coastal villages.

#### 2. Study Area and Methods

The present study seeks to understand the actual hardships faced by villagers residing in the coastal regions of Ganjam District, Odisha, who are repeatedly subjected to the adverse impacts of climatic vulnerability. These communities endure significant losses in their livelihoods, ranging from acute shortages of food, drinking water, and fuel to serious effects on health, education, and local infrastructure. Among them, the traditional marine fishing communities along the Ganjam coast—particularly those in the Gopalpur area—are the most severely affected.

The study employs a combination of household surveys and Focus Group Discussions (FGDs) to examine the socioeconomic consequences of climate change on these communities. Data were collected from two coastal villages, Podampeta and Karapalli, located in the Gopalpur-on-Sea belt. The FGDs were conducted in the local Odia language, focusing primarily on the perceived and observed effects of climate change on livelihoods. Since most residents in these villages depend on both agriculture and fishing for their sustenance, the study purposively selected households engaged in both occupations. In total, 50 households were surveyed—25 from Podampeta and 25 from Karapalli.

#### 3. Findings

After discussing with the villagers, the various responses regarding the effect of climatic vulnerability on their lives, the findings are:

#### 3.1 Effects of Regular Climatic Change:

#### a) Effect on Occupation:

Fishing during cyclonic weather conditions becomes extremely hazardous. Climate change-induced depressions and cyclones not only disrupt fishing activities but also hinder the drying and preservation of fish. During heavy rainfall, fish tend to remain in deeper waters, making it difficult for fishermen to achieve a good catch even when they venture out at great risk. Strong winds and turbulent sea conditions often cause boats to capsize, forcing fishermen to swim across the sea to survive—a task they describe as arduous and lifethreatening due to powerful sea currents. In such situations, injuries are common, either from collisions during capsizing or from entanglement with boat propellers. Tragically, several deaths have been reported due to drowning or propellerrelated injuries.

#### b) Effect on Agriculture

Agriculture in these two villages is highly vulnerable to multiple hazards, including cyclones, tidal surges, and droughts. While these events rarely pose an immediate threat to human life, they severely affect the economic stability of individual farming households. Farmers invest substantial amounts of money each season with the expectation of a good harvest; however, a single cyclone or flood can destroy crops entirely, leading to significant financial losses and increased indebtedness.

#### c) Effect on Housing

Housing represents one of the most valuable assets for residents of both villages. Most households own their homes; however, many dwellings in the fishing village are not pucca (permanent) structures-meaning they lack brick walls or concrete roofs. These semi-permanent houses are particularly vulnerable to damage during floods and cyclones, events that occur with alarming regularity in the region. Consequently, recurrent structural damage poses a continuous economic burden on the affected families.

#### 3.2 Effects of last cyclone on the villagers

The cyclone caused extensive destruction in the coastal villages.

- Numerous old and large trees, including those that provided vital livelihood support to thousands of people, were uprooted.
- Most thatched houses suffered severe damage, while several asbestos-roofed houses also had their roofs partially or completely blown away.

Volume 14 Issue 12, December 2025 Fully Refereed | Open Access | Double Blind Peer Reviewed Journal www.ijsr.net

## International Journal of Science and Research (IJSR) ISSN: 2319-7064

**Impact Factor 2024: 7.101** 

- Children were among the worst affected, as their clothing, school materials, and other essentials were destroyed.
- The continuous rainfall that followed the cyclone further aggravated the situation, worsening living conditions and hampering relief efforts.
- The cyclone resulted in widespread loss of property and livelihood assets in the affected villages.
- Most households lost their essential belongings, including cooking utensils, bedding, and clothing.
- Power supply was completely disrupted, and due to the unavailability of kerosene and candles, residents were left in darkness for several days.
- Access to safe drinking water also became a major challenge.
- In Podampeta village, 12 houses were submerged by the advancing sea, directly affecting around 140 fisherfolk.
- Additionally, approximately 150 fishing nets were lost and 50 boats sustained severe damage.
- Agricultural activities in the region were equally disrupted, as fields were inundated and crops destroyed.
- The majority of fishing boats were rendered nonfunctional, and nearly all fishing nets were damaged.
- The village livestock also suffered significant losses, further aggravating the economic hardship faced by the community.

#### 4. Conclusion

The recurring occurrence of floods and cyclones resulting from climate change has rendered the rural population in the study area highly vulnerable. Communities with limited economic means possess low adaptive capacities to cope with these adverse impacts, largely due to their heavy dependence on climate-sensitive sectors such as agriculture and fisheries. Their vulnerability is further exacerbated by inadequate infrastructure, weak institutional support systems, and a lack of financial resources. The direct consequences of climatic variability include the loss of lives, livelihoods, assets, and infrastructure. To mitigate these impacts, it is imperative to establish an integrated system that enhances preparedness and resilience at all levels—governmental, institutional, and community.

#### 5. Future Scope

Further research can be conducted on the possible ways to reduce the vulnerability.

#### References

- [1] International Journal for Research in Business, Management and Accounting Volume-2 | Issue-10 | October,2016 | Paper-1 8
- [2] Chandra Sekhar Bahinipati and Nirmal Chandra Sahu, (2012) Mangrove Conservation as Sustainable Adaptation, Asian Journal of Environment and Disaster Management, Vol. 4, No. 2, 183–202
- [3] Chittibabu, P., Dube, S. K., Macnabb, J. B. and Sinha, P. C. ,(2004). Mitigation of Flooding and Cyclone Hazard in Odisha, India, *Natural Hazards*, 55–85
- [4] Kumar, K. S. K. and Tholkappian, S.,(2006).Relative vulnerability of Indian coastal districts to sea-level rise

- and climate extremes, *International Review for Environmental Strategies*, 6(1), 3–22.
- [5] GoO, (2009), Annual Reports on Natural Calamities, different years (2001-09), Published by Special Relief Commissioner, Revenue and Disaster Management Department, Govt. of Odisha, Bhubaneswar
- [6] Wisner, B (2006). Risk Reduction Indicators: Social Vulnerability.
- [7] Electronic sites:
- [8] www.proventionconsortium.org/themes/default/pdf/TR IAMS\_social\_vulnerability.pdf
- [9] www.infochangeindia.org
- [10] WWW.timesofindia.com
- [11] www.thehindu.in

#### **Author Profile**

**Dr. Manju Prava Das** is currently working as a Lecturer in Home Science in Savitri Women's College, Bhanjanagar, Odisha with a strong academic background and a commitment to quality teaching and student development. She was the former Principal in the college of Rural management, S.M.I.T., Odisha (September 2007 to May 2022) She is engaged in teaching core subjects in Home Science, Rural Development, Rural Management, Social Work and Disaster Management combining theoretical knowledge with practical applications to promote holistic learning. Dr. Das has a keen interest in academic writing, curriculum development, community-oriented education, and research. Her professional approach reflects dedication to education, research, and the empowerment of learners through knowledge, attitude and practices.

**Dr. Das** has pursued her Master's Degree in multiple subjects like MBA, MSW, MARD, Master in English and Master in Home Science. She has been awarded her PhD from the Centre of Advanced Studies in Psychology under Utkal University of Odisha. She has qualified UGC-NET in multiple subjects. With more than 18 years of teaching experience, Dr. Das has published a number of books, book chapters based on different research works and research articles in different International, National, UGC- approved, indexed, peer-reviewed journals.

Volume 14 Issue 12, December 2025
Fully Refereed | Open Access | Double Blind Peer Reviewed Journal
www.ijsr.net