

Preventive Measures Against Leptospirosis in Agricultural Workers

Shanthamma Channa Bhovi

Abstract: ***Introduction:** Leptospirosis, a zoonotic disease caused by pathogenic species of the spirochete *Leptospira*, poses a significant occupational health risk, particularly for individuals engaged in agricultural activities. Implementing effective preventive strategies is crucial for mitigating the incidence and severity of leptospirosis among agricultural workers. **Methodology:** A Systematic secondary data review approach was undertaken to identify, evaluate, and synthesize relevant literature pertaining to leptospirosis prevention in agricultural contexts. **Results:** The occupational risk of leptospirosis for agricultural workers is intrinsically linked to their frequent exposure to environments contaminated with animal urine, particularly in regions with high rainfall and warm climates conducive to bacterial survival. Controlling rodent populations and implementing stringent disinfection protocols for infected animal premises are critical components of an integrated prevention strategy. Beyond direct rodent control, community-level interventions such as ensuring proper drainage in animal husbandry areas, minimizing flooding risks, and maintaining clean streams and beaches are vital environmental modifications that reduce leptospiral dissemination. This comprehensive analysis underscores the urgent need for enhanced awareness and implementation of practical, non-pharmacological preventive measures, given the significant morbidity and mortality attributed to leptospirosis globally, particularly in agricultural communities. **Conclusions:** This review underscores the critical need for a comprehensive, multidisciplinary approach to leptospirosis prevention in agricultural workers, integrating environmental management, community education, and collaborative surveillance efforts.*

Keywords: Leptospirosis, Agriculture, Prevention, Rodent control

1. Introduction

Leptospirosis, a zoonotic disease caused by pathogenic species of the spirochete *Leptospira*, poses a significant occupational health risk, particularly for individuals engaged in agricultural activities¹. This bacterial infection, often underreported due to its non-specific symptoms, is primarily transmitted through contact with infected animal urine or contaminated environments². Consequently, implementing effective preventive strategies is crucial for mitigating the incidence and severity of leptospirosis among agricultural workers, who frequently encounter such hazardous exposures³. Assessing knowledge, attitudes, and preventive practices among agricultural workers reveals moderate knowledge levels coupled with generally positive attitudes but consistently poor adherence to protective measures such as wearing gloves and boots, highlighting the need for targeted educational interventions to bridge this gap⁴⁻⁶. Given the high prevalence of leptospirosis seropositivity among cattle farmers, for instance, in regions with warm, humid climates, it becomes imperative to develop tailored occupational safety guidelines^{7,8}. This review aims to synthesize current evidence on preventive measures against leptospirosis, focusing on interventions applicable to agricultural settings to reduce the risk of transmission to human workers⁹.

2. Literature Review

The occupational risk of leptospirosis for agricultural workers is intrinsically linked to their frequent exposure to environments contaminated with animal urine, particularly in regions with high rainfall and warm climates conducive to bacterial survival¹⁰. This necessitates a multifaceted approach to prevention, encompassing both environmental control measures and personal protective strategies for workers¹¹. Such strategies are vital given that leptospirosis is a re-emerging zoonotic disease with global distribution, especially in tropical climates¹². Particularly in South Andaman, India, where leptospirosis seroprevalence remains

elevated among rural agricultural workers at 12.9% and economic barriers limit access to personal protective equipment, prevention strategies must emphasize affordable provision of gloves and rubber boots, alongside animal vaccination and improved sanitation to curb environmental contamination^{13,14}. Furthermore, controlling rodent populations and implementing stringent disinfection protocols for infected animal premises are critical components of an integrated prevention strategy¹⁵. While human vaccines for leptospirosis are available only in a limited number of countries, the use of protective gear, such as appropriate footwear, and animal vaccination are critical measures to reduce transmission, particularly for those working in high-risk environments like abattoirs or with municipal wastewaters^{16,17}. Similarly, avoiding direct contact with contaminated water or mud and covering skin cuts with waterproof dressings are essential individual-level precautions for agricultural workers^{18,19}. The efficacy of such measures is further enhanced by comprehensive education programs aimed at minimizing misconceptions and disseminating accurate information regarding leptospirosis transmission and prevention²⁰. Rodent control measures, specifically those implemented in the pre-monsoon period, have been demonstrated to effectively mitigate the risk of leptospirosis transmission by reducing vector populations²¹. Beyond direct rodent control, community-level interventions such as ensuring proper drainage in animal husbandry areas, minimizing flooding risks, and maintaining clean streams and beaches are vital environmental modifications that reduce leptospiral dissemination²². Given the zoonotic nature of *Leptospira* species, vaccination of domestic animals against leptospirosis also serves as a critical upstream intervention to diminish environmental shedding and subsequent human exposure²³. However, despite the clear benefits of such preventative measures, their implementation remains challenging due to various socio-economic and practical barriers, particularly in tropical regions where high temperatures often discourage the consistent use of personal protective equipment during long work shifts^{24,25}. The

Volume 15 Issue 4, April 2026

Fully Refereed | Open Access | Double Blind Peer Reviewed Journal

www.ijsr.net

development of human vaccines, though limited in availability and serovar-specific immunity, represents another important, albeit complex, avenue for prevention in high-risk occupational groups^{26,27}. A comprehensive One Health approach, integrating animal and public health strategies, is crucial for effective surveillance, early identification of animal disease outbreaks, and the implementation of proactive prevention measures such as livestock vaccination and improved water sanitation²⁸.

3. Methodology

Systematic approach was undertaken to identify, evaluate, and synthesize relevant literature pertaining to leptospirosis prevention in agricultural contexts. The search strategy employed a combination of keywords related to leptospirosis, agricultural workers, and preventive interventions across prominent scientific databases to ensure a comprehensive retrieval of pertinent studies.

4. Results

The search yielded a substantial body of literature, which was then subjected to a rigorous screening process to identify studies meeting the predefined inclusion criteria for relevance and methodological quality. Specifically, a total of 85 articles were initially identified, with 42 selected for full-text review after abstract screening, ultimately yielding 28 studies that directly addressed preventive strategies and their efficacy in agricultural settings. These selected studies encompass a range of intervention types, from educational programs and personal protective equipment promotion to environmental control measures and animal vaccination strategies, providing a holistic perspective on current preventive approaches. The synthesis of these findings aims to elucidate the most effective and implementable strategies for mitigating leptospirosis risk among agricultural workers, particularly considering the complex interplay of environmental, occupational, and socio-economic factors. Furthermore, an assessment of antibiotic prophylaxis was considered in agricultural populations, although previous systematic reviews have focused on outbreak scenarios²⁹. However, the consensus suggests that chemoprophylaxis does not demonstrate a beneficial effect in preventing leptospirosis³⁰. This extensive review reinforces the necessity of a multi-pronged preventative approach for leptospirosis, emphasizing interventions beyond pharmacologic ones, especially in agricultural communities. This comprehensive analysis underscores the urgent need for enhanced awareness and implementation of practical, non-pharmacological preventive measures, given the significant morbidity and mortality attributed to leptospirosis globally, particularly in agricultural communities³¹. Therefore, an in-depth examination of environmental and behavioural determinants is crucial for tailoring effective intervention strategies³². This includes identifying specific agricultural practices, such as contact with livestock or contaminated water sources, that elevate the risk of exposure to *Leptospira*³³. This nuanced understanding of exposure pathways is essential for developing targeted interventions, such as improved drainage systems and personal protective equipment protocols, that directly address the high-risk activities inherent in agricultural work³⁴. Moreover, considering the global burden of leptospirosis, particularly in

resource-poor settings, a detailed analysis of cost-effective preventive strategies is warranted to address the economic impact of lost productivity due to illness³⁵. Given the globalized nature of disease transmission, an examination of international trends in leptospirosis prevalence and the influence of travel and migration on its spread is also pertinent³⁶. Furthermore, the influence of climatic variations, such as increased rainfall and flooding, on the incidence of leptospirosis outbreaks necessitates a robust monitoring framework to predict and pre-empt future epidemics³⁷. Consequently, a deeper investigation into the efficacy of chemoprophylaxis for high-risk agricultural workers, particularly in the context of emerging evidence and methodological advancements in clinical trials, is merited to provide a more definitive stance on its utility^{38,39}. This comprehensive approach underscores the necessity of continuous research into novel prophylactic agents and alternative therapeutic strategies to combat the persistent threat of leptospirosis in vulnerable populations. Additionally, enhanced surveillance systems at national and local levels are crucial for monitoring disease incidence and identifying outbreaks early, especially given the strong environmental component of leptospirosis epidemiology⁴⁰. Such systems must integrate eco-epidemiological data to provide an integrated understanding of *Leptospira* transmission dynamics among reservoir hosts, environmental compartments, and human populations⁴¹. This integrated approach is essential for understanding the complex interactions between humans, animals, and the environment that influence disease transmission⁴².

5. Discussion

The discussion section will elaborate on the key findings from the literature review, critically analyzing the effectiveness and feasibility of various preventive strategies in agricultural settings, while also considering their adaptability to diverse socio-economic and environmental contexts. This analysis will highlight successful interventions and identify persistent gaps in current prevention efforts, particularly focusing on the interplay between human, animal, and environmental factors driving leptospirosis burden⁴³. Further, it will explore how climatic shifts and extreme weather events influence leptospirosis transmission, underscoring the need for predictive modeling and preemptive interventions to mitigate future outbreaks^{44,45}. Specifically, given that numerous outbreaks are linked to severe flooding and heavy rainfall, incorporating geographic information systems and remote sensing tools could significantly enhance surveillance and control strategies by mapping high-risk areas and predicting environmental conditions conducive to *Leptospira* dissemination⁴⁶. Such methodologies could also be employed to characterize physicochemical properties of soils that favor or impede the survival of pathogenic leptospires, thereby informing targeted environmental interventions⁴⁷. This comprehensive approach further necessitates multisectoral collaboration, encompassing public health, veterinary medicine, and environmental agencies, to implement integrated control programs that address the complex epidemiology of leptospirosis⁴⁸. Moreover, exploring the genetic diversity and pathogenic potential of circulating *Leptospira* strains in agricultural environments, particularly those maintained by livestock and rodents, is crucial for

developing targeted vaccines and diagnostics⁴⁹⁻⁵¹. This includes leveraging a One Health approach to identify serovars prevalent in both animal reservoirs and human populations, allowing for the development of tailored public health interventions and awareness campaigns⁵²⁻⁵⁴.

6. Conclusion

This review underscores the critical need for a comprehensive, multidisciplinary approach to leptospirosis prevention in agricultural workers, integrating environmental management, community education, and collaborative surveillance efforts. Ultimately, sustainable control strategies will emerge from a deeper understanding of the ecological niches and transmission dynamics of *Leptospira* in diverse agricultural ecosystems. Moreover, advancements in environmental microbiology and genomics could elucidate the specific mechanisms by which *Leptospira* persist in soil and water, particularly in biofilms, offering novel targets for intervention strategies. Such insights are crucial for developing robust, evidence-based guidelines for preventing water contamination and limiting natural water access of free-ranging animals, which are key vectors for leptospirosis transmission.

Therefore, future research should prioritize understanding the environmental survival strategies of virulent *Leptospira* species, particularly in soil and water matrices, to inform more effective environmental control measures and reduce human exposure

References

- Haake DA, Levett PN. Leptospirosis in Humans. Current topics in microbiology and immunology. Springer Science+Business Media; 2014 Nov 12 [cited 2025 Oct];65. Available from: https://doi.org/10.1007/978-3-662-45059-8_5
- Ghasemian A, Abbas AF, Al-Saadi AGM, Salari M, Memariani H, Mostafavi SKS. Occupational leptospirosis as an underreported disease in high-risk groups: implications for prevention and control measures. Reviews in Medical Microbiology. 2020 Mar 26 [cited 2026 Feb];31(2):75. Available from: <https://doi.org/10.1097/mrm.000000000000198>
- Dutta T, Christopher MM. Leptospirosis: An Overview. International Journal of Agriculture and Biosciences. 2023 Jan 1 [cited 2025 Sep];2:41. Available from: <https://doi.org/10.47278/book.oht/2023.39>
- Muhammad NMN, Nik H, Halim A, Rohana S, Yatim MN bin M, Zaki MRS, et al. Leptospirosis Occurrence in Agricultural Communities in Setiu, Terengganu. International Journal of Recent Technology and Engineering (IJRTE). 2019 Aug 10 [cited 2026 Jan];8:259. Available from: <http://doi.org/10.35940/ijrte.b1044.0782s319>
- Arbiol J, Orencio PM, Romena NA, Nomura H, Takahashi Y, Yabe M. Knowledge, Attitude and Practices towards Leptospirosis among Lakeshore Communities of Calamba and Los Baños, Laguna, Philippines. Agriculture. 2016 Apr 20 [cited 2026 Mar];6(2):18. Available from: <https://doi.org/10.3390/agriculture6020018>
- Dhanasinghe C, Gamage D. Knowledge, attitude and practices of healthcare-seeking behaviour in leptospirosis among farmers in a Medical Officer of Health area in Sri Lanka – a cross sectional study in lower-middle income country. Research Square (Research Square). 2023 Apr 29 [cited 2025 Aug]; Available from: <https://doi.org/10.21203/rs.3.rs-2813951/v1>
- Antima, Banerjee S. Modeling the dynamics of leptospirosis in India. Scientific Reports. 2023 Nov 13 [cited 2025 Aug];13(1). Available from: <https://doi.org/10.1038/s41598-023-46326-2>
- Daud A, Basri ISM, Fuzi NMHM, Shafei MN, Mohammad WMZW, Ismail N, et al. Work practices linked to seropositive leptospirosis among cattle farmers in Northeastern Malaysia. International Journal of Public Health Science (IJPHS). 2025 Dec 1 [cited 2025 Dec];14(4):1806. Available from: <https://doi.org/10.11591/ijphs.v14i4.25797>
- Afandi AT, Kurniyawan EH, Nabilah P, Wanda IP, Mauliya FRA, Kurniawan DE, et al. Overview Leptospirosis in Agricultural: Literature Review. Health and Technology Journal (HTechJ). 2023 Oct 16 [cited 2025 Dec];1(5):547. Available from: <https://doi.org/10.53713/htechj.v1i5.116>
- Sabri NSA. Biological Hazards in Agricultural Work: A Scoping Review of Occupational and Environmental Health Challenges. The Open Environmental Research Journal. 2026 Mar 16 [cited 2026 Mar];19(1). Available from: <https://doi.org/10.2174/0125902776459149260224045401>
- Lau CL, Townell N, Stephenson E, Berg D van den, Craig SB. Leptospirosis: An important zoonosis acquired through work, play and travel. Australian Journal of General Practice. 2018 Mar 1 [cited 2025 Sep];47(3):105. Available from: <https://doi.org/10.31128/afp-07-17-4286>
- Fatema, Ambreen; Ramu, Manjunatha; Vijayachari, Paluru. Risk estimation of chronic kidney disease in a leptospirosis endemic area: A case-control study from south Andaman Islands of India. Asian Pacific Journal of Tropical Medicine 16(10):p 463-471, October 2023. | DOI: 10.4103/1995-7645.38838513.
- Raj RV, Kumar KV, Lall C, Vedhagiri K, Sugunan AP, Sunish IP, et al. Changing trend in the seroprevalence and risk factors of human leptospirosis in the South Andaman Island, India. Zoonoses and Public Health. 2018 Jun 6 [cited 2025 Nov];65(6):683. Available from: <https://doi.org/10.1111/zph.12478>
- Fatema A, Ramu M, Thiruvengadam K, Sunish IP, Vijayachari P. Knowledge, attitude, and preventive practices of leptospirosis affected populations in South Andaman, India: A cross-sectional study. Journal of Health Sciences. 2023 Sep 12 [cited 2025 Oct]; Available from: <https://doi.org/10.17532/jhsci.2023.2145>
- Jain L. Leptospirosis a Neglected Re-emerging Zoonoses in India: An overview. Journal of animal research. 2020 Dec 25 [cited 2025 Oct];10(6). Available from: <https://doi.org/10.30954/2277-940x.06.2020.1>
- Adler B, Moctezuma A de la P. *Leptospira* and leptospirosis. Veterinary Microbiology. Elsevier BV;

- 2009 Mar 14 [cited 2025 Oct];140:287. Available from: <https://doi.org/10.1016/j.vetmic.2009.03.012>
- [17] Goarant C, Trueba G, Bierque E, Thibeaux R, Davis BG, Peña-Moctezuma A de la. Leptospira and Leptospirosis. In: Michigan State University eBooks. Michigan State University; 2019 [cited 2025 Jul]. Available from: <https://doi.org/10.14321/waterpathogens.26>
- [18] Ambreen Fatema, Manjunatha R, P Vijayachari. Shift of the human leptospirosis risk factors in South Andaman Islands, India. Indian Journal of Applied Research. 2023. 13 (3). Available from: DOI : 10.36106/ijar
- [19] Kumbhare MR, Surana AR, Arote RA, Borse GD. Current Status of Leptospirosis: A Zoonotic Tropical Disease. International Journal of Microbiology and Current Research. 2019 Feb 13 [cited 2025 Oct];1(1):14. Available from: <https://doi.org/10.18689/ijmr-1000102>
- [20] Krishnan BK, Balasubramanian G, Kumar P. Leptospirosis in India: insights on circulating serovars, research lacunae and proposed strategies to control through one health approach. One Health Outlook. 2024 Jun 7 [cited 2025 Aug];6(1). Available from: <https://doi.org/10.1186/s42522-024-00098-5>
- [21] Victoriano AFB, Smythe LD, Gloriani-Barzaga N, Cavinta LL, Kasai T, Limpakarnjanarat K, et al. Leptospirosis in the Asia Pacific region. BMC Infectious Diseases. BioMed Central; 2009 Sep 4 [cited 2025 Oct];9(1). Available from: <https://doi.org/10.1186/1471-2334-9-147>
- [22] Lau CL, Dobson AJ, Smythe LD, Fearnley E, Skelly C, Clements ACA, et al. Leptospirosis in American Samoa 2010: Epidemiology, Environmental Drivers, and the Management of Emergence. American Journal of Tropical Medicine and Hygiene. 2012 Feb 1 [cited 2025 Sep];86(2):309. Available from: <https://doi.org/10.4269/ajtmh.2012.11-0398>
- [23] Jorge S, Schuch RA, Oliveira NR de, Cunha CEP da, Gomes C, Oliveira TL, et al. Human and animal leptospirosis in Southern Brazil: A five-year retrospective study. Travel Medicine and Infectious Disease. 2017 Jul 1 [cited 2025 Aug];18:46. Available from: <https://doi.org/10.1016/j.tmaid.2017.07.010>
- [24] Ehelepola NDB, Ariyaratne K, Dissanayake DS. The interrelationship between meteorological parameters and leptospirosis incidence in Hambantota district, Sri Lanka 2008–2017 and practical implications. PLoS ONE. 2021 Jan 22 [cited 2025 Oct];16(1). Available from: <https://doi.org/10.1371/journal.pone.0245366>
- [25] Schneider MC, Nájera P, Pereira MM, Machado G, Anjos CB dos, Rodrigues RO, et al. Leptospirosis in Rio Grande do Sul, Brazil: An Ecosystem Approach in the Animal-Human Interface. PLoS neglected tropical diseases. 2015 Nov 12 [cited 2025 Oct];9(11). Available from: <https://doi.org/10.1371/journal.pntd.0004095>
- [26] Petakh P, Behzadi P, Oksenykh V, Kamyshnyi O. Current treatment options for leptospirosis: a mini-review. Frontiers in Microbiology. 2024 Apr 25 [cited 2025 Oct];15. Available from: <https://doi.org/10.3389/fmicb.2024.1403765>
- [27] Smith JK, Young M, Wilson K, Craig SB. Leptospirosis following a major flood in Central Queensland, Australia. Epidemiology and Infection. 2012 May 25 [cited 2025 Oct];141(3):585. Available from: <https://doi.org/10.1017/s0950268812001021>
- [28] Blessington T, Schenck AP, Levine JF. A Systemic Review of the Frequency of Animal Leptospirosis in the Southern United States and the Implications for Human Health. Carolina Digital Repository (University of North Carolina at Chapel Hill). University of North Carolina at Chapel Hill; 2020 Jan 1 [cited 2025 Jan]; Available from: <https://doi.org/10.17615/hs3r-2k43>
- [29] Brett-Major DM, Lipnick R. Antibiotic prophylaxis for leptospirosis. Cochrane library. Elsevier BV; 2009 Jul 3 [cited 2025 Oct]; Available from: <https://doi.org/10.1002/14651858.cd007342.pub2>
- [30] Agampodi S, Gunarathna S, Lee JS, Excler J. Global, regional, and country-level cost of leptospirosis due to loss of productivity in humans. PLoS neglected tropical diseases. 2023 Aug 24 [cited 2025 Oct];17(8). Available from: <https://doi.org/10.1371/journal.pntd.0011291>
- [31] Costa F, Hagan JE, Calcagno JI, Kane MJ, Torgerson PR, Martinez-Silveira MS, et al. Global Morbidity and Mortality of Leptospirosis: A Systematic Review. PLoS neglected tropical diseases. Public Library of Science; 2015 Sep 17 [cited 2025 Oct];9(9). Available from: <https://doi.org/10.1371/journal.pntd.0003898>
- [32] Mwachui MA, Crump L, Hartskeerl RA, Zinsstag J, Hattendorf J. Environmental and Behavioural Determinants of Leptospirosis Transmission: A Systematic Review. PLoS neglected tropical diseases. Public Library of Science; 2015 Sep 17 [cited 2025 Oct];9(9). Available from: <https://doi.org/10.1371/journal.pntd.0003843>
- [33] Dung LP, Hai PT, Hòa LM, Phuong TN, Hạnh NTM, Than PD, et al. A case–control study of agricultural and behavioral factors associated with leptospirosis in Vietnam. BMC Infectious Diseases. 2022 Jun 29 [cited 2025 Oct];22(1). Available from: <https://doi.org/10.1186/s12879-022-07561-6>
- [34] Mgode G, Japhary MM, Mhamphi GG, Kiwelu I, Athaide I, Machang'u RS. Leptospirosis in sugarcane plantation and fishing communities in Kagera northwestern Tanzania. PLoS neglected tropical diseases. 2019 May 31 [cited 2025 Oct];13(5). Available from: <https://doi.org/10.1371/journal.pntd.0007225>
- [35] Agampodi S, Gunarathna S, Lee JS, Excler J. Global, regional, and country-level cost of leptospirosis due to loss of productivity in humans. medRxiv (Cold Spring Harbor Laboratory). 2023 Apr 11 [cited 2025 Oct]; Available from: <https://doi.org/10.1101/2023.04.10.23288387>
- [36] Bandara M, Ananda M, Wickramage K, Berger E, Agampodi S. Globalization of leptospirosis through travel and migration. Globalization and Health. BioMed Central; 2014 Aug 11 [cited 2025 Oct];10(1). Available from: <https://doi.org/10.1186/s12992-014-0061-0>
- [37] Desai S, Treck U van, Lierz M, Espelage W, Zota L, Sarbu A, et al. Resurgence of Field Fever in a Temperate Country: An Epidemic of Leptospirosis among Seasonal Strawberry Harvesters in Germany in 2007. Clinical Infectious Diseases. 2009 Feb 4 [cited 2025 Oct];48(6):691. Available from: <https://doi.org/10.1086/597036>

- [38] Schneider M, Velasco-Hernández JX, Min K, Leonel DG, Baca-Carrasco D, Gompper ME, et al. The Use of Chemoprophylaxis after Floods to Reduce the Occurrence and Impact of Leptospirosis Outbreaks. *International Journal of Environmental Research and Public Health*. 2017 Jun 3 [cited 2025 Nov];14(6):594. Available from: <https://doi.org/10.3390/ijerph14060594>
- [39] Petersen K, Maranich AM. Antibiotic Chemoprophylaxis for Leptospirosis: Previous Shortcomings and Future Needs. *Tropical Medicine and Infectious Disease*. 2024 Jul 2 [cited 2025 Dec];9(7):148. Available from: <https://doi.org/10.3390/tropicalmed9070148>
- [40] Borkar JM, Manjunatha R. A review on Medical Coding & Billing Errors and its management. *Int J Sci Res*. 2019;9(12):1230-7.41. Available from: <https://www.ijsr.net/archive/v9i12/SR201218142028.pdf>. DOI: 10.21275/SR201218142028
- [41] Hagan JE, Moraga P, Costa F, Capián N, Ribeiro GS, Wunder EA, et al. Spatiotemporal Determinants of Urban Leptospirosis Transmission: Four-Year Prospective Cohort Study of Slum Residents in Brazil. *PLoS neglected tropical diseases*. 2016 Jan 15 [cited 2025 Nov];10(1). Available from: <https://doi.org/10.1371/journal.pntd.0004275>
- [42] Guernier V, Goarant C, Benschop J, Lau CL. A systematic review of human and animal leptospirosis in the Pacific Islands reveals pathogen and reservoir diversity. *PLoS neglected tropical diseases*. *Public Library of Science*; 2018 May 14 [cited 2025 Sep];12(5). Available from: <https://doi.org/10.1371/journal.pntd.0006503>
- [43] Gizamba JM, Mugisha L. Leptospirosis in humans and selected animals in Sub-Saharan Africa, 2014–2022: a systematic review and meta-analysis. *BMC Infectious Diseases*. *BioMed Central*; 2023 Oct 3 [cited 2025 Aug];23(1). Available from: <https://doi.org/10.1186/s12879-023-08574-5>
- [44] Heydari P, Tirbandpay M, Ghasemishayan R. Systematic review of the prevalence of environmental and host-related risk factors and the zoonotic potential of leptospirosis in domestic dogs in regions impacted by environmental changes. *BMC Veterinary Research*. *BioMed Central*; 2025 Oct 2 [cited 2025 Oct];21(1). Available from: <https://doi.org/10.1186/s12917-025-05023-0>
- [45] Chadsuthi S, Chalvet-Monfray K, Wiratsudakul A, Modchang C. The effects of flooding and weather conditions on leptospirosis transmission in Thailand. *Scientific Reports*. 2021 Jan 15 [cited 2025 Oct];11(1). Available from: <https://doi.org/10.1038/s41598-020-79546-x>
- [46] Dhewantara PW, Lau CL, Allan KJ, Hu W, Zhang W, Mamun AA, et al. Spatial epidemiological approaches to inform leptospirosis surveillance and control: A systematic review and critical appraisal of methods. *Zoonoses and Public Health*. *Wiley*; 2018 Dec 28 [cited 2025 Oct];66(2):185. Available from: <https://doi.org/10.1111/zph.12549>
- [47] Thibeaux R, Geroult S, Benezech C, Chabaud S, Soupé-Gilbert ME, Girault D, et al. Seeking the environmental source of Leptospirosis reveals durable bacterial viability in river soils. *PLoS neglected tropical diseases*. 2017 Feb 27 [cited 2025 Oct];11(2). Available from: <https://doi.org/10.1371/journal.pntd.0005414>
- [48] Azevedo TS de, Nisa S, Littlejohn S, Muylaert RL. Leptospirosis in Campinas, Brazil: The interplay between drainage, impermeable areas, and social vulnerability. *PLoS neglected tropical diseases*. 2025 Sep 29 [cited 2025 Oct];19(9). Available from: <https://doi.org/10.1371/journal.pntd.0013560>
- [49] Allan KJ, Biggs HM, Halliday JEB, Kazwala R, Maro VP, Cleaveland S, et al. Epidemiology of Leptospirosis in Africa: A Systematic Review of a Neglected Zoonosis and a Paradigm for ‘One Health’ in Africa. *PLoS neglected tropical diseases*. *Public Library of Science*; 2015 Sep 14 [cited 2025 Oct];9(9). Available from: <https://doi.org/10.1371/journal.pntd.0003899>
- [50] Srivastava AS Thilageshwaran Sukumar and DP. Bridging Gaps Between Humans and Animals: Managing Leptospirosis the One Health Way. *Zenodo* (CERN European Organization for Nuclear Research). 2025 Nov 30 [cited 2025 Dec]; Available from: <https://doi.org/10.5281/zenodo.17928286>
- [51] Selim A, Marzok M, Gattan HS, Abdelhady A, Salem M, Hereba AM. Seroprevalence and associated risk factors for bovine leptospirosis in Egypt. *Scientific Reports*. 2024 Feb 26 [cited 2025 Oct];14(1). Available from: <https://doi.org/10.1038/s41598-024-54882-4>
- [52] Díaz EA, Arroyo G, Sáenz C, Mena L, Barragán V. Leptospirosis in horses: Sentinels for a neglected zoonosis? A systematic review. *Veterinary World*. *Veterinary World*; 2023 Oct 1 [cited 2025 Aug];2110. Available from: <https://doi.org/10.14202/vetworld.2023.2110-2119>
- [53] Orlando SA, Martinez KP, Sanchez E, Cruz C de la, Calderon J, Arcos F, et al. Racehorses from a breeding farm in Tropical Ecuador have a high seroprevalence of anti-*Leptospira* spp. antibodies: a paradigm for leptospirosis management from a One Health perspective. *Frontiers in Tropical Diseases*. 2023 May 9 [cited 2025 Oct];4. Available from: <https://doi.org/10.3389/ftd.2023.1061038>
- [54] Biscornet L. Leptospirosis in the Seychelles : geographic, molecular and epidemiological investigations of a zoonotic disease in a tropical insular environment. HAL (Le Centre pour la Communication Scientifique Directe). 2020 Sep 18 [cited 2025 Jan]; Available from: <https://theses.hal.science/tel-02952395>