

- [5] R. Anderson, H. Chan, and A. Perrig, "Key infection: Smart trust for smart dust," in *Proc. 12th IEEE ICNP*, 2004, pp. 206–215.
- [6] M. Conti, R. D. Pietro, L. V. Mancini, and A. Mei, "A randomized, efficient, and distributed protocol for the detection of node replication attacks in wireless sensor networks," in *Proc. 8th ACM MobiHoc*, Montreal, QC, Canada, 2007, pp. 80–89.
- [7] B. Zhu, V. G. K. Addada, S. Setia, S. Jajodia, and S. Roy, "Efficient distributed detection of node replication attacks in sensor networks," in *Proc. 23rd ACSAC*, 2007, pp. 257–267.
- [8] H. Choi, S. Zhu, and T. F. La Porta, "SET: Detecting node clones in sensor networks," in *Proc. 3rd SecureComm*, 2007, pp. 341–350.
- [9] R. Brooks, P. Y. Govindaraju, M. Pirretti, N. Vijaykrishnan, and M. T. Kandemir, "On the detection of clones in sensor networks using random key predistribution," *IEEE Trans. Syst.s, Man, Cybern. C, Appl. Rev.*, vol. 37, no. 6, pp. 1246–1258, Nov. 2007.
- [10] L. Eschenauer and V. D. Gligor, "A key-management scheme for distributed sensor networks," in *Proc. 9th ACM Conf. Comput. Commun. Security*, Washington, DC, 2002, pp. 41–47.
- [11] A. Shamir, "Identity-based cryptosystems and signature schemes," in *Proc. CRYPTO*, 1984, LNCS 196, pp. 47–53.
- [12] R. Poovendran, C. Wang, and S. Roy, *Secure Localization and Time Synchronization for Wireless Sensor and Ad Hoc Networks*. New York: Springer-Verlag, 2007.
- [13] I. F. Akyildiz, W. Su, Y. Sankarasubramaniam, and E. Cayirci, "A survey on sensor networks," *IEEE Commun. Mag.*, vol. 40, no. 8, pp. 102–114, Aug. 2002.
- [14] S. Ratnasamy, P. Francis, M. Handley, R. Karp, and S. Schenker, "A scalable content-addressable network," in *Proc. SIGCOMM*, San Diego, CA, 2001, pp. 161–172.
- [15] I. Stoica, R. Morris, D. Liben-Nowell, D. R. Karger, M. F. Kaashoek, F. Dabek, and H. Balakrishnan, "Chord: A scalable peer-to-peer lookup protocol for internet applications," *IEEE/ACM Trans. Netw.*, vol. 11, no. 1, pp. 17–32, Feb. 2003.
- [16] A. I. T. Rowstron and P. Druschel, "Pastry: Scalable, decentralized object location, and routing for large-scale peer-to-peer systems," in *Proc. IFIP/ACM Int. Conf. Distrib. Syst. Platforms Heidelberg*, 2001, pp. 329–350.
- [17] A. Varga and R. Hornig, "An overview of the OMNeT++ simulation environment," in *Proc. 1st Int. Conf. Simulation Tools Tech. Commun., Netw. Syst. Workshops*, Marseille, France, 2008, pp. 1–10.
- [18] A. Awad, C. Sommer, R. German, and F. Dressler, "Virtual cord protocol (VCP): A flexible DHT-like routing service for sensor networks," in *Proc. 5th IEEE MASS*, 2008, pp. 133–142.
- [19] R. Diestel, *Graph Theory*, 3rd ed. New York: Springer, 2006.
- [20] H. Chan and A. Perrig, "Security and privacy in sensor networks," *Computer*, vol. 36, no. 10, pp. 103–105, 2003.
- [21] X. Wu, G. Chen, and S. K. Das, "On the energy hole problem of nonuniform node distribution in wireless sensor networks," in *the Proc. of IEEE International Conference on Mobile Adhoc and Sensor Systems*, 2006, pp. 180–187.

Author Profile



MR G. DAVID received B. Tech. degree in Computer Science and Information technology from JNTUK University, in 2012 Currently he is doing M. Tech. in Prakasam Engineering College, from JNTUK University, Kakinada, India.

K. Srujana, received B_level M.Tech completed in Sathya Bhamha University in 2008, and currently she is working as an Associate Professor, Department of CSE in Prakasam Engineering College, Kandukur, India