


Figure 4: Influence of PGPR and AMF inoculums in combination with IBA on shoot growth of some types of bougainvilleas cutting.







Figure 5: Effect of cutting extracts of the 4 *Bougainvillea* cultivars on mean number of roots per mung bean cutting as affected by branch portions.






Figure 6: Effect of cutting extracts of the *B. glabra* var. *sanderiana* on mean number of roots per mung bean cutting as affected by PGPR and AMF

References

- [1] Abdel-Rahman, S.S.A. and M. El-Dsouky. 2010. Effect of indole-3-butyric acid (IBA) and *Bacillus subtilis* on rooting of *Bougainvillea glabra* var. *sanderiana* cuttings. The 5th Scientific Conference for Agricultural Sciences, Fac. Agric. Assiut Univ. Oct. 16-17, pp. 51-71.
- [2] Ahmad, N., M. Ishtiaq and G. Nabi. 2002. Influence of various concentrations of indole butyric acid (IBA) on different types of *Bougainvillea glabra* var. *Variegata* cuttings. *Sarhad Journal of Agriculture*, 18 (3): 263-270.
- [3] Armstrong, J.M. 2000. Taxus production at Meadow Lake Nursery for Taxol production. *Comb. Proc. Intl. Plant Prop. Soc.* 50: 595-597.
- [4] Bailey, L. H. 1914. *The Standard Cyclopedia of Horticulture*. MacMillan, New York.
- [5] Barea, J.M. and C. Azcon-Aguilar. 1982. Production of plant growth regulating substances by the vesicular arbuscular mycorrhizal fungus *Glomus mosseae*. *Appl. Envl. Micro.*, 43: 810-813.
- [6] Black, C.A..1965. *Methods of soil analysis*. American Society of Agronomy, Madison, WI, pp. 1114-1132.
- [7] Black, C.A., D.D. Evans, J.I. Nhrte, L.E. Ensminger and F.E. Clark. 1982. *Methods of Soil Analysis*. J. Amer. Soc. Agron. Inc. Madison, Wisconsin U.S.A.
- [8] Chang, D.C. 1994. What is the potential for management of vesicular-arbuscular mycorrhizae in horticulture? pp. 87-90. In: A.D. Robson, L.K. Abbot and N. Malajczuk (eds.). *Management of mycorrhizas in agriculture, horticulture and forestry*. Kluwer Academic Publishers. Dordrecht, The Netherlands.
- [9] Díaz-Granados, R.A.A., O.J.O. Silva, G.L. Moreno, S. Magnitskiy and A. Rodriguez. 2009. Influence of mycorrhizal fungi on the rooting of stem and stolon cuttings of the Colombian blueberry (*Vaccinium meridionale* Swartz). *International Journal of Fruit Science*, 9: 372-384.
- [10] Douds, D.D., G. Becard, P.F. Pfeffer, L.W. Doner, T.J. Dymant and W.M. Kayser. 1995. Effect of vesicular arbuscular mycorrhizal fungi on rooting of *Sciadopitys verticillata* Sieb and Zuce cuttings. *Hort. Sci.*, 30: 133-134.
- [11] Druege, U., M. Xylaender and S. Zerche. 2006. Rooting and vitality of poinsettia cuttings was increased by arbuscular mycorrhiza in the donor plants. *Mycorrhiza*, 17: 67-72.
- [12] Erturk, Y., S. Ercisli, R. Sekban, A. Haznedar and M.F. Donmez. 2008. The effect of plant growth promoting rhizobacteria (PGPR) on rooting and root growth of tea (*Camellia sinensis* var. *Sinensis*) cuttings. *Romanian Biotechnological Letters*, 13 (3): 8-19.
- [13] Erturk, Y., S. Ercisli, A. Haznedar and R. Cakmakci. 2010. Effects of plant growth promoting Rhizobacteria (PGPR) on rooting and root growth of kiwifruit (*Actinidia deliciosa*) stem cuttings. *Biol. Res.*, 43: 91-98.
- [14] Eşitken, A., S. Ercisli, I. Şevik and F. Şahin. 2003. Effect of indole-3-butyric acid and different strains of *Agrobacterium rubi* on adventitious root formation from softwood and semi-hardwood wild sour cherry cuttings. *Turk. J. Agric. For.*, 27: 37-42.
- [15] Fadl, M.S. and H.T. Hartmann. 1967. Relationship between seasonal changes in endogenous promoters and inhibitors in pear bud and cutting bases and the rooting of pear hardwood cuttings. *Proc. Amer. Soc. Hort. Sci.*, 91: 96-112.
- [16] Fales, F.W. 1951. The assimilation and degradation of carbohydrates by yeast cells. *J. Bio. Chem.*, 193-213.
- [17] Felker, P., D. Medina, C. Soulier, G. Velicce, M. Velarde and C. Gonzalez. 2005. A survey of environmental and biological factors (*Azospirillum spp.*, *Agrobacterium rhizogenes* and *Pseudomonas aurantiaca*) for their influence in rooting cuttings of *Prosopis alba* clones.
- [18] Glick, B.R., C.L. Patten, G. Holguin and D.M. Penrose. 1999. *Biochemical and genetic mechanisms used by plant growth promoting bacteria*. Imperial College Press, London, pp. 270.
- [19] Goto, M. 1990. *Fundamentals of bacterial plant pathology*. Academic Press. Inc. San Diego, pp. 339.
- [20] Hartmann, H.T., F.T. Kester, F.L. Davie and R.L. Geneve. 2002. *Plant Propagation, Principles and Practice* (7th edition). Upper Saddle River, New Jersey 07458, Inc. 304-329.
- [21] Hassig, B.E. 1986. Metabolic process in adventitious rooting of cuttings. In: Jackson M.B. (ed) *New Root Formation in Plants and Cuttings*. pp. 141-189. Martinus Nijhoff Pub, Dordrecht/Boston/Lancaster.
- [22] Henselosa, M., A. Lux and E. Masaroviãovã. 2002. Effect of growth regulators on rooting cuttings of *Karwinskia* species under in vivo conditions. *Rostlinnã Vãroba*, 48 (10): 471-476.
- [23] Karakurt, H., R. Aslantas, G. Ozkan and M. Guleryuz. 2009. Effects of indole-3-butyric acid (IBA), plant growth promoting Rhizobacteria (PGPR) and

- carbohydrates on rooting of hardwood cutting of MM 106 Apple rootstock. African Journal of Agricultural Research, 4 (2): 60-64.
- [24] Kaymak, H.C., F. Yarali, I. Guvenc and M.F. Donmez. 2008. The effect of inoculation with plant growth Rhizobacteria (PGPR) on root formation of mint (*Mentha piperita* L.) cuttings. African Journal of Biotechnology, 7 (24): 4479-4483.
- [25] Koide, R.T. 1991. Nutrient supply, nutrient demand and plant response to mycorrhizal infection. New Phytol., 117: 365-386.
- [26] Lee, C.I., J.J. Mc Guire and J.J. Kitchin. 1969. The relationship between rooting co-factors of easy and difficult-to-root cuttings of three clones of Rhododendron. J. Amer. Soc. Hort. Sci., 94 (1): 45-48.
- [27] Li, Q., S. Saleh-Lakha and B.R. Glick. 2005. The effect of native and ACC deaminase-containing *Azospirillum brasilense* Cd1843 on the rooting of carnation cuttings. Can. J. Microbiol. 51: 511-514.
- [28] Lifshitz, R., J.W. Kloepper, M. Kozlowski, C. Simonson, J. Carlson, E.M. Tipping and I. Zaleska. 1987. Growth promotion of canola (rapeseed) seedlings by a strain of *Pseudomonas putida* under gnotobiotic conditions. Canadian Journal of Microbiology, 33: 390-395.
- [29] Linderman, R.G. 1994. Role of VAM fungi in biocontrol. In: Pflieger, F.L. and R.G. Linderman (eds.). Mycorrhizal and Plant Health. APS Press. St. Paul, MN., pp. 1-26.
- [30] Mahaffe, W.F. and J.W. Kloepper. 1994. Application of plant growth promoting rhizobacteria in sustainable agriculture. In: Pankhurst, C.E.; Doube, B.M.; Gupta. V.V.S.R.; Grace, P.R. (eds.). *Management in Sustainable farming systems*. CSIRO, Australia, pp. 23-31.
- [31] Mahros, O.M. 2000. Rootability and growth of some types of Bougainvilleas cuttings under IBA stimulation. Assiut Journal of Agricultural Science, 31 (1): 19-37.
- [32] Memon, N., N. Ali, M.A. Baloch and Q. Chachar. 2013. Influence of naphthalene acetic acid (NAA) on sprouting and rooting potential of stem cuttings of *Bougainvillea*. Sci. Int. (Lahore), 25(2): 299-304.
- [33] Mertens, W.C. and R.D. Wright. 1978. Root and shoot growth rate relationships of two cultivars of Japanese Holly. J. Amer. Soc. Hort. Sci., 103 (6): 722-724.
- [34] Miller, R.M. and J.D. Jastrow. 1992. The application of VA mycorrhizae to ecosystem restoration and reclamation. In: M.F. Allen (ed.). Mycorrhizal Functioning. Routledge, Chapman and Hall, NY., pp. 438-467.
- [35] Mitchell, R.J., H.E. Garrett, G.S. Cox and A. Atalay. 1986. Boron and ectomycorrhizal influences on indole-3-acetic acid levels and indole-3-acetic acid oxidase and peroxidase activities of *Pinus echinata* roots. Tree Physiol., 1:1-8.
- [36] Pflieger, F.L. and R.G. Linderman. 1994. Mycorrhizae and plant health, pp. 337-344. In: F.L. Pflieger and R.G. Linderman (eds.). Mycorrhizae and plant health. APS Press, St. Paul, Minn.
- [37] Rajan, S.A. and D. Radhakrishna. 2013. Effect of entophytic bacteria on the rooting and establishment of cuttings of *Hibiscus rosasinensis*. Journal of Agriculture and Veterinary Science, 3(2): 17-21.
- [38] Reuveni, O. and M. Raviv. 1981. Importance of leaf retention to rooting of avocado cuttings. J. Amer. Soc. Hort. Sci., 106 (2): 127-130.
- [39] Ribaudó, M., E. Claudia, M. Krumpholz, F.D. Cassán, R. Bottini, M.L. Cantore and A.C. José. 2006. *Azospirillum* sp. promotes root hair development in tomato plants through a mechanism that involves ethylene. J. Plant Growth Regul., 24: 175-185.
- [40] Scagel, C.F. 2001. Cultivar specific effects of mycorrhizal fungi on the rooting of miniature rose cuttings. J. Environ. Hort., 19(1): 15-20.
- [41] Scagel, C.F. and R.G. Linderman. 1998. Influence of ectomycorrhizal fungi inoculation on growth and root IAA concentrations of transplanted conifers. Tree Physiol., 18: 739-747.
- [42] Scagel, C.F., K. Reddy and J.M. Armstrong. 2003. Mycorrhizal fungi in rooting substrate influences the quantity and quality of roots on stem cuttings of Hick's Yew. Hortechonology, 13(1): 62-66.
- [43] Siddiqui, Z. 2006. Plant Growth Promoting Bacteria (PGPR). Springer, pp. 318.
- [44] Singh, K. K., J. M. S. Rawat and Y.K. Tomor. 2011. Influence of indole butyric acid (IBA) on rooting potential of Torch Glory *Bougainvillea glabra* during winter seasons. Journal of Horticulture Science and Ornamental Plants, 3(2): 162-165.
- [45] Steel, R.G.D. and J.H. Torrie. 1982. Principles and Procedures of Statistics. A biometrical approach. Mc. Graw-Hill Book Co. New York.
- [46] Steenhoudt, O. and J. Vanderleyden. 2000. *Azospirillum*, a free-living nitrogen-fixing bacterium closely associated with grasses: genetic, biochemical and ecological aspect. FEMS Microbiology Reviews, 24: 487-506.
- [47] Teixeira, D.A., A.C. Alfenas, R.G. Mafia, E.M. Ferreira, L.de Siqueira, L.A. Maffia and A.H. Mounteer. 2007. Rhizobacterial promotion of Eucalypt rooting and growth. Brazilian Journal of Microbiology, 38: 118-123.
- [48] Thanuja, T.V., R.V. Hegde and M.N. Sreenivasa. 2002. Induction of rooting and root growth in black pepper cuttings (*Piper nigrum* L.) with the inoculation of arbuscular mycorrhizae. Scientia Horticulturæ, 92: 339-346.