

A Survey Paper on F-SIFT for Object and Copy Detection

Tanvi Gadgi¹, Amrit Priyadarshi²

¹ME Student, Department of Information Technology,
Dattakala Group of Institute of Technology, University of Pune, Pune, Maharashtra, India

²Assistant Professor, Department of Information Technology,
Dattakala Group of Institute of Technology, University of Pune, Pune, Maharashtra, India

Abstract: Scale-invariant feature transform (SIFT) is succeed in such a way that it become very easy to extensively employ image local feature in different computers vision and image processing software's. SIFT is very helpful to develop advance object classifiers. SIFT has been accepted widely for its invariant to scale, lighting and rotation in images. SIFT derived from sensitive gradient fields is not Flip Invariant. We can see flip like transformation in real world application because of symmetric pattern of objects, artificial flipping and opposite capturing view point. Here we have given Flip Scale-invariant feature transform with its utilization for object recognition, copy detection and classification of image. Extraction of SIFT is faster than FSIFT because of explicit flapping of local region and computation of dominant curl. FSIFT is being tolerant to flips as well as it conserve properties of SIFT. Before computation of SIFT estimation of local patch and normalization of patch geometrically starts by flipping. In following tasks we encourage the power of FSIFT 1: Object detection and recognition 2: video copy detection. Accuracy of SIFT can be increase by FSIFT as well as it also saving about 50% of cost detection in computation. We establish leadership of F-SIFT in dealing with flip transformation by comparing it, with remaining seven descriptors. While object detection we can show capability of F-SIFT in symmetric objects. F-SIFT improve continually.

Keywords: Flip Invariant, Scale-invariant, symmetric pattern, normalization

1. Introduction

F-SIFT is a new descriptor that incorporates the flip invariance property to SIFT, while preserving its original properties. F-SIFT create the descriptors by following ways: Curl can be mapped to calculate direction of flow of image whether it is clockwise or anti-clockwise. Flip invariance property of Flip Scale-invariant feature transform can be ensure by enforcing that the rotation of all the regions must follow the same direction indicated by the sign of Curl. Regions which flow in direction opposite to the early stated direction, flipping the image along the vertical or horizontal axis and from their supreme orientations are performed for normalizing the region geometrically. Descriptor of SIFT can be extracted by normalizing the region. We can say that FSIFT operates on SIFT and maintain its Primary Property.

F-SIFT possess strong performance than SIFT. Matching pair recover by F-SIFT is more than SIFT. F-SIFT give same outcome as SIFT for Transmission involving no flip. Because of estimation problem during Curl Computation, F-SIFT found some matching pairs. Such error or problems arrives from area lacking of texture problem. The extraction of SIFT descriptors from an image is approximately one third Faster than F-SIFT.

Flip operations happen in different context, flip operation is mostly used trick, mainly we can observe horizontal flipping because this operation will not result in apparent loss of video content.[6][5] Flip can be occurred during taking images of view from different direction of viewpoint. Object with symmetric structure exhibit flip like transformation. When we allow the objects of symmetric structure to be matched in feature space; it results in increment of recalling

of objects within same class. Particularly, when we capture objects from absolute view point.

2. Related Work

During evaluating local descriptors invariant to different available transformation has gain attention of researcher, attribute of Flip is not taken in consideration. Until now there are different invariant descriptor SPIN[7],RIFT[7],MI-SIFT [8],FIND[9] this also include SIFT which differ by partitioning of region by dividing it into 4 * 4 block . This identify grid with eight directional histograms. It creates the feature by attaching histogram in row from left to right and its bins in clock wise manner. Because of this flip transformation will not maintain order of the positions of bins and blocks. Due to this various version of descriptor because of the predefined order of feature scanning .Solution for this can be altering feature transformation [8] and scanning order [7][9] or partitioning scheme .

Problem of flipped copy detection can be solved by indexing tow SIFT for every region [10],[11] one of them is calculated by simulating flip operation. From this increase in memory consumption and indexing time can be seen, in [12],[13] different methodology was emerged by submitting toe different version of descriptor, with and without flipped for copy detection. Time for query processing is increase due to this.

3. Literature Review

David Lowe in [2] suggested the Scale Invariant Feature Transform. It interprets different image features. Transformation can be rotation, scaling, illumination. To

extract SIFT descriptors from an image; reference image is initially convoluted with Gaussian filters at different scales.

In [1] image processing, mirror of an image is created by flip operation. Near duplicate videos can be created by using technique of Flip. Flip operation does not change the content of the video. It is necessary to Flip operation to be identified in a video copy detection system. In many cases flip operation salient region descriptor do not consider flip of image. This paper compares the performance of existing salient region descriptors over flip operation.

Near-duplicate videos can be created using common operations like flip. Mirror of an image is produced by flip. There are two types of flip: vertical flip which flips the image in horizontal axis operation and Horizontal flip which flips the image in vertical axis. The advantage of this flip operation is that it will not make any changes in content of the video, but the direction of information regarding image flow will be change. So it is suitable to create copy of a video without changing its content [1]. Hence to determine flip, it is essential that the video copy detection system must be invariant to flip transformation. The flip-invariance quality of a descriptor relies on its partitioning scheme.

In this paper [3], new technique to identify near duplicate key frame is stated by matching, learning of local interest points and filtering with PCA SIFT descriptor. The issue in filtering efficiency, learning flexibility, matching reliability are utilized to remove into the potential of LIP based detection and retrieval. We stated two issues 1. Search effectiveness, 2. Speed efficiency by which we can support OOS with index structure known as LIP-IS. Speed of LIP-IS and filtering capability are compared and asymptotically estimated to local sensitive hashing by diagnosing attributes of PCA-SIFT.

This paper [7] introduces a texture representation desirable for acknowledging pictures related to textured surfaces under transformations, which contains changes in viewpoint as well as in no rigid deformations. Within feature extraction, a set of Laplacian regions and affine Harris can be found in the image. These regions can be thought of as texture element with elliptic shape. Such pattern and a distinctive appearance pattern that can be found in different via shape normalization which generally follow computation of spin image and RIFT descriptor.

4. Conclusion

In this paper we have shown utilization of F-SIFT for Object recognition, image classification and video copy detection. It seems that extraction of SIFT is faster than F-SIFT because of explicit flipping of logical region and computation of dominant curl. Development in detection effectiveness can be seen in Copy detection, Object detection, and video copy detection. We can take advantage of F-SIFT by which we can analyze flip like structure of image as well as we can improve detection effectiveness.

In copy detection, we reveal the use of F-SIFT in anticipating whether given query is flipped copy of a provided video. While in object recognition, it states that F-

SIFT perform other visual descriptors, whenever flip is applied on the top of different transformations. While revealing the similar performance SURF for no-flip transformation.

References

- [1] Aysha Mol K S "A Survey on State-of-Art Flip-Invariant Descriptors", IJRASET ISSN, 2014.
- [2] D. Lowe, "Distinctive image features from scale invariant keypoints," *Int. J. Comput. Vis.*, 2004.
- [3] W.-L. Zhao, C.-W. Ngo, H.-K. Tan, and X. Wu, "Near-duplicate keyframe identification with interest point matching and pattern learning," *IEEE. Trans. Multimedia*, 2007.
- [4] H. Jégou, M. Douze, C. Schmid, and P. Pérez, "Aggregating local descriptors into a compact image representation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2010.
- [5] J. Law-To, A. Joly, and N. Boujemaa, "Muscle-VCD-2007: A Live Benchmark for Video Copy Detection", 2007
- [6] TRECVID. (2008) [Online]. Available: <http://www.lpir.nist.gov/projects/trecvi/>
- [7] S. Lazebnik, C. Schmid, and J. Ponce, "A sparse texture representation using local affine regions," *IEEE Trans. Pattern Anal. Mach. Intell.*, 2005.
- [8] R. Ma, J. Chen, and Z. Su, "MI-SIFT: Mirror and inversion invariant generalization for SIFT descriptor," *Proc. Int. Conf. Image Video Retr.*, 2010.
- [9] X. Guo and X. Cao, "FIND: A neat flip invariant descriptor," in *Proc. Int. Conf. Pattern Recognit*, 2010.
- [10] M. Douze, H. Jégou, and C. Schmid, "An image-based approach to video copy detection with spatio-temporal post-filtering," *IEEE Trans. Multimedia*, 2010.
- [11] M. Douze, A. Gaidon, H. Jégou, M. Marszatke, and C. Schmid, "INRIA-LEAR's video copy detection system," in *Proc. NIST TRECVID Workshop*, 2008.
- [12] Z. Liu, T. Liu, D. Gibbon, and B. Shahraray, "Effective and scalable video copy detection," in *Proc. Int. Conf. Multimedia Inf. Retr.*, 2010.
- [13] Y.-D. Zhang, K. Gao, X. Wu, H. Xie, W. Zhang, and Z.-D. Mao, "TRECVID 2009 of MCG-ICT- CAS," in *Proc. NIST TRECVID Workshop*, 2009.