

Characteristics of Fuzzy Petersen Graph with Fuzzy Rule

Dr. G. Nirmala¹, P. Sinthamani²

¹Head & Associate Professor, PG & Research, Dept. of Mathematics, K.N Government Arts College for Women (Autonomous), Thanjavur – 613 007, Tamil Nadu, India

²Research Scholar, Dept. of Mathematics, K.N. Govt. Arts College for Women (Autonomous), Thanjavur – 613 007, Tamil Nadu, India

Abstract: This work, based on if-then rule in fuzzy Petersen graph. Results related to find distance between two vertices, by applying if-then rules, through shortest paths are presented.

Keywords: Degree of vertex, Incident graph, Fuzzy Petersen graph, Fuzzy IF-THEN rule.

1. Introduction

The first definition of fuzzy graph was introduced by Kaufmann (1973), based on Zadeh's fuzzy relations (1971). A more elaborate definition is due to Azriel Rosenfeld who considered fuzzy relations on fuzzy sets and developed the theory of fuzzy graph in 1975.

During the same time Yeh and Bang have also introduced various connectedness concepts in fuzzy graph. Till now fuzzy graphs has been witnessing a tremendous growth and finds applications in many branches of engineering and technology.

Fuzzy systems based on fuzzy if-then rules have been successfully applied to various theorems in the field of fuzzy control. Fuzzy rule based system has high comprehensibility because human users can easily understand the meaning of each fuzzy if-then rule through its linguistic interpretation.

A graph is a convenient way of representing information involving relationship between objects. The objects are represented by vertices and relations by edges. When there is vagueness in description of the objects or in its relationships or in both, it is natural that we need to design a 'Fuzzy Graph Model.'

2. Basic Concepts

Definition 2.1: Let V be a non-empty set. A fuzzy graph is a pair of functions $G : (\sigma, \mu)$, where σ is a fuzzy subset of V and μ is a symmetric fuzzy relation on σ . i.e., $\sigma : V \rightarrow [0,1]$ and $\mu : V \times V \rightarrow [0,1]$ such that $\mu(u, v) \leq \sigma(u) \wedge \sigma(v)$ for all u, v in V . Where, uv denotes the edge between u and v and $\sigma(u) \wedge \sigma(v)$ denotes the minimum of $\sigma(u)$ & $\sigma(v)$.

Example 2.1:




Figure 1: Fuzzy Graph

The Petersen graph G is the simple graph with 10-vertices and 15-edges. The Petersen graph is most commonly drawn as a pentagon inside with five spokes.

Example:




Figure 2: Petersen graph

It is set of vertices

$\{v_1, v_2, v_3, v_4, v_5, v_6, v_7, v_8, v_9, v_{10}\}$.

It is set of edges

$\{e_1, e_2, e_3, e_4, e_5, e_6, e_7, e_8, e_9, e_{10}, e_{11}, e_{12}, e_{13}, e_{14}, e_{15}\}$

Definition 2.2: When a vertex $\sigma(u_i)$ is an end vertex of some edges $\mu(u_i, v_j)$ of any fuzzy graph $G : (\sigma, \mu)$.

Then $\sigma(u_i)$ and $\mu(u_i, v_j)$ are said to be incident to each other.

Example 2.2:




Figure 3: Incident graph

In this diagram $\mu(u_1, u_3), \mu(u_2, u_3)$ and $\mu(u_3, u_4)$ are incident on $\sigma(u_3)$.

Definition 2.3: The degree of any vertex $\sigma(u_i)$ of a fuzzy graph is sum of degree of membership of all those edges which are incident on vertex $\sigma(u_i)$ and is denoted by $d[\sigma(u_i)]$.

Example 2.3:




Figure 4: Degree of vertex

Degree of vertex $\sigma(u_1)$ = degree of membership of all those edges which are incident on a vertex $\sigma(u_1)$.

$$= 0.4 + 0.6 + 0.5 = 1.5$$

i.e., $d[\sigma(u_1)] = 1.5$

Degree of vertex $\sigma(u_2) = 0.4 + 0.3$

$$= 0.7$$

i.e., $d[\sigma(u_2)] = 0.7$

Degree of vertex $\sigma(u_3) = 0.6 + 0.3 + 0.2$

$$= 1.1$$

i.e., $d[\sigma(u_3)] = 1.1$

Degree of vertex $\sigma(u_4) = 0.5 + 0.2$

$$= 0.7$$

i.e., $d[\sigma(u_4)] = 0.7$

Definition 2.4: A fuzzy rule is defined as a conditional statement in the form:

IF x is A , THEN y is B ; where x and y are linguistic variables; A and B are linguistic values determined by fuzzy sets on the universe of discourse X and Y , respectively.

- A rule is also called a fuzzy implication.
- “ x is A ” is called the antecedent or premise.
- “ y is B ” is called the consequence or conclusion.

Example 2.4:

- IF pressure is high, THEN volume is small.
- IF the speed is high, THEN apply the brake a little.

3. Fuzzy Petersen graph with fuzzy rule

Result 3.1:

Let $G : (\sigma, \mu)$ is a fuzzy Petersen graph, then the distance $d[\sigma(v_i), \sigma(v_j)]$ between two of its vertices $\sigma(v_i)$ and $\sigma(v_j)$ is the length of shortest path between them.

$$\text{i.e., } d[\sigma(v_i), \sigma(v_j)] = \min \left[\sum_{i, j \in \wedge} \mu(u_i, v_j) \right]$$

Example 3.1:




Figure 5: Fuzzy Petersen graph

In this fuzzy Petersen graph, there is four path between $\sigma(v_1)$ and $\sigma(v_4)$.

- $\sigma(v_1) - \sigma(v_6) - \sigma(v_9) - \sigma(v_4)$ i.e., 3 path
- $\sigma(v_1) - \sigma(v_5) - \sigma(v_4)$ i.e., 2 path

- (iii) $\sigma(v_1) - \sigma(v_2) - \sigma(v_3) - \sigma(v_4)$ i.e., 3 path
- (iv) $\sigma(v_1) - \sigma(v_6) - \sigma(v_8) - \sigma(v_3) - \sigma(v_4)$ i.e., 4 path

IF we find the shortest path from $\sigma(v_1)$ to $\sigma(v_4)$, THEN the shortest path will be,
 $\sigma(v_1) - \sigma(v_5) - \sigma(v_4)$.

IF membership grades are assigned to edges, THEN the length of the shortest path is,
 $d[(\sigma(v_1), \sigma(v_4))] = \sigma(v_1) - \sigma(v_5) - \sigma(v_4)$
 $= 0.6 + 0.8$
 $= 1.4$
 i.e., $d[\sigma(v_1), \sigma(v_4)] = 1.4$

Theorem 3.2:

In fuzzy Petersen graph G , the sum of degrees of vertices of even degree is equal to twice the degree of membership of all the edges and the difference of the sum of degrees of vertices of odd degree.

Proof

Let $G : (\sigma, \mu)$ is a fuzzy Petersen graph. Consider 10-vertices $\{\sigma(v_1), \sigma(v_2), \sigma(v_3), \dots, \sigma(v_{10})\}$ of fuzzy Petersen graph $G : (\sigma, \mu)$.




Figure 6: Fuzzy Petersen graph

IF the membership grades of edges which are incident on any degree of vertex $\sigma(v_i)$ are added, THEN the sum of corresponding membership values of vertices vary.

- $d[\sigma(v_1)] = 0.6 + 0.3 + 0.2 = 1.1$
- $d[\sigma(v_2)] = 0.3 + 0.5 + 0.4 = 1.2$
- $d[\sigma(v_3)] = 0.5 + 0.4 + 0.3 = 1.2$
- $d[\sigma(v_4)] = 0.6 + 0.8 + 0.4 = 1.8$
- $d[\sigma(v_5)] = 0.6 + 0.8 + 0.7 = 2.1$
- $d[\sigma(v_6)] = 0.7 + 0.3 + 0.2 = 1.2$
- $d[\sigma(v_7)] = 0.2 + 0.4 + 0.6 = 1.2$
- $d[\sigma(v_8)] = 0.4 + 0.3 + 0.7 = 1.4$
- $d[\sigma(v_9)] = 0.3 + 0.6 + 0.2 = 1.1$

$$d[\sigma(v_{10})] = 0.6 + 0.4 + 0.7 = 1.7$$

IF the membership grades of edges are added, THEN we find the degree of edges,

$$\sum_{i=1}^{10} \mu(u_i, v_{i+1}) = 0.6 + 0.3 + 0.5 + 0.4 + 0.8 + 0.2 + 0.4 + 0.3 + 0.6 + 0.7 + 0.4 + 0.3 + 0.6 + 0.7 + 0.2 = 7$$

$$\therefore \sum_{i=1}^{10} \mu(u_i, v_{i+1}) = 7$$

$$\sum_{i=1}^n d[\sigma(v_i)] = \text{Twice the sum of degree of membership of } (u_i, v_{i+1})$$

$$\therefore \sum_{i=1}^n d[\sigma(v_i)] = 2 \sum_{i=1}^n \mu(u_i, v_{i+1})$$

But here,

The deg $[\sigma(v_i)]$ has been splitted into two parts.

$$\text{i.e., } \sum_{i=1}^k \text{deg } v_i + \sum_{i=1}^n \text{deg } w_k = 2 \sum_{i=1}^n \mu(u_i, v_{i+1})$$

Here, $\sum_{i=1}^k \text{deg } v_i$ is the sum over even degree vertices, i.e., $\sigma(v_2), \sigma(v_4), \sigma(v_6), \sigma(v_8), \sigma(v_{10})$.

$$\sum_{i=1}^k \text{deg } v_i = d[\sigma(v_2)] + d[\sigma(v_4)] + d[\sigma(v_6)] + d[\sigma(v_8)] + d[\sigma(v_{10})]$$

$$= 1.2 + 1.8 + 1.2 + 1.4 + 1.7$$

$$= 7.3$$

$$\therefore \sum_{i=1}^k \text{deg } v_i = 7.3$$

Now, $\sum_{K=1}^n \text{deg } w_k$ is the sum over odd degree vertices, i.e., $\sigma(v_1), \sigma(v_3), \sigma(v_5), \sigma(v_7), \sigma(v_9)$.

$$\sum_{K=1}^n \text{deg } w_k = d[\sigma(v_1)] + d[\sigma(v_3)] + d[\sigma(v_5)] + d[\sigma(v_7)] + d[\sigma(v_9)]$$

$$= 1.1 + 1.2 + 2.1 + 1.2 + 1.1$$

$$= 6.7$$

$$\therefore \sum_{i=1}^k \text{deg } w_k = 6.7$$

IF the sum of degrees of vertices of even degree is 7.3, THEN it is equal to twice the degree of membership of all edges and the difference of the sum of degrees of vertices of odd degree.

$$\text{i.e., } \sum_{i=1}^k \text{deg } v_i = 2 \sum_{i=1}^n \mu(u_i, v_{i+1}) - \sum_{k=1}^n \text{deg}(w_k)$$

$$\sum_{i=1}^k \deg(v_i) = 2(\mu_i, v_{i+1}) - \sum_{k=1}^n \deg(w_k)$$

$$7.3 = 2(7) - 6.7$$

$$= 14 - 6.7$$

$$7.3 = 7.3$$

Hence the theorem.

4. Conclusion

We have applied fuzzy IF-THEN rule in fuzzy Petersen graph to arrive distance between two vertices. Finally, IF-THEN rules applied through shortest paths are shown with different analysis.

References

- [1] Y. Vaishnav and S. Sharma. "Some analogies on fuzzy graph." *International Journal of Computational and Mathematical Sciences*, Vol.2, No.2.
- [2] A. Nagoorgani and K. Radha. "The degree of a vertex in some fuzzy graphs."
- [3] G. Nirmala and S. Prabavathi. "Application of fuzzy if-then rule in fuzzy Petersen graph." *International Journal of Scientific and Research Publications*, Vol.4, Issue 8, Aug. 2014.
- [4] L.S. Bershtein and A.V. Bozhenyuk. "Estimation of Isomorphism Degree of Fuzzy Graphs."
- [5] G. Nirmala and G. Suvitha. "Implication Relations in Fuzzy Propositions." *Aryabhatta Journal of Mathematics and Informatics*, Vol.6, No.1, Jan-July, 2014.
- [6] A. Nagoorgani and J. Malarvizhi. "Isomorphism on Fuzzy graphs." *International Journal and Computational and Mathematics Sciences*, 2:4, 2008.
- [7] "Fuzzy If-Then rules computational Intelligence" theory and applications edited by Da Ruan and Etienne E. Kerre.
- [8] G. Nirmala and K. Uma. "Fuzzy Graph-Estimations of Strongest Weight." *The PMU Journal of Humanities and Sciences*.
- [9] G. Nirmala and N. Vanitha. "Risk Analysis of River-Type Hydro-Power Plants." *Aryabhatta Journal of Mathematics and Informatics*, Vol.6, No.1, Jan-July, 2014.
- [10] G. Nirmala and C. Sujatha. "Every u-v path of NP-complete Steiner graphs contains exactly 2n-edges." *International Journal of Scientific and Research Publications*, Vol.4, Issue 9, Sep. 2014.
- [11] Timothy J. Ross. "Fuzzy logic with engineering applications."
- [12] G. Nirmala and K. Uma. "Fuzzy P-median tree search algorithm." *International Journal of Humanities and Sciences*, PMU-2012.
- [13] G. Nirmala and G. Suvitha. "Implication Relations: In Fuzzy Propositions." *Aryabhatta Journal of Mathematics and Informatics*, Vol.6, Jan-July 2014.

Author Profile

Dr. G. Nirmala, Head and Associate Professor, P.G. and Research Department of Mathematics, K.N. Govt. Arts College for Women (Autonomous), Thanjavur-613 007, Tamil Nadu, India.

P. Sinthamani, Research Scholar, Department of Mathematics, K. N. Govt. Arts College, Thanjavur-613 007, Tamil Nadu, India