

Operating System: The Power of Android

Tehseen Bano MohdAnis¹, Subha Subramaniam²

¹Mumbai University, Shah & Anchor Kutchi Engineering College,
Mahavir Education Trust Chowk, Chembur, Mumbai, Maharashtra, India

Abstract: After good response from the users using Symbian, iOS and Windows there came into market a new Operating System called as Android. This paper gives information about the Android operating system, its existence, different versions, its features and its development. Unlike iOS, Android is an open source platform based on LINUX kernel, made available to everyone for development purpose to use it freely which was announced by Google. Hence, there are lots of things that can be done on this OS platform as per the user requirement. Different mobile companies use Android as their OS platform and have their own custom ROM and GUI for consumer attraction and easy to use. Thus, Android came into the market and had opened doors to the developers to develop new software on new operating system. The Android market has competed with the iOS market within a very less time. They have consistently improved with its features that are easily interfacing with hardware. The paper intends to tell us the importance and in depth knowledge of an operating platform that is currently running on billions of smartphones at present. It is the most widely used OS. According to one of the press release, Android devices sell more than Windows, IOS combined as of sales in 2012, 2013 and 2014. The paper also touches with the requirement and development of applications or software based on Android platform with a basic example for beginners in this field. It also covers the APIs and firmware and Software Development Kit (SDK) and Eclipse.

Keywords: Android, Google, iOS, Linux, Windows, software, operating system (OS).

1. Introduction

Android is a very well-known mobile operating system which follows and is based on Linux kernel. There are under the banner branded by Google. Android is mainly designed for touchscreen mobile devices. Touches are used as an input to the application to perform certain function. Touches are real-world actions such as tapping, swiping, panning, pinching, reverse pinching, etc with a virtual keyboard to use text and special characters. The devices are mainly smartphones and tablets but now with advanced technology there are designed for televisions, cars, smart gears-watches, etc.

Android was officially available to consumer at the end of 2008. It is always updated and improved its technology regularly in the form of features or firmware. Android as a whole is holding a good market in the mobile industry and other industries with different hardware architectures. Industries have raised their interest towards Android mainly due to two main reasons. First, Android is an Open source and second of its Architectural model.

As the platform is an open source project, it allows one to fully study and understand Android OS platform enabling features such as bug fixing, further improvements regarding new functionalities and finally porting to new hardware. As it is based on the Linux kernel architecture model thus allowing Linux to add to the mobile industry. It adds the features and advantages offered by Linux. These aspects make the Android as a target to work on different environment.

Another important aspect of Android is that it has its own Virtual Machine (VM) environment. Android applications are Java based and this enables to use of Virtual Machine environment, with both its advantages and its known problems. After version 2.6.23, the standard that Linux kernel uses is Completely Fair Scheduler (CFS). This implies that the way CPU time is assigned to different task. This ensures that equal time sharing of CPU is assigned to all tasks and if there is any sort of unfairness that is verified then the

algorithm assures that task re-balancing is performed. As the scheduling operations are delegated by Linux kernel, although fairness is most of the time achieved but the algorithm does not guarantee to the task and so thus the Android.

Android, as we discussed earlier, has its own Virtual Machine (VM) named Dalvik, which was specifically designed for mobile devices for performance such as memory optimization, battery power saving and low frequency CPU. As the system is based on Linux kernel, it relies on the core and main operating system features such as memory management and scheduling and thus also gives the drawback of not taking any temporal guarantees into consideration. The remainder of this paper is organized as follows: Section 2 is dealing on how the android platform came into existence. Section 3 details features of Android. Section 4 briefly describes the Android architecture. Section 5 tells about the android Hardware. Section 6 will deal with the official IDE. Finally, Section 7 concludes this paper.

2. History of Android

The company named Android Inc. was founded in Palo Alto in California in 2003 by many members. On the words of Andy Rubin one of the founder of the Android company that "smarter mobile devices that are more aware of its owner's locations and preferences" the other founders like Rich Miner co-founder of Wildfire Communications Inc. Nick Sears once Vice-President of T-Mobile and Chris White headed design and interface development at WebTV began to develop a platform for mobile devices. Their previous intension was to develop an advanced operating system for digital cameras but in time the company realize that the market is not big enough and so they diverted to develop the operating system for smartphones in competition with Windows and Symbian Mobile.

On 17th August 2005, Google officially became the owner of Android. It is championed by Google and owned by Open

Handset Alliance. Even after acquisition *Andy Rubin*, *Rich Miner* and *Chris White* were still part of the company. At that time Android was not known to many and it was only known that Android is developing smartphone softwares. Finally at Google, a team led by *Andy Rubin* developed an Operating System based on Linux Kernel.

Google's CEO, Eric Schmidt, made it clear right away that Android's ambitions were much larger than a single phone. Instead, they envisioned a platform that would enable many phones and other devices. Then Google marketed the platform to handset makers and carriers on the promise of providing a flexible and upgradable system.



Figure 1: Android Logo

Android source code is released by Google under open licenses, though most of the shipped devices are with an open source and custom rom. Android publicly came into existence in 2007 along with the founding of the Open Handset Alliance (OHA)-a consortium of hardware, software, and telecommunication companies devoted to advancing open standards for mobile devices. Android on product came publicly available as its first mobile product which was based on Linux Kernel 2.6.25 and the first commercially available smartphone was the HTC Dream on 22nd October 2008.



Figure 2: Press Conference for the Google Nexus 7 Tablet

In the year 2010, Google came up with series of smartphone the Nexus world with the launch of which it release its new Operating System. The first Google smartphone Nexus One was built in collaboration with HTC giant and then Nexus 5 with LG and Nexus 7 tablet with ASUS. Google has now made it a trend to release its new android version on the launch of new Nexus series.

Since 2008, Android has now came up with many version of android with numerous updates which have day by day improved the operating system which consist new features and fixing previous bugs. Each Android version after alpha and beta is named in alphabetical order after desserts and sugary treat for examples version 1.5 Cupcake was followed by 1.6 Donut. The latest version 4.4.4 was called as Kitkat and the newest version of Android operating system was 5.0 Lollipop which is now available as only a developer preview.

From 2010 to 2013, *Mr. Hugo Barra* became a product spokesperson for the Android team, he represented Android at both conferences and Google I/O. In his team the Android included of Hardware and software including Honeycomb, Ice Cream Sandwich, Jelly Bean and Kitkat operating system, the Nexus 4 and 5, the Nexus 7 and 10 tablet and other products such as Google Now and Google Voice Search, Google's speech recognition product comparable to Apple's Siri. In 2013 Barra left the Android team for Chinese smartphone maker Xiaomi.

From 2008 to 2014 that is till date, Android came up with series of versions with updated features and improvements. And starting with the user version which was Froyo upto Kitkat the sale of Android devices has gradually increased with release of new version. The statistics of the percentage of market share against each Android version can be seen in the figure 3




Figure3. Market share of Android Devices vs Version

All these series came right from 2008 to 2014 Lollipop being the latest and is still need to get its share in the market. From the graph it is quite clear that right from user version Froyo to Kitkat, Android has captured the market with its quality and open source license. Honeycomb was a version only for tablet at that time and since tablet on those days were not so in demand it failed to boom in the market rest all version had played keen role at their time. From 2012 to 2014, these were the years where the sale of Android devices was more than the combine sale of the Apple iOS, Windows and Symbian.

3. Features of Android

Android is a powerful Operating System supporting a large number of powerful applications. Hardware that supports Android is mainly based on ARM Architecture. The main feature of Android application includes:

3.1 Interface

The default interface of Android is based on direct manipulation. It uses the real world touches like tapping, swiping, pinching and reverse pinching and a virtual keyboard. It uses the user touches as an input to perform many functions or different tasks and provides a fluid touch interface. The hardware contained in the devices like accelerometers, gyroscopes and proximity sensor are used by the applications to perform various actions like to adjust the screen from portrait to landscape, turning off the screen during phone call and steering of the car during games.




Figure 4: Notification Panel

The homescreen of Android are usually made up of widgets and app icons. App icons launch the application whereas widget shows live, auto updating features of the homescreen such as weather forecast, clock, currency converter, etc. A homescreen also comprises of several pages and the android's homescreen highly customisable allowing the user to texture the face of the homescreen. Third-party call from Google Play can enhance the homescreen to great extent and can also mimic the look of other operating system. Most mobile manufacturers make their own custom rom and differentiate the look for competition in the globe. Each mobile company has its own style of the user interface.

The most common look that almost every manufacturer has copied is the status bar which indicates the battery level, the network, operator name, etc. When the status bar is pulled down it reveals the notification screen which has newly updates, emails, SMS, toggles buttons, etc. It seems to that the

notification does not immediately interrupt or inconvenience the user. After Android 4.1, the notification has expanded its features with adding music player in the notification screen and other toggle buttons.

3.2 Applications

Applications now a days called as "Apps" are made for android and are mainly based in JAVA programming language using the Android Software Development Kit (SDK). Software Development Kit (SDK) includes main contains of Android which includes a debugger, software libraries, a handset emulator that is based on QEMU, sample codes, documentation and tutorials. Eclipse is the official Integrated Development Environment (IDE) using Android Development Tools (ADT) plugin. Other developments tools include, Native Development Kit for applications, Google App Inventor, etc. In January 2014, Google came up with an Apache Cordova – based framework for porting Chrome HTML 5 applications to Android, covered in a native application shell.

The android has been famous for its third party application which can be installed by using APK's file and installing it apart from Google Play store. Or else downloading it through a system which allows installing, updating and removing applications from their devices. Google Play is the primary place to install the application for Android and it also consist third party applications too. It was recorded in July 2013 that there more than one million applications available in Google Play for Android and 50 billion applications have been installed from Google Play.

Due to the open nature of Android, a number of third-party application marketplace also exist for Android, either to provide a substitute for devices that are not allowed to ship with Google Play Store, provide applications that cannot be offered on Google Play Store due to policy violations, or for other reasons. Examples of these third-party stores have included the Amazon Appstore, GetJar, and SlideMe. F-Droid, another alternative marketplace, seeks to only provide applications that are distributed under free and open source licenses.

3.3 Memory Management

Android operating works on high performance system hence it is designed to maintain and manage RAM to keep power consumption at minimum in contrast to desktop operating system which is always connected to electricity. Whenever any app is no longer in any use, the system will automatically cleans it in memory while technically is still open. These suspended apps do not require sources like memory and power rather they stay in the background in the idle state until required again. This has new feature that the apps need not to be closed and can be opened again and thus opens the gate to multitasking and it all ensures power efficiency and memory management.



Figure 5: RAM Management in Android (Third Party)

Android manages the apps stored in memory automatically: when memory is low, the system will begin killing apps and processes that have been inactive for a while, in reverse order since they were last used (oldest first). This process is designed to be invisible to the user, such that users do not need to manage memory or the killing of apps themselves. However, confusion over Android memory management has resulted in third-party task killers becoming popular on Google Play store; these third-party task killers are generally regarded as doing more harm than good.

4. Android Architecture

Android is an open-source software architecture provided by the Open Handset Alliance, a group of 71 technology and mobile companies whose objective is to provide a mobile software platform. The Android platform includes an operating system, middleware and applications. As for the features, Android incorporates the common features found nowadays in any mobile device platform, such as: application framework reusing, integrated browser, optimised graphics, media support, network technologies, etc.

The Android architecture, depicted in Figure 1, is composed by five layers: Applications, Application Framework, Libraries, Android Runtime and finally the Linux kernel. The uppermost layer, the Applications layer, provides the core set of applications that are commonly offered out of the box with any mobile device.

The Application Framework layer provides the framework Application Programming Interfaces (APIs) used by the applications running on the uppermost layer. Besides the APIs, there is a set of services that enable the access to the Android's core features such as graphical components, information exchange managers, event managers and activity managers, as examples.



Figure 6: Android Architecture

Below the Application Framework layer, there is another layer containing two important parts: Libraries and the Android Runtime. The libraries provide core features to Android Architecture the applications. Among all the libraries provided, the most important are libc, the standard C system library tuned for embedded Linux-based devices; the Media Libraries, which support playback and recording of several audio and video formats; Graphics Engines, Fonts, a lightweight relational database engine and 3D libraries based on OpenGL ES.

Regarding the Android Runtime, besides the internal core libraries, Android provides its own VM, as previously stated, named Dalvik. Dalvik was designed from scratch and it is specifically targeted for memory-constrained and CPU constrained devices. It runs Java applications on top of it and unlike the standard Java VMs, which are stack-based; Dalvik is an infinite register-based machine. Being a register machine, it presents two advantages when compared to stack-based machines. Namely, it requires 30% less instructions to perform the same computation as a typical stack machine, causing the reduction of instruction dispatch and memory access; and less computation time, which is also derived from the elimination of common expressions from the instructions. Nevertheless, Dalvik presents 35% more bytes in the instruction stream than a typical stack-machine.

This drawback is compensated by the consumption of two bytes at a time when consuming the instructions. Dalvik uses its own byte-code format name Dalvik Executable (.dex), with the ability to include multiple classes in a single file. It is also able to perform several optimizations during dex generation when concerning the internal storage of types and constants by using principles such as minimal repetition; per-type pools; and implicit labeling. By applying these principles, it is possible to have dex files smaller than a typical Java archive (jar) file. During install time, each dex file is verified and optimizations such as byte swapping and padding, static-linking and method in-lining are performed in

order to minimize the runtime evaluations and at the same time to avoid code security violations.

The Linux kernel, version 2.6, is the bottom most layer and is also a hardware abstraction layer that enables the interaction of the upper layers with the hardware layer via device drivers. Furthermore, it also provides the most fundamental system services such as security, memory management, process management and network stack.

5. Basic Hardware

Considering the hardware requirements main hardware platform for Android is the 32-bit ARMv7 architecture. But in 2012, Intel processors began to appear on more mainstream Android platforms, such as phones. In 2013, Freescale announced support for Android on its i.MX processor, specifically the i.MX5X and i.MX6X series.

As the Android 5.0 Lollipop is released officially with the Nexus 7 and new Motorola X, so as far as the official requirement stated for Android 4.4 is at least 512 MB of RAM, while for "low RAM" devices 340 MB is the required minimum and standard android OS requirement that does not include memory dedicated to various hardware components such as the baseband processor. Android 4.4 requires a 32-bit ARMv7, MIPS or x86 architecture processor (latter two through unofficial ports), together with an OpenGL ES 2.0 compatible graphics processing unit (GPU). Android supports OpenGL ES 1.1, 2.0 and 3.0. Some applications explicitly require a certain version of the OpenGL ES, thus suitable GPU hardware is required to run such applications. In addition to running on smartphones and tablets, it is possible to run Android natively on regular PC hardware with versions of Android, including 4.4, downloadable from the Android-x86 project. Chinese companies are building a PC and mobile operating system, based on Android, to "compete directly with Microsoft Windows and Google Android". The Chinese Academy of Engineering noted that many companies are now customizing Android following a Chinese ban on the use of Windows 8 on government PCs.

6. Official Integrated Development Environment

6.1 Eclipse Software

In Computer Programming Eclipse is one of the software used widely. It has mainly base workspace and extensible plug-in system for customizing requirement. Eclipse can be used to develop java application with the help of various plugins. Eclipse also supports different programming languages like Ada, ABAP, C, C++, COBOL, Fortran, Haskell, JavaScript, Lasso, Natural, Perl, PHP, Prolog, Python, R, Ruby Scala, Clojure, Groovy, Scheme, and Erlang.

Eclipse software development kit (SDK) which includes the java development tools, it developed for Java developer. Users can extend its abilities by installing plug-ins written for the Eclipse Platform, such as development toolkits for other programming languages, and can write and contribute their own plug-in modules.




Figure 7: Eclipse Software

Eclipse uses plugging that give all the functionality on top of runtime system. Its runtime system is based on Equinox, an implementation of the OSGi core framework specification. The eclipse SDK includes the Eclipse JAVA Development tools (JDT) this offers an IDE features like built in incremental java compiler and full mode of JAVA source files.

Eclipse implements uses the graphical control elements of the Java toolkit called SWT, whereas most Java applications use the Java standard Abstract Window Toolkit (AWT) or Swing. Eclipse's user interface also uses an intermediate graphical user interface layer called JFace, which simplifies the construction of applications based on SWT. Eclipse was made to run on Wayland during a GSoC-Project in 2014.

New Android projects, create an application UI, add packages based on the Android Framework API, debug their applications using the Android SDK tools, and export signed (or unsigned) .apk files in order to distribute their applications. It is a freeware available to download.

As shown in the figure, we can create an APP with the help of Eclipse environment. All programming features are made available with the help of installing required plug-in as well as libraries. Final output will be application file which uses data abstraction to hide information from user interface only showing what is using by user.

1. Eclipse PDT (PHP Development Tools)

The PHP (PHP hypertext Preprocessor) Development Tools project provides a PHP Development Tools framework for the Eclipse platform. The project encompasses all development components, including code-completion, develop PHP and facilitate extensibility. It leverages the existing Eclipse Web Tools Platform (WTP) and Dynamic Languages Toolkit (DLTK).

2. Eclipse ADT (Android Development Tools)

Android Development Tools (ADT) is a plug-in for the Eclipse IDE that is designed to provide an integrated

environment in which to build Android applications. ADT extends the capabilities of Eclipse to let developers set up.



Figure8. Eclipse Software with Emulator

7. Conclusion

Thus, through this paper we can understand the Android operating system in deep detail. We understood the origin of Android and how the Android came into existence. Its open features for all mobile manufacturers to use it and third party software developers to develop millions of software for the Android platform. The open source is the key for its development in the mobile and other industries. The architecture of Android is explained in detail with explanation all layers. The paper also successfully pin points the features of Android in terms of memory management. The operating system forms the base for the billions of mobile devices in today's market with millions of Android applications.

References

- [1] G. Marcario, M. Torchiano, and M. Violante, "An in-vehicle infotainment software architecture based on google android" in SIES. Lausanne, Switzerland: IEEE, July 2009, pp.257-260.
- [2] L.Nogueira and L.M. Pinho, "Time-bounded distributed qos-aware service configuration in heterogeneous cooperative en-virons," Journal of Parallel and Distributed Computing vol.69, no. 6, pp. 491-507, June 2009.
- [3] M.T. Higuera -Toledano and V. Issarny, "Java embedded real time systems: An overview of existing solutions," in Proceedings of the Third International Symposium on Object-Oriented Real-Time Distributed Computing (ISORC 2000). Washington, D.C, USA: IEEE Computer Society, 2000,pp. 392-399.
- [4] R. Guerra, S. Schorr, and G. Fohler, "Adaptive resource management for mobile terminals – the actors approach," in Proceedings of 1st Workshop on Adaptive

Resource Management (WARM10), Stockholm, Sweden, April 2010.

- [5] C.Maia, L. Nogueira, and L. M. Pinho, "Experiences on the implementation of a cooperative embedded system framework," CISTER Research Centre, Porto, Portugal, Tech. Rep., Jun '10.
- [6] C. L. Liu and J. W. Layland, "Scheduling algorithms for multiprogramming in a hard-real time environment," J. ACM, vol. 20, no. 1, pp. 46-61, 1973.
- [7] D. Faggioli, M. Trimarchi, and F. Checconi, "An implementation of the earliest deadline first algorithm in linux," in Proceedings of the 2009 ACM Symposium on Applied Computing (SAC09). New York, NY, USA: ACM, 2009, pp. 1984- 1989.
- [8] Mohd Shahdi Ahmad, Nur Emyra Musa, Rathidevi Nadarajah, Rosilah Hassan and Nor Effendy Othman, "Comparison Between Android and iOS Operating System in terms of Security" School of Computer Science, Faculty of Information Science & Technology, Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor, Malaysia 2013 8th International Conference on Information Technology in Asia (CITA)

Author Profile



Tehseen Bano Mohd Anis was born in Mumbai, Maharashtra district, India. She received B.E. degree in electronics from Rizvi College of Engineering (RCOE) affiliated to Mumbai University in May-2012 and currently doing ME in Electronics from Shah & Anchor Kutchhi Engineering College affiliated to Mumbai University.



Subha Subramaniam was born in Nagercoil, Kanyakumari district, TamilNadu, India. She received B.E degree in Electronics and Communication Engineering from Govt. College of Engineering (GCE), Tirunelveli affiliated to Anna University in July 1998 and M.E degree in Electronics Engineering from Thadomal Shahani Engineering College (TSEC), Mumbai affiliated to Mumbai University in Nov 2003. She is currently pursuing Ph.D in Electronics Engineering from Veeramata Jijabai Technological Institute (VJTI), Mumbai. Presently she is working as Associate professor, Department of Electronics at Shah & Anchor Kutchhi Engineering College (SAKEC), Mumbai. Her research interest is in the area of Nanoelectronics.