













- sequencing batch reactor: Effect of initial substrate concentration, temperature and hydraulic retention time. *BioresourceTechnol.* 2010, 101, 9071-9077.
- [28] Yaoting Fan., Chenlin Li., Jiunn-Jyi Lay., HongweiHou., Gaosheng Zhang. Optimization of initial substrate and pH levels for germination of sporing hydrogen-producing anaerobes in cow dung compost. *Bioresource Technol.* 2004, 91,189-193.
- [29] Venkata Mohan S., LalitBabu V., Sarma PN. Effect of various pretreatment methods on anaerobic mixed microflora to enhance biohydrogen production utilizing dairy wastewater as substrate. *Bioresource Technol.* 2008, 99, 59-67.
- [30] Cha GC., Noike T. Effect of rapid temperature change and HRT on anaerobic acidogenesis. *Water Sci Technol.* 1997, 36, 247-53.
- [31] Yu H., Zhu Z., Hu W., Zhang H. Hydrogen production from rice winery wastewater in an upflow anaerobic reactor by using mixed anaerobic cultures. *Int J Hydrogen Energy.* 2002, 27, 1359-65.
- [32] Atif AAY., Razia AF., Ngan MA., Morimoto M., Iyukec SE., Veziroglu NT. Fed batch production of hydrogen from palm oil mill effluent using anaerobic microflora. *Water Sci Technol.* 2005, 53, 271-9.
- [33] Monika T. Skonieczny., Viviane Yargeau. Biohydrogen production from wastewater by *Clostridium beijerinckii*: Effect of pH and substrate concentration. *Int J Hydrogen Energy.* 2009, 34, 3288-3294.
- [34] Yohei Akutsu., Yu-You Li., Hideki Harada., Han-Qing Yu. Effects of temperature and substrate concentration on biological hydrogen production from starch. *Int J Hydrogen Energy.* 2009, 34, 2558-2566.
- [35] Yan-Yan Ning., Da-Wei Jin., Guo-Ping Sheng., Hideki Harada., Xian-Yang Shi. Evaluation of the stability of hydrogen production and microbial diversity by anaerobic sludge with chloroform treatment. *Renewable Energy.* 2012, 38, 253-257.
- [36] Chiu-Yue Lin., Chun-Hsiung Hung., Chau-Huei Chen., Wan-Ting Chung., Lu-Hsiu Cheng. Effects of initial cultivation pH on fermentative hydrogen production from xylose using natural mixed cultures. *Process Biochem.* 2006, 41, 1383–1390.
- [37] Kuo-Shing Lee., Yao-Feng Hsu., Yung-Chung Lo., Ping-JeiLin., Chiu-Yue Lin., Jo-Shu Chang. Exploring optimal environmental factors for fermentative hydrogen production from starch using mixed anaerobic microflora. *Int J Hydrogen Energy.* 2008, 33, 1565-1572.