

Survey of Human Motion Retrieval from Hand-Drawn Sketch and Videos

Sumit S. Rathi¹, Sachin Patil²

¹PG Student, Department of Computer Engineering , G.H.R.C.E.M., Pune, India

²Faculty, Department of Computer Engineering, G.H.R.C.E.M, Pune, India

Abstract: *Over last few years, motion capture data has developed and picked up a main part in animations, games and 3D environments. The quick development in motion capture data builds the vitality of motion retrieval. With a specific end goal to completely develop motion databases for reuse and for the union of new motions, one needs proficient recovery and scanning strategies to recognize comparative motions. Till now, only ad-hoc methods for motion retrieval have been proposed, which need effectiveness and depend on quantitative, numerical similitude measures, making it hard to distinguish legitimately related motions. Most of the current motion retrieval methodologies are focused on labor-intensive step in which the user searches and chooses a coveted query motion clip from huge motion clip database. In this survey, a news ketching interface for characterizing the query is displayed. This basic methodology permits users to characterize the obliged motion by sketching a few motion strokes over a drawn character which requires less exertion and augments the expressiveness of users. The hand-drawn query and a particular encoding of the motions are needed for backing the real-time interface. A new hierarchical encoding technique focused on set of orthonormal spherical harmonic (SH) premise functions can be presented. It can provide a compact representation and also CPU/processing intensive phase of sequential alignment utilized by past approaches.*

Keywords: Motion capture data, Motion retrieval, spherical harmonic function, sketching interface

1. Introduction

In the previous two decades, we watched a blast in the utilization of motion captured data in games and animations. Many motion capture frameworks have been created that permit to track and record human motion at high spatial and transient resolutions. The ensuing motion capture data, normally comprising of 3D trajectories of markers appended to a live on-screen character's body, is utilized to investigate human motion in fields, for example, sports sciences and biometrics, and to combine practical motion sequences in data-driven computer animation. Despite the fact that there is a quickly developing corpus of motion data, there still is an absence of proficient motion retrieval frameworks that permit to recognize and concentrate user-specified motions. The control of motion capture data by technologies, for example, motion retargeting [1], motion overview [2], and motion synthesis [3] [4] [5] [6] [7] [8] [9] requires a simple, productive, and precise retrieval of similar motions from a substantial data repository.

Because of the shade and rich styles of human motions, it is horribly troublesome for animators to manually make up regular and reasonable human motions without significant deliberations. As a result, as of late a lot of human motion capture data have been progressively recorded and utilized within different applications. The significant measure of recorded human motion data forces a testing exploration issue: given a huge motion data archive, how to proficiently retrieve comparative motion sequences focused around a motion case and rank them in a perceptually predictable request? Accordingly, a productive, perceptually predictable human motion retrieval plan serves as a major premise for these applications.

In this manner, it is essential to give a proper interface to produce queries for motion retrieval. Past methodologies use

a current motion clip as a query term. This needed users to analyze an extensive number of examples in the motion archive by assessing the motions, which is extremely monotonous and time intensive [10], [11], [12], [13], [14]. An alternate general retrieval technique is by utilizing the motion textual description, for example, "walking" or "running." Although it is exceptionally proficient in text matching and also retrieval, textual descriptions cannot generally sufficiently express 3D motions and oblige manual work in expounding the motions in the archive. Motion line sketch is a powerful system to pass on motion, as indicated in conventional comics [15].

Passing on a motion by utilizing sketches detests another test in deciding the craved transient arrangement of the motion subtle elements. On the other hand, it beats the known time-warp exertion needed by a hefty portion of the current motion retrieval frameworks [10], [11], [16], [17]. This exertion generally obliges either the vault motion or the query arrangement to be warped in numerous fleeting scales, so distinctive motion paces would not channel out suitable results.

The significant point in motion retrieval is the idea of "similarity" used to think about diverse motions. Naturally, two motions may be viewed as comparable on the off chance that they speak to varieties of the same activity or arrangement of activities; here the varieties may concern the spatial and additionally the transient area. As it were, sensibly comparable motions require not be numerically comparative. This may prompt inadequate and disappointing retrieval results when utilizing similitude measures focused around numerical correlation of spatial directions. Moreover, the important warping of the time pivot to make outline correspondences is computationally extravagant, making this sort of strategy infeasible for substantial information sets.

2. Literature Survey

Chih-Yi Chiu, Shih-Pin Chao, Ming-Yang Wu, Shi-Nine Yang and Hsin-Chih Lin [10] had proposed a new technique for developing a human motion retrieval framework. They also discussed indexing and matching and proposed their respective algorithms. In indexing, they had introduced a relative invariant posture representation and proposed a SOM-based index map based on the distribution of the crude data. In matching, the first and first casings of the query case were utilized to detect candidate clips from the given motion accumulation. At that point the similarity between the query sample and every candidate clip was computed by utilizing the dynamic time warping algorithm. To avoid the condemnation of dimensionality, the high-dimension feature space of the whole skeleton were decomposed into the direct aggregate of low-dimension feature spaces of skeletal portions. Besides, a number of investigational tests demonstrated that the proposed indexing method did better than traditional fixed-grid and k-d tree methods in the parts of retrieval exactness and processing time.

In the study by K. Forbes & E. Fiume [11], they had proposed a search algorithm with sampled motion data. They had likewise developed a representation for motion data that introduced a compelling distance metric for stances. They demonstrated how an animator can control the properties of the wPCA space through its weights. They also showed the utilization of the search algorithm on both genuine and manufactured data and had analyzed its execution.

Lucas Kovar and Michael Gleicher [16] had presented automated techniques for extracting logically related motions from a data set and changing over them into a naturally parameterized space of motions. Their study contributed new search technique that uses numerically comparable matches as intermediaries to find more distant matches, together with a precomputed representation of all potentially comparative motion fragments that makes this methodology efficient. The find of them was an automatic process parameterizing a space of blends respective of user specified motion characteristics. That algorithm modeled blends to build an exact estimate of the map from motion parameters to blend weights. It utilizes a versatile scattered data interpolation technique that maintains stipulations on blend weights.

In the study by Eamonn Keogh et al [17] encouraged the requirement for uniform scaling similarity matching. This had applications in a few domains where human variability requires this kind of matching adaptability. They introduced the first system for indexing time series with invariance to uniform scaling, based on bounding envelopes. This strategy empowers quick similarity searching in huge time series databases. For making utilization of the above procedure, they proposed number of algorithms. The trial results showed the noteworthy advantages of their indexing procedure, and assess the relative profits of the different substitutes.

Bastian Demuth, Tido Roder, Meinard Muller, and Bernhard Eberhardt [12] had offered a Retrieval GUI for content-based motion retrieval. In that the query comprised of a motion clip and additionally a user specified choice of

motion perspectives to be considered in the retrieval procedure. Depending up on the idea of quantitative relational features, they recommended a number of basic boolean features. Those can be used to determine a set of semantically compelling features covering a wide scope of motion perspectives.

Meinard Muller, Tido Roder and Michael Clausen [13] had proposed automated techniques for proficient indexing and content-based retrieval of motion capture data. One fundamental development of this work is the introduction of qualitative, geometric features opposed to quantitative, numerical peculiarities used in past methodologies. A second development is the idea of adaptive fleeting division, by which fragment lengths are not just adjusted to the granularity of the peculiarity work additionally to the fluffiness of the query. It is the blending of geometric gimmicks and induced divisions that records for spatio-worldly invariance, which is vital for the identification of legitimately related motions. Thirdly, they had adapted the idea of fault-tolerant retrieval based on fuzzy hits and confuses that can be effectively computed by method for inverted records.

Zhigang Deng, Qin Gu and Qing Li [14] had showed a perceptually steady, example based human motion retrieval system focused around a progressive pattern extraction and matching technique. Given a query motion, their methodology can proficiently retrieve intelligently comparative motions from an extensive motions data archive. The proficiency of their methodology specifically profits from the quick execution of the established KMP string matching calculation and the KD-tree structure. To assess the precision and convenience of their methodology, they directed similar client studies to measure its inquiry exactness by contrasting our methodology and three the condition of the art, example based motion search algorithms. By examining user study results, they found that their methodology was measurably powerful regarding search exactness, and its search motion results are consequently arranged in a roughly perceptually-consistent order.

Min-Wen Chao et. al [18] have introduced a new motion retrieval method which utilizes a hand-drawn sketch as query input. With a new sketching based interface, their framework shows a basic and novel motion encoding methodology. Users sketch few motion strokes on a chose character in a single view. The SHs encoding is very suitable for this situation: it evacuates the need of time alignment motion analysis and gives a conservative encoding diminishing the search time and archive space. The experimental results demonstrate that their methodology can be utilized as a part of in real-time situations and is helpful in different applications of motion creation. Certain constraints still exist in their methodology. Not all the 3D motion curves, for example, complex motions of dance can be effectively or accurately described from a 2D drawing. In such a case, a question of a real-motion clip is needed. Also, their framework obliges users to select their wanted poses and camera views from a set of predefined key postures and their default poses and camera views perspectives. On the off chance that a neutral character posture or a poor camera

perspective is chosen, it may oblige drawing a more intricate motion lines, and, subsequently, altogether reduces the precision of retrieval. Fortunately, gathering 3D character postures from 2D sketched figures [19] or automatically extricating key poses and camera views [2] are possible. These methodologies can be effectively applied to their framework.

Qinkun Xiao et. al [20] have proposed a content-based motion captured data retrieval algorithm. The proposed WGM algorithm first chooses representative frames and the weight values for every representative frame. A weighted graph is developed for comparing two motions, and to measure the similarity between the two movements, the matching on this weighted graph is utilized. The proposed WGM-based motion retrieval algorithm has been tried on the CMU database. Experimental results and comparison with pre-existing matching techniques demonstrate that the proposed methodology outperforms different techniques for motion retrieval.

3. Proposed System

A novel sketching interface is presented which permits drawing of motion lines above a character figure, and demonstrates that these subtle elements are sufficiently expressive for placing comparative movements. Our proposed strategy permits iterative refinement of the selections, confining the motion to fit a more exact pose description. By consolidating with a fast encoding of the query and motion archive, the proposed framework can be utilized as a part of intuitive situations. The key thought behind the proposed framework is speaking to the movement trajectories by utilizing a complete set of spherical harmonics (SHs), which shows a few suitable properties. The trajectory spoke to by a couple of SHs (a coarse yet smooth close estimation) is indicated to be like the movement strokes.

In traditional motion retrieval methodologies, users are not able to search motion capture data in videos. So we are proposing some techniques to search motion capture data in videos. Key frames from videos will be extracted. The same technique which is mentioned above will be carried out on those key frames.

4. Conclusion

In this paper, we have displayed a new retrieval approach which utilizes a hand-drawn sketch as inquiry info. With a fresh sketching-based interface, our framework shows a straightforward and novel movement encoding methodology. Users sketch some motion strokes on a chose character in a solitary view. The SHs encoding is exceptionally suitable for this situation: it uproots the need of time-alignment motion study and gives a conservative encoding decreasing the search time and repository space. We also presented techniques to search motion capture data in videos.

References

- [1] G. Baciú and B.K.C. Iu, "Motion Retargeting in the Presence of Topological Variations," *J. Visualization and Computer Animation*, vol. 17, no. 1, pp. 41-57, 2006.
- [2] J. Assa, D. Cohen-Or, I.-C. Yeh, and T.-Y. Lee, "Motion Overview of Human Actions," *ACM Trans. Graphics*, vol. 27, no. 5, pp. 115:1-115:10, 2008.
- [3] K. Pullen and C. Bregler, "Motion Capture Assisted Animation: Texturing and Synthesis," *ACM Trans. Graphics*, vol. 21, no. 3, pp. 501-508, 2002.
- [4] Y. Li, Y.L.T. Wang, and H.-Y. Shum, "Motion Texture: A Two-Level Statistical Model for Character Motion Synthesis," *ACM Trans. Graphics*, vol. 21, no. 3, pp. 465-472, 2002.
- [5] L. Kovar, M. Gleicher, and F. Pighin, "Motion Graphs," *ACM Trans. Graphics*, vol. 21, no. 3, pp. 473-482, 2002.
- [6] J. Lee, J.K. Hodgins, J. Chai, N.S. Pollard, and P.S.A. Reitsma, "Interactive Control of Avatars Animated with Human Motion Data," *ACM Trans. Graphics*, vol. 21, no. 3, pp. 491-500, 2002.
- [7] M. Thorne and D. Burke, "Motion Doodles: An Interface for Sketching Character Motion," *ACM Trans. Graphics*, vol. 23, no. 3, pp. 424-431, 2004.
- [8] R. Heck and M. Gleicher, "Parametric Motion Graphs," *I3D '07: Proc. Symp. Interactive 3D Graphics and Games*, pp. 129-136, 2007.
- [9] Y.-Y. Tsai, W.-C. Lin, K.-B. Cheng, J. Lee, and T.-Y. Lee, "Real-Time Physics-Based Third Biped Character Animation Using an Inverted Pendulum Model," *IEEE Trans. Visualization and Computer Graphics*, vol. 16, no. 2, pp. 325-337, Mar. 2010.
- [10] C.-Y. Chiu, S.-P. Chao, M.-Y. Wu, S.-N. Yang, and H.-C. Lin, "Content-Based Retrieval for Human Motion Data," *J. Visual Comm. and Image Representation*, vol. 15, no. 3, pp. 446-466, 2004.
- [11] K. Forbes and E. Fiume, "An Efficient Search Algorithm for Motion Data Using Weighted PCA," *SCA '05: Proc. ACM SIGGRAPH/Eurographics Symp. Computer Animation*, pp. 67-76, 2005.
- [12] B. Demuth, T. Roder, M. Müller, and B. Eberhardt, "An Information Retrieval System for Motion Capture Data," *Proc. 28th European Conf. Information Retrieval*, pp. 373-384, 2006.
- [13] M. Müller, T. Roder, and M. Clausen, "Efficient Content-Based Retrieval of Motion Capture Data," *ACM Trans. Graphics*, vol. 24, no. 3, pp. 677-685, 2005.
- [14] Z. Deng, Q. Gu, and Q. Li, "Perceptually Consistent Example-Based Human Motion Retrieval," *I3D '09: Proc. Symp. Interactive 3D Graphics and Games*, pp. 191-198, 2009.
- [15] W. Eisner, *Comics and Sequential Art*. W.W. Norton, 2008.
- [16] L. Kovar and M. Gleicher, "Automated Extraction and Parameterization of Motions in Large Data Sets," *ACM Trans. Graphics*, vol. 23, no. 3, pp. 559-568, 2004.
- [17] E. Keogh, T. Palpanas, V.B. Zordan, D. Gunopulos, and M. Cardle, "Indexing Large Human-Motion

- Databases,” VLDB '04: Proc. 30th Int'l Conf. Very Large Data Bases, pp. 780-791, 2004.
- [18] Min-Wen Chao, Chao-Hung Lin, Jackie Assa, and Tong-Yee Lee, Human Motion Retrieval from Hand-Drawn Sketch, IEEE Transactions On Visualization And Computer Graphics, Vol. 18, No. 5, May 2012.
- [19] J. Davis, M. Agrawala, E. Chuang, Z. Popovi_c, and D. Salesin, “A Sketching Interface for Articulated Figure Animation,” SCA '03: Proc. ACM SIGGRAPH/Eurographics Symp. Computer Animation, 2003.
- [20] Qinkun Xiao, Luo Yichuang and Lv Zhongkai, Motion Retrieval Based on Graph Matching And Revised Kuhn-Munkres Algorithm, IEEE International Conference on Signal Processing, Communication and Computing (ICSPCC), 2013.

