

Figure 1: Angul-Talcher mining area under Survey for Medicinal plants diversity.

#### 4. Result

A Total number of 46 medicinal plant species were recorded belonging to 28 families (Fig.2) and Fabaceae, Anacardiaceae, Mimosaceae, Moraceae, Apocynaceae, Caesalpiniaceae, Combretaceae and Verbenaceae were found to be the dominated families. *Ficus* was found to be the most dominant genus followed by *Terminalia* and *Acacia*. Among the medicinal plants *Shorea robusta* Gaertn.f., *Abrus precatorius* L., *Achyranthes aspera* L., *Argemone mexicana* L., *Dalbergia sissoo* Roxb., *Terminalia bellirica* (Gaertn.) Roxb. etc. are high value species exploited for different therapeutic purposes. It was observed during the investigation that species such as *Acacia catechu* (L.f.) Willd., *Acacia nilotica* (L.) Delie., *Buchanania lanzan* Spreng., *Emblia officinalis* Gaertn., and *Woodfordia fruticosa* (L.) Kurz are rare at Angul-Talcher mining area; whereas, plants like *Gloriosa superba* Linn, *Abutilon indicum* (L.) Sweet, *Spondias pinnata* (L.f.) Kurz,

*Acanthospermum hispidum* DC., *Rauwolfia serpentina* Benth., *Andrographis paniculata* (Burm.f.) Wall. ex Nees; *Calotropis gigantea* R.Br., *Scoparia dulcis* L., *Wedelia chinensis* (Osbeck) Merr., *Leucas aspera* (Willd.) Link., *Desmodium gangeticum* (L.) DC., *Hemidesmus indicus* (L.) R.Br., *Streblus asper* Lour. are in threatened state in the said area. It was also evident that local users rely on subsistence agriculture with plants performing vital roles as crops, foddors, fruits and vegetables, fuel wood, building materials and medicines. Tribal people and others use plant parts such as bark, root, leaf, seed, flower, fruit or entire plant for medicinal purpose to cure different common ailments like stomachache, diarrhoea, bacillary dysentery, colic pain, constipation, digestion problem, gastric, rheumatic problems, respiratory problems such as cough, cold, bronchitis, asthma, tuberculosis, fever, skin diseases and bone fracture. (Table-1)

Table 1: Important ethno-medicinal plants of Angul-Talcher area mining area

Sl.No.	Botanical Name	Family	Local Name	Parts Used	Medicinal Properties & uses
1	<i>Abrus precatorius</i> L.	Fabaceae	Kaincha	Root, leaves, seed	Leucoderma, skin diseases, asthma and fever.
2	<i>Acacia nilotica</i> (L.) Willd. ex Delile ssp. Indica	Mimosaceae	Babul	Bark, Gum	Haemostatic, antipyretic, asthma, diarrhoea
3	<i>Acacia catechu</i> (L.f.) Willd.	Mimosaceae	Khaira	Bark	Anti-dysenteric, haemostatic, leprosy, leucoderma
4	<i>Achyranthes aspera</i> L.	Amaranthaceae	Apama-ranga	Whole plant	Cough, asthma, bronchitis, colic and cardiac disorder.
5	<i>Aegle marmelos</i> (L.) Corr.	Rutaceae	Bela	Root, Leaves, fruits.	Diarrhoea & dysentery, Seminal weakness, gastric problem, diabetes and asthmatic complaints.
6	<i>Ageratum conyzoides</i> L.	Asteraceae	Pokasungha	Root, Leaves	Cough, wound infection and as eye infection.
7	<i>Alstonia scholaris</i> (L.) R.Br	Apocynaceae	Chhatiana	Root, Bark	Abdominal disorder, diarrhoea, dysentery and cardiopathy.
8	<i>Andrographis paniculata</i> (Burm.f.) Wall. ex Nees	Acanthaceae	Bhuinnimba	Whole plant	Wounds, ulcers, chronic fever, malaria, skin diseases, and intestinal worms.
9	<i>Argemone mexicana</i> L.	Papaveraceae	Ganghauda	Whole plant	Antipyretic, sedative, aphrodisiac, used in asthma, skin diseases, wounds, and ulcers, jaundice and malaria fever.
10	<i>Asparagus racemosus</i>	Liliaceae	Satabari	Root	Nervous disorder, diarrhoea, dysentery, throat

	Willd.				infections, tuberculosis and epilepsy, cardiac debility hypertension and abortion.
11	<i>Azadirachta indica</i> A. Juss.	Meliaceae	Neem	Bark, Leaves, Seed	Cough, skin diseases, eczema, leucoderma, malaria, bronchitis and diabetes.
12	<i>Bauhinia variegata</i> L.	Caesalpinaceae	Kanchana	Root, Bark	Useful in skin diseases, leprosy, intestinal worms, wounds and ulcers.
13	<i>Bombax ceiba</i> L.	Bombacaceae	Simuli	Root, Bark, Gum, Fruits	Skin eruptions, fruits useful in ulceration of bladder and kidney.
14	<i>Buchanania lanzan</i> Spreng.	Anacardiaceae	Chara	Root, Fruits	Skin diseases, seminal weakness, nervous debility and cardiac debility.
15	<i>Calotropis gigantea</i> R.Br.	Asclepiadaceae	Arakha	Whole plant.	Febrifuge and laxative; promotes gastric secretions; useful for asthma, paralysis.
16	<i>Cassia fistula</i> L.	Caesalpinaceae	Sunari	Whole plant.	Skin diseases, tuberculosis, syphilis, diabetes, leprosy and ring worm.
17	<i>Clitoria ternatea</i> L.	Fabaceae	Aparajita	Root, Stem, Seed.	Leprosy and leucoderma
18	<i>Cuscuta reflexa</i> Roxb.	Convolvulaceae	Nirmuli	Whole plant	Jaundice, cough, bronchitis and paralysis.
19	<i>Cynodon dactylon</i> (L.) Pers.	Poaceae	Duba ghassa	Whole plant	Haemostatic, skin diseases, vomiting, diarrhoea, dysentery and abortion.
20	<i>Dalbergia sissoo</i> Roxb.	Fabaceae	Sissoo	Root, Leaves, Bark	Thermogenic, aphrodisiac and antipyretic; useful in the treatment of skin diseases, leucoderma, scabies, ulcers, syphilis, gastropathy and ophthalmopathy.
21	<i>Desmodium gangeticum</i> (L.) DC.	Fabaceae	Salaparni	Root	Febrifuge, thermogenic, nervine tonic, cardio tonic.
22	<i>Emblia officinalis</i> Gaertn.	Euphorbiaceae	Anla	Root, Leaves, Bark, Fruit	Aphrodisiac, antipyretic, digestive. Useful for diabetes, asthma, peptic ulcers, anaemia and emaciation.
23	<i>Ficus benghalensis</i> L.	Moraceae	Bara	Root, Bark, Leaves	Diarrhoea, dysentery, diabetes, ulcers, skin diseases, gonorrhoea, rheumatism
24	<i>Ficus racemosa</i> L.	Moraceae	Dimiri	Bark, Fruit	Ulcers, leucoderma, anaemia, jaundice and dysentery.
25	<i>Gloriosa superba</i> L.	Colchicaceae	Panjangulia	Root, Seed, Leaves	Kidney problems, typhus, cholera, smallpox
26	<i>Helicteres isora</i> L.	Sterculiaceae	Murmuri	Root, Bark, Fruit	Lactifuge, demulcent; useful in colic, scabies, diabetes and gastropathy
27	<i>Hemidesmus indicus</i> (L.) R.Br.	Asclepiadaceae	Anantamula	Root, Leaves, Stem	Aphrodisiac, demulcent, febrifuge; useful in asthma, bronchitis, leucoderma, leprosy, epileptic fits
28	<i>Lantana camara</i> auct. non L.	Verbenaceae	Naga Airi	Whole plant	Antispasmodic; useful in malaria, epilepsy and gastropathy.
29	<i>Leucas indica</i> (L.) R. Br. ex Vatke	Lamiaceae	Gayasha	Leaves, Flower	Thermogenic, antipyretic; useful in eye infection.
30	<i>Mangifera indica</i> L.	Anacardiaceae	Amba	Root, Bark, Seed	Syphilis, wounds, ulcers, and rheumatism.
31	<i>Mimosa pudica</i> L.	Mimosaceae	Lajakuli	Root, Leaves	Antispasmodic, Febrifuge, useful in leucoderma, jaundice, asthma, small pox and uterus infection.
32	<i>Mucuna pruriens</i> (L.) DC	Fabaceae	Baidanka	Root, Leaves, Fruit	Thermogenic, stimulant, purgative; aphrodisiac; useful in gonorrhoea and sterility.
33	<i>Phoenix acaulis</i> Buch. Ham. ex Roxb.	Arecaceae	Khajuri	Fruit	Cardio tonic and aphrodisiac; useful in seminal weakness and general debility.
34	<i>Rauwolfia serpentina</i> (L.) Benth. ex Kurz.	Apocynaceae	Patal garuda	Root, Leaves	Hypertension, insomnia, epilepsy
35	<i>Semecarpus anacardium</i> L.f.	Anacardiaceae	Bhalia	Fruit	Digestive, purgative, liver tonic stimulant, antiseptic, uterine stimulant; useful in cancer, diabetes and tumor.
36	<i>Sesbania grandiflora</i> (L.) Poir.	Fabaceae	Agasti	Root, Bark, Flower, Fruit	Febrifuge; useful for nasal infection.
37	<i>Shorea robusta</i> Gaertn.f.	Dipterocarpaceae	Sala	Bark, Fruit	Bacterial infection, tuberculosis, ulcers, seminal weakness and burning of eyes.
38	<i>Streblus asper</i> Lour.	Moraceae	Sahada	Root, Bark, Latex, Fruit	Cough, ulcers, bronchitis, throat infection.
39	<i>Tectona grandis</i> L.f.	Verbenaceae	Saguan	Whole plant	Hyper acidity, diabetes, leprosy, skin diseases.
40	<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Combretaceae	Bahada	Bark, Fruit	Anaemia, leucoderma, narcotic, digestive, antipyretic.
41	<i>Smilax zeylanica</i> L.	Liliaceae	Muturi	Root	Spermatorrhoea, Leucorrhoea.
42	<i>Terminalia chebula</i> Retz.	Combretaceae	Harida	Fruit	Purgative, Digestive, Cardio tonic; useful in throat infection
43	<i>Vitex negundo</i> L.	Verbenaceae	Begunia	Whole plant	Antiseptic, antipyretic, ophthalmic, general debility, sprains and cardiac disorder.
44	<i>Vanda tessellata</i> (Roxb.) Hook ex G.	Orchidaceae	Rasana	Leaf	Ear pain
45	<i>Woodfordia fruticosa</i> (L.)	Lythraceae	Dhataki	Root, Flower	Stimulant, antibacterial; corrective of urinary pigments

	Kurz.				and diabetes
46	<i>Ziziphus mauritiana</i> Lam.	Rhamnaceae	Barakoli	Whole plant	Aphrodisiac and invigorating; useful in the treatment of boils, wounds, syphilis, ulcers, typhoid fever

## 5. Discussion

The results of the present study revealed that most of the encountered plants were reported to have multiple local uses by the tribes. Some commercially important plant species such as *Achyranthes aspera* L., *Cassia fistula* L., *Streblus asper* Lour., *Smilax zeylanica* L., *Shorea robusta* Gaertn.f., *Terminalia bellirica* (Gaertn.) Roxb. etc. have also medicinal value. *Aegle marmelos* (L.) Corr., *Achyranthes aspera* L., *Calotropis gigantea* (L.) R.Br., *Ficus bengalensis* L., *Embllica officinalis* Gaertn., *Semecarpus anacardium* (L.) f. and *Mangifera indica* L. are regarded for religious purpose along with their medicinal value and other domestic uses, and found to be well conserved by the tribal people. It was observed that the plants such as *Ficus racemosa* L. is used to treat cancer, *Butea monosperma* (Lam.) Taub., and *Syzygium cumini* (L.) Skeels are used to treat kidney stones.




Figure 2: Family wise distribution of medicinal plants

## 6. Conclusion

The present study indicated that Angul-Talcher mining area harbours a rich diversity of useful plants but it is a matter of concern that the anthropogenic activities such as deforestation, habitat destruction, urbanization and mining activities cause a serious threat to the existence of valuable plant species. Therefore, it is essential to conserve such a wealth of information hidden among the local tribes and valuable plant species by ex-situ and in-situ means.

## References

- [1] R. Govaerts. How many species of seed plants are there? *Taxon*, vol. 50(4), 1085-1090, 2001.
- [2] P.H. Raven. Medicinal plants and global sustainability: The canary in the coal mine. In *Medicinal Plants: A Global Heritage*, Proceedings of the International conference on medicinal plants for survival, New Delhi: International Development Research Center, 14-18, 1998.
- [3] P. Pushpangadan. *Ethnobiology of India: A Status Report*, GOI, New Delhi, 1995.

- [4] S. K. Ghimire, D. McKey, Y. Aumeeruddy-Thomas. Heterogeneity in ethnoecological knowledge and management of medicinal plants in the Himalayas of Nepal: implications for conservation. *Ecology and Society*, vol. 9(3): 6, 2004.
- [5] C.P. Kala. Current status of medicinal plants used by traditional Vaidyas in Uttaranchal- State of India. *Ethnobotany Research and Applications*, 3, 267-278, 2005.
- [6] H.H. Haines. *The Botany of Bihar and Orissa*. London. (Reprint, 1961, Calcutta), 1921-1925. (Reprint, 1961, Calcutta), 1921-1925
- [7] H.O.Saxena, M.Brahmam. *Flora of Orissa*. Vol. 1-4, Orissa Forest Development Corporation, Bhubaneswar, Odisha, 1994-1996.
- [8] R. Kirtikar, B.D. Basu, ICG An. *Indian Medicinal Plants*, Vol. II. Edited & rewritten by Blatter E, Caius JF & Mhaskar KS. 2nd edition, (International Book Distributors, Dehradun, India), 2006.
- [9] K.R. Kirtikar, B.D. Basu, ICG An. *Indian Medicinal Plants*, Vol. I. Edited & rewritten by Blatter E, Caius JF & Mhaskar KS. 2nd edition, (International Book Distributors, Dehradun, India), 2005.
- [10] K.R. Kirtikar, B.D Basu, ICG An. *Indian Medicinal Plants*, Vol. IV. Edited & rewritten by Blatter E, Caius JF & Mhaskar KS. 2nd edition, (International Book Distributors, Dehradun, India), 2007.