

# A Review on Content-Based Image Retrieval from Videos using Self Learning Object Dictionary

Vrushali A. Wankhede<sup>1</sup>, Prakash S. Mohod<sup>2</sup>

<sup>1</sup>Department of Computer Science and Engineering, G. H. Rasoni Institute of Engineering & Technology for Women, Nagpur, Maharashtra, India

<sup>2</sup>Professor, Department of Computer Science and Engineering, G. H. Rasoni Institute of Engineering & Technology for Women, Nagpur, Maharashtra, India

**Abstract:** *Content-based video retrieval is very interesting to the point where it can be used in real-world. Video retrieval is regarded as one of the most important in multimedia research. There are different types of representations for video i.e. low level representations and high level representations having different features. Video retrieval can be used for multiuser systems for video search and browsing which are useful in web applications. The project takes the information needs and retrieval data already present in the archive, and that retrieval performance can be significantly improved when content-based image retrieval (CBIR) algorithm are applied to search. With the development of multimedia data types and available bandwidth there is huge demand of video retrieval systems, as users shift from text based retrieval systems to content based retrieval systems. Selection of extracted features play an important role in content based video retrieval regardless of video attributes being under consideration. Retrieval of images based on visual features such as color, texture and shape have proven to have its own set of limitations under different conditions. This survey reviews the interesting features that can be extracted from video data for indexing and retrieval along with similarity measurement methods. We also identify present research issues in area of content based video retrieval systems.*

**Keywords:** Content based image retrieval (CBIR), content based retrieval, image retrieval, image search, image similarity, search problems, video.

## 1. Introduction

The use of multimedia on the internet is very large growing at an extraordinary rate. Content-based image retrieval, a technique which uses visual contents to search images from large scale image databases according to users' interests, has been an active and fast advancing research area since the 1990s. By 2015, one-million minutes of video content will cross the Internet every second; it would take more than five years for one person to watch this amount of video. Content is created both by professionals and, increasingly so, by everyday users. However, due to the rapid increase in the number of videos coming into the archives, it soon became apparent that it was impossible to accomplish this goal through manual labor. Video retrieval is one of the most important in multimedia research. The explosive growth of online image collection image retrieval plays an important role in our daily life. Image retrieval is an extension to traditional information retrieval. Approaches to image retrieval are somehow derived from conventional information retrieval and are designed to manage the more versatile and enormous amount of visual data which exist. Visual feature extraction is the basis of any content-based image retrieval technique. Widely used features include color, texture, shape and spatial relationships. Multiple approaches have been introduced for each of these visual features and each of them characterizes the feature from a different perspective. However, interacting with multimedia data, and video in particular, requires more than connecting with data banks and delivering data via networks to customers' homes or offices. Content based Video Indexing and Retrieval (CBVIR), in the application of image retrieval problem, that is, the problem of searching for digital videos in large databases. "Content-based" means that the search

will analyze the actual content of the video. The term 'Content' in this context might refer colors, shapes, textures. Without the ability to examine video content, searches must rely on images provided by the user. Key-frames are still images extracted from original video data that best represent the content of shots in an abstract manner. Key-frames have been frequently used to supplement the text of a video log, though they were selected manually in the past. Key-frames, if extracted properly, are a very effective visual abstract of video contents and are very useful for fast video browsing. Early techniques were not generally based on visual features but on the textual annotation of images. In other words, images were first annotated with text and then searched using a text-based approach from traditional database management systems. Text-based image retrieval uses traditional database techniques to manage images. However, since automatically generating descriptive texts for a wide spectrum of images is not feasible, most text-based image retrieval systems require manual annotation of images. Obviously, annotating images manually is a cumbersome and expensive task for large image databases, and is often subjective, context-sensitive and incomplete.

The rest of the paper is structured as follows. We discuss literature review in section II. We discuss our proposed work in section III. We discuss the conclusion in section IV. We end of this paper with the references in section V.

## 2. Review of Literature

This section describes the various existing schemes which are compared in this paper.

**A. PicSOM Experiments In TRECVID 2010**

In 2010 Mats Sjoberg, Markus Koskela, Milen Chechev. In PicSOM (Picture Self Organizing Map) experiments contains in TRECVID 2010 include the semantic indexing tasks. In semantic indexing task we implement SVM classifiers. These classifier based on HLF (High Level Features). All the input image are arranged in the semantic indexing form. Then apply SVM based classifier, SVM detector are trained based on the extracted features. Then form SVM clustering with the help of k-means algorithm. Fusion can take place and calculating the similarity score with the help of geometric mean and weighted geometric mean. We will get final output means the output image. Matching can take place that is input image is similar to the output image. The disadvantage is that SVM classifier output is not match properly displayed based on their clustering and also performance degradation can take place.

**B. TRECVID2010 Known-item Search By NUS**

This paper describes our system auto search and interactive search in KIS task in TRECVID 2010. KIS task aims to find an unique video answer for each text query. According to this extreme task of KIS, we participate in both the auto search and interactive search. Auto search means normal search. For eg, film name then all the matching film name will be displayed. Auto search takes place with help of text query. In the auto search contains unnecessary result will be displayed these is the disadvantage of the auto search. In interactive search contains semantic concept matching can be applied. In semantic concept matching is that suppose we search for eg, concept people marching then the marching should be search. For eg, concept lady then women, girl, female will be search. The interactive search takes more time.

**C. A Survey on Visual Content-Based Video Indexing And Retrieval**

In 2011 Weiming Hu, Nianhua Xie, Li Li, Xianglin Zeng, and Stephen Maybank. In these paper we will study on visual content based video indexing and retrieval takes place. Then in that we will use four types of methods for retrieving the videos. The first method is that video structure analysis, Extraction of features, Video retrieval including query interfaces, similarity measures and the relevance feedback, video browsing. In video structure analysis include shot boundary detection, key frame extraction, scene segmentation. Extraction of feature include static key frame feature, object feature, motion object. Video retrieval including query interfaces, similarity measure, relevance feedback and video browsing. The main limitation is that by using this method video retrieval takes more time.

**D. Fusion Heterogeneous modalities for video and Images Re-ranking**

In 2011 Hung-Khoon Tan, Chong-Wah Ngo. Multimedia documents in popular image and video sharing websites such as Flickr and Youtube are heterogeneous documents with diverse ways of representations and rich, user-supplied information. In this paper, we investigate how the agreement

among heterogeneous modalities can be exploited to guide data fusion. With experience from TRECVID search task [23] for example, fusing multiple search experts of different modalities does not always promise consistently desirable performance for different types of queries. In multimedia document contains more no. of images and videos. Apply re-ranking on dataset based on particular work. We used two types of algorithm random walk and semi-supervised learning to illustrate that how agreement (conflict) is incorporated (compromised) in the case of uniform and adaptive fusion. First Initialize and arrange videos and images by relevancy. Second Resolving conflicts between images and videos using score and update the new score. Third Repeat second step until optimization. Fourth is that final output. The disadvantage is that optimization at times takes more computation time. Second is that relevance of the result with input query can't be stored.

**E. Content-Based Analysis Improves Audiovisual Archive Retrieval**

Bouke Huurnink, Cees G. M. Snoek, Maarten de Rijke, Media professionals actively utilize audiovisual archives as a source for reusable material. Archives are struggling to reinvent themselves in the face of fully digital operations and growing user bases. Yet, surprisingly, very little has been done to examine how content-based video retrieval will affect the searches of professionals searching in the audiovisual archive. So the primary goal is to investigate how content-based video search which enhances the performance of traditional archive retrieval. The project complements the old, manual, descriptions of the images in the archive with new, automatically generated, labels. Then, this project measures the effect of combining them for queries typical of professionals searching an archive. The queries used present are not based on real-world queries, and generally no manually created metadata (which is often present in the real world) is included in the experiments. The project takes into account the information needs and retrieval data already present in the audiovisual archive, and demonstrate that retrieval performance can be significantly improved when content-based methods are applied to search. There are three content-based methods are as follows:

- A) Content Perspective
- B) Practitioner Perspective

The literature on content-based video retrieval and its evaluation is vast and impossible to cover here completely. Instead, we identify three dominant content-based videoretrieval methods according to the source of video retrieval data: transcripts, detectors, and low-level features. Together, these three sources have been extensively utilized in the content-based video retrieval community.

**3. Proposed Scheme**

In our proposed system contains the collection of number of videos. These videos are present on the desktop. Then convert each video into frames and these frames are also be stored. We will use the predefined technique for converting the videos into frames. The frame is nothing but the images then we will get the collection of images or a set of images. In first step take any image as the input means image query

and apply the CBIR(Content Based Image Retrieval) algorithm for the identifying the video frames. The CBIR or Content Based Image Retrieval is the retrieval of images based on visual features such as color, texture and shape. In CBIR, each image that is stored in the database has its features extracted and compared to the features of the query image. It involves two steps:

**Feature Extraction:** The first step in the process is extracting image features to a distinguishable extent.

**Matching:** The second step involves matching these features to yield a result that is visually similar. One of the important features that make possible the recognition of images by humans is color. Most image formats such as JPEG, BMP, GIF, use the RGB color space to store information. The RGB color space is defined as a unit cube with red, green, and blue axes.

CBIR is still a developing science. The development of powerful processing power and faster and cheaper memories contribute heavily to CBIR development. This development promises an immense range of future application using CBIR.

The algo works are as follows:

- 1) Collection of Image Database
- 2) Feature Extraction
- 3) Similarity Measures
- 4) Comparison of results with other techniques
- 5) Finally the image will be retrieved.

The application performs a simple search in an image database for an input query image, using color, texture and shape to give the images which are similar to the input image as the output. The number of search results may vary depending on the number of similar images in the database.

In second step we will give the second input as the text query so, we will create the manually dictionary. Give the annotation to the input image with the keyword means assign image with the keyword. We will give the manually detail description of each videos and then prepare the annotated data. Find keyword from the dictionary means the pre-process the data then if match found take that image as the input image repeat the first step. In the last step we will get the output means retrieved images from the videos and also retrieved the relevant video and also where the input image match with the video frames count that frame and also display the video name.

#### 4. Conclusion

A detailed investigation of how content-based video retrieval can improve audiovisual archive search. An experimental methodology has been developed that allows us to quantitatively evaluate how retrieval performance for professional searches is affected. By applying proposed system our system will give efficient search for video that taking input as a image for text.

#### References

- [1] C. G. M. Snoek and M. Worring, "Concept-based video retrieval," *Found. Trends Inf. Retrieval*, vol. 4, no. 2, pp. 215–322, 2009.
- [2] J. R. Smith and S. -F. Chang, "Visually searching the web for content," *IEEE MultiMedia*, vol. 4, no. 3, pp. 12–20, 1997.
- [3] C. G. M. Snoek and A. W. M. Smeulders, "Visual-concept search solved?," *IEEE Comput.*, vol. 43, no. 6, pp. 76–78, 2010.
- [4] Hauptmann and W. -H. Lin, "Assessing effectiveness in video retrieval," in *Proc. CIVR, 2005*, pp. 215–225, Springer-Verlag
- [5] R. Yan and A. Hauptmann, "A review of text and image retrieval approaches for broadcast news video," *Inf. Retrieval*, vol. 10, no. 4, pp. 445–484, 2007.
- [6] T. Mei, Z. -J. Zha, Y. Liu, M. W. G. -J. Qi, X. Tian, J. Wang, L. Yang, and X. -S. Hua, "MSRA at TRECVID 2008: High-level feature extraction and automatic search," in *Proc. TRECVID, Gaithersburg, MD, 2008*.
- [7] X. Chen, J. Yuan, L. Nie, Z. J. Zha, S. Yan, and T. -S. Chua, "TRECVID 2010 known-item search by NUS," in *Proc. TRECVID, 2010*.
- [8] Weiming Hu, Nianhua Xie, Li Li, Xianglin Zeng, and Stephen Maybank, "A Survey on Visual Content-Based Video Indexing and Retrieval" *IEEE Transaction on systems, man and cybernetics VOL. 41, NO. 6, November 2011*.
- [9] Tan and C. Ngo, "Fusing heterogeneous modalities for video and image re-ranking," in *Proc. ICMR, 2011*, p. 15, ACM
- [10] Bouke Huurnink, Cees G. M. Snoek, "Content based Analysis Improves Audiovisual Archive Retrieval," *IEEE Transaction on multimedia, VOL. 14, NO. 4, August 2012*.
- [11] M. Sjöberg, M. Koskela, M. Chechev, and J. Laaksonen, "PicSOM experiments in TRECVID 2010," in *Proc. TRECVID, 2010*.
- [12] S. -Y. Neo, J. Zhao, M. -Y. Kan, and T. -S. Chua, "Video retrieval using high level features: Exploiting query matching and confidence-based weighting," in *Proc. CIVR, Heidelberg, Germany, 2006*, pp. 143–152, Springer-Verlag.
- [13] R. Wilkinson, "Effective retrieval of structured documents," in *Proc. SIGIR, New York, 1994*, pp. 311–317, Springer-Verlag