















- interstitial collagenase as major cellular products. J Clin Invest*, 1989. 84(2): p. 686-94.
- [32] S. Sone, et al., *Expression of versican and ADAMTS during rat tooth eruption. J Mol Histol*, 2005. 36(4): p. 281-8.
- [33] T. Lind, N. McKie, and M.A. Birch, *regulated expression of adamts family members by cells of the osteoblasts lineage. J Bone Joint Surg Br* 2003. 85-B (SUPP I): p. 10-11.
- [34] R.R. Miles, et al., *ADAMTS-1: A cellular disintegrin and metalloprotease with thrombospondin motifs is a target for parathyroid hormone in bone. Endocrinology*, 2000. 141(12): p. 4533-42.
- [35] T. Lind, et al., *The hyaluronan degrading ADAMTS-1 enzyme is expressed by osteoblasts and up-regulated at regions of new bone formation. Bone*, 2005. 36(3): p. 408-17.
- [36] R.J. Waddington, et al., *Differential roles for small leucine-rich proteoglycans in bone formation. Eur Cell Mater*, 2003. 6: p. 12-21; discussion 21.
- [37] P.S. Cerri, *Osteoblasts engulf apoptotic bodies during alveolar bone formation in the rat maxilla. Anat Rec A Discov Mol Cell Evol Biol*, 2005. 286(1): p. 833-40.
- [38] C.H. Lohmann, et al., *Phagocytosis of wear debris by osteoblasts affects differentiation and local factor production in a manner dependent on particle composition. Biomaterials*, 2000. 21(6): p. 551-61.
- [39] D.E. Heinemann, et al., *Human osteoblast-like cells phagocytose metal particles and express the macrophage marker CD68 in vitro. J Bone Joint Surg Br*, 2000. 82(2): p. 283-9.
- [40] M. George, et al., *Metabolic activation stimulates acid secretion and expression of matrix degrading proteases in human osteoblasts. Ann Rheum Dis*, 2004. 63(1): p. 67-70.
- [41] M.G. Barrett, G.S. Belinsky, and A.H. Tashjian, Jr., *A new action of parathyroid hormone. receptor-mediated stimulation of extracellular acidification in human osteoblast-like SaOS-2 cells. J Biol Chem*, 1997. 272(42): p. 26346-53.
- [42] A.A. Cole and F.H. Wezeman, *Cytochemical localization of tartrate-resistant acid phosphatase, alkaline phosphatase, and nonspecific esterase in perivascular cells of cartilage canals in the developing mouse epiphysis. Am J Anat*, 1987. 180(3): p. 237-42.
- [43] H.I. Roach and J.R. Shearer, *Cartilage resorption and endochondral bone formation during the development of long bones in chick embryos. Bone Miner*, 1989. 6(3): p. 289-309.