A Study of Variations in Arterial Supply of Human Pancreas

Dr Thejeswari¹, Dr Shishirkumar², Dr Girish V. Patil³, Dr Apoorva D⁴

^{1, 2, 4} Assistant Professor, Department of Anatomy, DM- Wayanad Institute of Medical Sciences, Meppadi, Wayanad. Kerala. India

³Associate Professor. Department of Anatomy, DM- Wayanad Institute of Medical Sciences, Meppadi, Wayanad. Kerala. India

Abstract: Presence of arterial variations may result in erroneous interpretation of angiograms, the topographical anatomy of such variation is important for interventional radiologists performing arteriographs. Arterial anatomy is essential to locate the blood vessel in treatment and surgeries of various conditions. Viz. Arterial infusion,¹ chemotherapy for pancreatic cancer via superselective embolisation, Stem cell infusion² in interventional therapy of Diabetes. 50 human specimens were dissected. Origin of inferior pancreaticoduodenal artery, incidence of pre-pancreatic arcade, number of anterior pancreaticoduodenal arcade, anastomoses of transvers pancreatic artery were noted.

Keywords: Angiograms, Arterial, Pancreas, Stem cell, Variations

1. Introduction

Study of blood vessels helps not only anatomists, also radiologists to interpret or perform various radiological techniques and specially transplantation surgeons to operate on particular region. Causes for variations are due to differences in genetic, haemodynamic, race, evolutionary pattern and ontogenic development. In recent times, the trend in surgical procedure is to move towards minimal invasive surgery for reasons to reduce morbidity and mortality, if the patient is selected carefully and investigated properly. Knowledge of variations during surgery gives surgeons a sense of security.

Presence of arterial variations may result in erroneous interpretation of angiograms, the topographical anatomy of such variation is important for interventional radiologists performing arteriographs. Incidence of Diabetes Mellitus is increasing worldwide, reason being either insulin resistance or insulin deficiency. Complications of it are innumerable. Pancreas, meaning whole flesh, is the hermit of abdomen, is unpaired and retroperitoneal organ. Pancreas is richly supplied with blood by its weight and is unique in having dual blood supply by coeliac trunk and superior mesenteric artery, dual location, head body being retroperitoneal and tail intraperitoneal.

Arterial anatomy is essential to locate the blood vessel in treatment and surgeries of various conditions. Viz. Arterial infusion,¹ chemotherapy for pancreatic cancer via superselective embolisation, Stem cell infusion² in interventional therapy of Diabetes.

2. Materials and Methods

The blood supply of pancreas was studied in 50 human specimens out of which 40 were from JSS Medical College Mysore and 10 were from DM-WIMS Meppadi, Kerala.

The specimen were dissected, the stomach structures were cleaned, ligated at the pyloric end of stomach, porta hapatis and at the end of 3^{rd} part of duodenum. Pancreas was removed along with spleen and duodenum. After 24 hours, dissected, painted and allowed to dry. The specimen numbered and photographed.

3. Observation and Results

Table 1: Origin of Inferior Pancreaticoduodenal Artery

Sl. No.	Origin	No. of Specimen	Percent
1	Superior Mesenteric Artery	49	98%
2	Common Hepatic Artery	01	02%

Table 2: Incidence of Pre-Pancreatic Arcade

Sl. No.	Incidence	No. of Specimen	Percent
1	Present	02	04%
2	Absent	48	96%

Table 3: Number of Anterior Pancreaticoduodenal Arcade

Sl. No.	Presence	No. of Specimen	Percent
1	Yes	01	02%
2	No	49	98%

Table 4: Anastomoses of Transvers Pancreatic Artery

Sl. No.	Anastomoses with	No. of	Percent
		Specimen	
1	INFERIOR PANCREATICO	49	98%
	DUODENAL ARTERY		
2	1st JEJUNAL ARTERY	01	02%

4. Discussion

The study data when compared to the other studies the following differences and similarities were found which is presented in the form of tables given below.

International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Impact Factor (2012): 3.358

Table 5. Origin Of Inferring Demonstring due densel Artemy Commons of With Other Studies

Table 5: Origin Of Interior Parcreaticodulodenal Artery			Compared v		er studies	
S1.	Author	Superior	Common	Jejunal	Accessory	Dorsal
No.		Mesenteric	Hepatic	Artery	Right Hepatic	Pancreatic
		Artery %	Artery %	%	Artery %	Artery %
1	R.T. Woodburne & Oslen 1951 ³	97	-	-	-	-
2	Ziegler – 1942 ⁴	50	-	-	-	-
3	Falcon and Griffith – 1950 ⁵	37	-	-	-	-
4	Shyamasundar Sabot, Edgar underwood – 2011 ⁶	-	-	-	4	-
5	Skandalaki's – 2004 ⁷	-	-	2	1	6 to 8
6	Sharpios Robillord – 1946 ⁸	-	-	20	-	-
7	Rohini Motwani and Poojejunal artery Jejunal arteryin – 2013 ⁹	1 case	-	-	-	-
8	Present – 2014	98	2	-	_	-

 Table 6: Incidence of Prepancreatic Arcade Compared with other Studies

Sl. No.	Author	Year	%
1	Falcon and Griffith ⁵	1950	40
2	R.T. Woodburne & Oslen ³	1951	93
3	Skandalaki's ⁷	2004	75 to 93
4	Present	2013	2

Table 7: Number of Anterior Pancreatico Duodenal Arcade

 Compared with other Studies

SL.NO.	Author	Number
1	Ranjeta Handsdac et al 2011 ¹⁰	Absent
2	Rohini Motwani and Pooja Jain– 2013 ⁹	1
3	R.T. Woodburn -1951^3	1
4	Sulochana T. Shivakami 2012 ¹¹	2
5	Present – 2013	2

Table 8: Arteries Suppling Different Parts Of The Pancreas Compared With Other Studies

S. No.	Author	Superior part of	Inferior part of Head	Body, Neck and Tail
		Head	_	
1	Zhi – xian et al –	-	-	DORSAL PANCREATIC ARTERY (50%) DORSAL
	2011^{12}			PANCREATIC ARTERY & , Pancreatica magna
				(21.6%) Transverse pancreatic artery (10.8%)
2	Yusuke sahuhar –	GDA 100%	SUPERIOR MESENTERIC ARTERY	SA (100%)
	2008^{13}		(60%) & SUPERIOR MESENTERIC	
			ARTERY & GDA (7%)	
3	Iiroyoki Furukaea	GDA 100%	SUPERIOR MESENTERIC ARTERY	
	et al 1991 ¹⁴		100%	
4	Present study -	GDA 100%	SUPERIOR MESENTERIC ARTERY	Splenic artery (100%)
	2013		100%	DORSAL PANCREATIC ARTERY, Pancreatica
				magna & Transverse pancreatic artery (40%) &
				DORSAL PANCREATIC ARTERY (2%)

5. Conclusion

During preoperative study, a detailed observation of blood supply is needed. It enables surgeons for easy and safer approach of the organ. It helps to prevent ligation of wrong vessels leading to gangrene. In mobilization of pancreas as bleeding is a complication and it can be prevented by knowing the arterial variations. Significance of arterial variation was observed in complex surgeries approaching the tail of the pancreas. Knowledge of Variations helps radiologists to interpret the radiograph accurately and helps interventional radiologists in intra - arterial infusion chemotherapy², in unresectable pancreatic cancer. In this era of stem cell therapy, intra arterial infusion of stem cells³ into the pancreas is a mode of treatment in Diabetes mellitus. The present work was undertaken wherein the detailed study of the arterial supply and its variations lends a helping hand to the transplantation surgeons, interventional radiologists.

The study has a great significance in clinical and surgical aspect. It also has a very good future prospect. The study can be continued in different regions of the world and the data can be compared to know the variations present in their local population to be helpful to the surgeons. Based on the present study easier ways of stem cell infusion can be found.

References

- Takamori et al- 5 Fluorouracil intra arterial infusion combined with systemic G emcitabine for unresectable pancreatic cancer. Pancreas: April 2005, vol30; No 3; 223-226.
- [2] Yuning Lin et al-Demonstration of the dorsal pancreatic artery by CTA to facilitate super selective arterial infusion of stem cell into the pancreas. Europian journel of radiology,2010;81(3):461-465
- [3] Russel T woodburne and Lloyd L Olsen-The arteries of the pancreas, The anatomical record , vol111(2); 1951:255-270
- [4] Ziegler -The arteries of the pancreas, The anatomical record, vol111(2); 1942
- [5] Falconner C.W.A.and E.Griffiths.The anatomy of blood vessels in the region of pancreas.Brit. J. Surg .1950. 37:334 – 344.
- [6] Shyamasunder Sabat, Edgar underwood .Coexistent rare hepatic artery variants as a pitfall during embolisation : dorsal pancreatic artery mistaken for gastroduodenal artery.Dign intervene Radiol 2011; 17:95 – 97.
- [7] Skandalaki J.E. Skandalaki's Surgical Anatomy-2004; Chapter 21. Pancreas:1122, 1157-1168, 1185-1191
- [8] Sharpio A.L., and Robillard. Morphology and variations of the duodenal vasculature.1946; 52:571 – 602.

- [9] Rohini Motwani ,Pooja jain .An unusual pancreatic arterial pattern .Acase report. International journal of Anatomy and research.2013; vol1 (2):46 - 48.
- [10] Ranjeeta Hansdak , et al .Surgico anatomical elucidation of variant dorsal pancreatic artery.Indian Journal of Basic and Applied Medical research .2013 ;2 (8):1038-1042.
- [11] Sulochana T. Shivakami.National journal of clinical anatomy .2012. ;1 (2) :55 -60
- [12] Zhi xian Wu ,et al .Digital subtraction angiography computed Tomography angiography and of predominant artery feeding pancreatic body and tail.Diabetes Technology and therapeutics .2011 ;13 (5) :537-41.
- [13] Yusuke Sakuhara .Evaluation of the vascular supply to regions of the pancreas on CT during arteriography. Abdominal imaging. 2008; 33 (5).563 – 570.
- [14] Hiroyuki Ogino et al, Embolization in a patient with ruptured anterior inferior pancreaticoduodenal arterial aneurysm with median arcuate ligament syndrome. J Cardio vascular and Interventional radiotherapy.2002; 25(4):318-319.

Author Profile



Dr. H.G Thejeshwari has completed her MBBS from Bangalore Medical College, Bangalore and has completed her M.D in Anatomy from JSS Medical College, Mysore. She has also finished her DCP from KIMS Hubli. She is presently working as an Assistant

Professor in the Department Of Anatomy DM-WIMS Meppadi, Kerala, India



Dr. Shishirkumar has completed his MBBS from KLE'S JNMC Belgaum and has completed his M.D in Anatomy from K.S.Hegde Medical Academy, Deralakatte, Mangalore. He is presently working as an Assistant Professor in the Department Of Anatomy, DM-WIMS Meppadi, Kerala, India



Dr. Girish V Patil has completed his MBBS from KIMS Hubli and has completed his M.D in Anatomy from VIMS Bellary. He has also finished his DNB Anatomy. He is presently working as an Associate Professor in the Department Of Anatomy, DM-WIMS

Meppadi, Kerala, India



Dr. Apoorva D has completed her completed her M.D in Anatomy from KIMS Bangalore. She is presently working as an Assistant Professor in the Department Of Anatomy DM-WIMS Meppadi, Kerala, India