







## Reference

- [1] S.N Hossain “CFD simulation of heat transfer in shell and tube heat exchanger” Journal of energy in south Africa – vol17no2 – may 2006
- [2] Hilde Vander and Jackodrikes, “ validation of a CFD model of a three dimensional tube in tube heat exchanger “, Third international conference on CFD in the minerals and process industries CSIRO, Melbourne, Australia 10-12 December 2003
- [3] V.H.M Orcos,” performance of shell and dimpled tube heat exchanger for waste heat recovery “, Heat recovery systems and CHP volume 8, issue 4, 1988, page 299-308.
- [4] Lee dae and Park jaesuk, “ Effect of secondary combination on efficiencies and emission reduction in the diesel engine exhaust heat recovery system “,Journal of Applied energy volume,87,Issue 7, 5th may 2010 pages 1716-1721.
- [5] Anizi and A.M-Al-Otaibi “Double performance impingement plate (DPIP) in shell and tube heat exchanger”,7th international conference on heat exchanger fouling and cleaning changes and opportunities July 1-6-2007.
- [6] JarkoStevanoic “Design of shell and tube heat exchanger by using CFD technique “, Mechanical engineering, 2001,1091-1105.
- [7] Sbari “ Effect different working fluid on shell and tube heat exchanger to recover heat transfer form an automotive diesel engines “, Word removable energy congress 2011 sweden 8-13 may 2001 linkoping, Sweden.
- [8] Karuppa raj r and Shrikanthganne, “shell side numerical analysis of a shell and tube heat exchanger considering the effects of baffles Indication angle on fluid flow using CFD” ,Vellor institute of technology Tamil Nadu India
- [9] Vikaskumar and D gangacharyulu , “ CFD analysis of cross flow air to air tube type heat exchanger”, Long man scientific & technical, new York 1988
- [10]10. Mohammad reza, tafarinass and Taranazmotevasseli “Non Newtonian fluid analysis using CFD in plate”. Applied thermal engineering, 29, 3299-3308.