Implementation and evaluation. Industrial Electronics, IEEE Transactions on, 54(4):2147 {2156, aug. 2007
[13] S.Gargies, H. Wu, and C. Mi, "Design and control of an isolated bidirectional dc-dc converter for hybrid electric vehicle applications," Journal of Asian Electric Vehicles, vol. 4, no. 1, pp 851-856, 2006
[14] Rik W. De Doncker and Jorg Walter: High-Power Galvanically Isolated DC/DC Converter Topology for Automobiles, IEEE Transactions, 2003
[15] T. A. Nergaard, J. F. Ferrell, L. G. Leslie, and J. S. Lai, “Design considerations for a 48 V fuel cell to split single phase inverter system with ultra capacitor energy storage,” in Proc. IEEE Power Electronics Specialist Conference, 2002
[16] Rugaju, M., Janse van Rensburg, J.F. and Pienaar H.C.vZ. “ Full Bridge DC-DC converter as input stage for fuel cell based inverter system” Vaal University of Technology, Andries Potgieter Blvd., Vanderbijlpark,
[17] K B Khanchandani, Power Electronics Handbook, 2007 by Tata McGraw Hill Education private Limited,
[18] Dr. P.S. Bimbhra, Power Electronics Handbook, 2007 by Romesh Chander Khanna, Khanna Publishers,
[19] Dr. P.S. Bimbhra, Electrical Machinery Handbook, 2008 by Khanna Publishers,
[20] M. H. Rashid, Power Electronics Handbook, 2007 by Elsevier press,

Author Profile

Deepak Sharma is a M. Tech Student in Industrial System and Drives in Department of Electrical Engineering from Madhav Institute of Technology and Science, Gwalior (M.P) India, Earlier He has completed his Undergraduate in the field of Electrical Engineering from Shri Vaishnav Institute of Technology and Science, Indore (M.P) India