

Comparison Status of Strength and Speed between Badminton and Lawn-Tennis School Girls

Meenu¹, Parul²

¹Research Scholar, Department of Physical Education, CDLU, Sirsa, Haryana, India

²Research Scholar, Department of Physical Education, CDLU, Sirsa, Haryana, India

Abstract: *The purpose of the study was to compare the physical fitness variable of Badminton and Lawn-tennis school girls. To fulfill the objective of the study, 30 Badminton school girls 30 and lawn-tennis school girls were selected from Haryana State. Who was attending national comp. The data were collected in different coaching camps. The age of the selected subjects ranged from 14 to 18 years. Standing Board Jump and 60 yard dash tests were used to measures the selected physical fitness variables of the players. In order to analyze the data t-test was used to analyze the data and investigator observed the significant different between badminton and lawn-tennis school girls of difference selected physical fitness variables.*

Keywords: Badminton, Lawn-Tennis, Strength, Speed

1. Introduction

Physical fitness of a player depends on the nature of his game and also external conditions. There are a number of fitness elements that need to be developed. Such as speed, endurance, agility and strength to correct and Main tenance of body weight. Badminton and lawn-tennis both are almost similar games. A complete badminton player should possess that agility of an acrobat, the power of a race horse, the killer instinct of a panther as well as like a lawn-tennis player. Some of the standards the fit player attain to meet the demands of the games are strength, power, speed etc. fitness components. Court and field games like Badminton, lawn-tennis, Table-Tennis, Kabaddi Squash, Football, Volleyball help in developing strength and speed of the players while other games like boxing, gymnastic, wrestling etc. developing agility and power of its players better.

2. Methodology

The purpose of the study was to compare strength and speed variables between badminton and lawn-tennis school girls players. To achieve the desire objective of the study, the only those player were selected from Haryana state who was attending national camps. Only two physical fitness variables were tested to collect the data by using of two physical fitness tests i.e. standing board jump and 60 yard

dash run. T-test was used to compare these variables of Badminton and lawn-tennis school girls players. The age of the selected subject ranged from 14 to 18 years.

3. Purpose of the Study

Comparison Status of Strength and Speed between Badminton and Lawn-Tennis School Girls


4. Result and Discussion

Table 1: Comparison of Strength between Badminton and lawn-tennis school girls

Game	N	Mean	SD	SED	t
Badminton	30	6.33	0.58	0.03	0.65
Lawn-Tennis	30	6.15	0.52		

Significant at 0.05 level

As shown in table-1 that the Mean score of **standing board jump** of Badminton and Lawn-Tennis Players were 6.33 and 6.15 Respectively and SD of standing board jump of Badminton/Lawn-Tennis players were 0.58 and 0.52 and 't' value was 0.65 for significant 0.05 level. It means that Badminton girls have better than Lawn-Tennis school girls in Explosive strength of legs at national level.




Graph 1

Table 2: Comparison of Speed between Badminton and Lawn-Tennis School girls

Game	N	Mean	SD	SED	t
Badminton	30	7.03	0.75	0.02	0.74
Lawn-Tennis	30	8.06	0.70		

Significant at 0.05 level

As shown in table-2 the mean score at **60 yard dash** test of Badminton and lawn-tennis were 7.03 and 8.06 respectively and SD of 60 yard Dash of Badminton and Lawn-tennis player were 0.75 and 0.70 and ‘t’ value was 0.74 significant at 0.05 level. It means that badminton school girls have much speed in 60 yard dash as compare to Lawn-Tennis school girls.



Graph 2

5. Conclusion

It is evident that badminton female players having more strength and speed than lawn-tennis female players.

References

- [1] Bouchard C, Shephard RJ 1994 Physical activity, fitness and health: The model and Key concepts In: C Bouchard, RJ Shepard, T. Stephens (Eds): Physical Activity Fitness and Health: International Poceeding and consensus statement, Human Kinetics cham Paign (III), pp. 77-88.
- [2] Dhayanithi R. and Ravi Kumar P., Continuous and Alternats pace endurance Methods and their effects on training and determining on selected physical and Determining on selected physical and psychology variables among boys. Research Bi-annual for movement, 19 (1), 16 (2002).
- [3] Esther Hartman et al., (2007) the effect of age on physical fitness of deaf elementary school children, pediatric exercise science, vol. 19, pp. 267-278, Human Kinetics, Inc.
- [4] Gaurav, V., Singh, A. and Singh, S. (2011) A study of physical fitness variables among baseball players at different level of achievement scientific journal in sports and exercise, 7 (2): 34-38.
- [5] Gentova, L. (2010) ‘Energy and Macro nutrient requirements for physical fitness in exercising subjects.’ Journal of clinical nutritional.
- [6] Gupta, A., Sandhu, J.S. and Koley, S., study on the physical fitness, spinal mobility and flexibility in football, Indian sport studies, 6(1), 1-5 (2002).
- [7] Habbinen, A. (2010). ‘Association of physical fitness with health related quality of life in finish young men.’

Journal of health and quality of life outcomes. Volumes: 10, PP. 1477-7525.

- [8] Haga M. (2009). 'Physical fitness in children with high competence is different from that in children with low motor competence.' Journal of physiological therapy. Volume: 89, Issue – 10, PP. 1089-1097.
- [9] Iahinone M. Mito R, Satio K 2004, Physical activity fitness and health: Obesity and Lifestyle in Mamaica International collaboration in community health 1267: 39-50
- [10] Koutedakis Y. Bouziotas C. 2003. National Physical education curriculum Motor and cardiovascular health related fitness in Greek adolescents. British Journal of Sports Medicine, 37: 311-314.
- [11] Mondal, L.K. & Chapraborty P., (2010) A comparative study on creative motor response and personality and sociability between normal and the orthopedically challenged person., Unmesh: A Journal on physical education; Vol.-6, No.2, pp. 56-78.
- [12] Neeur, M. (2005) Motor fitness variables as predictors in table tennis playing ability. Unpublished Ph.D. Thesis, Punjab University Chandigarh.
- [13] Purath, J. (2009). 'Physical fitness assessment of older adults in the primary care setting.' American journal of Academic of Nature practitioner education, volume 21 No. 2 PP. 101-107.
- [14] Ray, Dipendranath (1989); "Status of Physical fitness and physiological parameters of 'effective and Defensive player of soccer and Hockey' Unpublished master's dissertation. P. 33.
- [15] Veerra Nack, M. (2012). 'A study of the physical fitness among volleyball and basketball player of knomman district.' International Journal of health, physical education and computer science in sports: Volume No. 5, No. 1. PP 80-82.
- [16] Walowska, Jagodo; Bolach, Eugeniusz, (2011) evaluation of general physical fitness in hard of hearing and hearing children, physiotherapy fizjoterapia Vol. 19 Issue. 3, p. 19-27 9p.