







HLT 13	0.57	0.60
HLT 14	0.37	0.62
RELG15	0.48	0.62
RUL 16	0.56	0.59
LF17	0.28	0.63
FIN 18	0.22	0.64
FIN 19	0.75	0.60
SOC 20	0.49	0.61
SOC21	0.42	0.62
LF22	0.70	0.60
REL 23	0.67	0.62

**Table 3: Split half distribution**

	Mean	Std. Deviation
Part 1	43.04	3.36
Part 2	52.04	6.62
Both Parts	95.07	7.99

Part I: Ph1, Ph2, Ph3, Ph4, Ph5A, Ph5B, Food\_6, DL\_7, DL\_8, DL\_9, Saft\_10, Trans\_11 (Cronbach's Alpha=-0.32).

Intra-class Correlation (95%CI)=0.67 (0.42-0.81), p=0.001

**Table 4: Inter-Item Correlation Matrix**

	Ph1	Ph2	Ph3	Ph4	P5A	P5B	FD_6	DL_7	DL_8	DL_9	SFT_10	TRANS_11	HLT_12	HLT_13	HLT_14	RELG15	LF17	FIN_18	FIN_19	SOC_20	SOC_21	LF22	REL23	
PH1	1.00																							
PH2	0.30	1.00																						
PH3	0.47	0.34	1.00																					
PH4	0.02	0.10	0.16	1.00																				
PH5a	0.22	0.19	0.20	0.00	1.00																			
PH5b	0.24	0.20	0.17	0.20	0.60	1.00																		
FD_6	0.38	0.17	0.25	0.45	0.40	0.48	1.00																	
DL_7	0.37	0.26	0.41	0.08	0.19	0.21	0.02	1.00																
DL_8	0.40	0.22	0.24	0.25	0.30	0.29	0.35	0.39	1.00															
DL_9	0.11	0.20	0.16	0.17	0.50	0.43	0.32	0.21	0.26	1.00														
SFT_10	0.13	0.11	0.05	0.08	0.10	0.20	0.24	0.11	0.19	0.42	1.00													
TRANS_11	0.17	0.17	0.21	0.20	0.50	0.30	0.57	0.15	0.50	0.26	0.11	1.00												
HLT_12	0.32	0.30	0.29	0.30	0.30	0.40	0.54	0.23	0.33	0.37	0.18	0.60	1.00											
HLT_13	0.25	0.13	0.29	0.18	0.30	0.30	0.43	0.18	0.19	0.37	0.27	0.36	0.72	1.00										
HLT_14	0.42	0.27	0.19	0.30	0.30	0.40	0.60	0.23	0.28	0.22	0.41	0.59	0.82	0.66	1.00									
RELG15	0.35	0.17	0.07	0.20	0.00	0.00	0.08	0.03	0.08	0.38	-0.09	0.01	0.33	0.24	-0.05	1.00								

RUL_16	0.07	-0.15	-0.14	-0.18	0.30	0.29	0.21	0.22	0.31	0.59	0.15	0.33	0.43	0.46	0.21	0.45	1.00							
LF17	0.14	0.03	0.06	0.05	0.79	0.3	0.29	0.05	0.25	0.57	-0.08	0.39	0.24	0.23	0.10	0.19	0.50	1.00						
FIN_18	0.18	0.25	0.06	0.02	0.36	0.2	0.30	0.08	0.15	0.03	-0.08	0.15	0.16	0.30	0.17	-0.12	0.13	0.48	1.00					
FIN_19	0.00	0.08	0.09	0.29	0.10	0.0	0.12	0.14	0.35	0.15	0.18	0.12	0.40	0.39	0.27	0.56	0.44	0.18	0.35	1.00				
SOC_20	0.15	0.06	0.30	0.3	0.1	0.1	0.04	0.15	0.39	0.16	0.09	0.02	0.29	0.09	0.16	0.39	0.32	0.13	0.17	0.63	1.00			
SOC21	0.10	0.19	0.14	0.03	0.1	-	0.13	0.19	0.20	0.14	0.03	-0.34	0.17	0.42	-0.04	0.47	0.29	0.00	0.19	0.64	0.55	1.00		
LF22	0.03	0.05	0.07	0.18	0.3	0.0	0.05	0.18	0.40	0.18	-0.09	0.25	0.39	0.39	0.25	0.55	0.50	0.42	0.40	0.88	0.64	0.58	1.00	
REL_23	0.09	0.00	0.19	0.2	0.2	0.1	0.41	0.17	0.23	0.57	0.15	0.10	0.38	0.51	0.14	0.39	0.56	0.34	0.34	0.47	0.29	0.50	0.39	1.00

**Table 5:** Comparison of Domain-wise mean total scores between pre and post

Variables	Pre (n=27)	Post (n=27)	t-value	p-value <sup>1</sup>
Physical structure	19.14±2.03	19.37±1.39	0.73	0.47
Service provide	46.29±6.91	45.85±5.84	0.45	0.65
Life style	9.51±1.18	9.29±1.40	0.88	0.38
Financial	9.37±1.41	9.37±1.14	0.00	1.00
Social relationship	8.67±1.62	8.44±1.76	0.84	0.40
Total	93.00±8.60	92.33±8.84	0.47	0.63

<sup>1</sup>Paired t-test

**Table 6:** Test re-test reliability

	Test re-test reliability	Cronbach's Alpha
Physical	0.344	0.68
Service Provide	0.222	0.72
Life style	0.595	0.71
Financial	0.507	0.69
Social	0.431	0.73

Intra-class Correlation (95%CI)=0.74 (0.42-0.88), p=0.0001

**Table 7:** Domain wise inter-item correlations

	Physical	Service_Provide	Life_style	Financial	Social	Total
Physical	r	1.000				
	p-value	.				
Service_Provide	r	-0.262	1.000			
	p-value	0.187	.			
Life_style	r	0.056	0.471*	1.000		
	p-value	0.782	0.013	.		
Financial	r	-0.017	0.406*	0.724**	1.000	
	p-value	0.932	0.036	0.000	.	
Social	r	0.004	0.288	0.494**	0.551**	1.000
	p-value	0.983	0.145	0.009	0.003	.
Total	r	-0.043	.0923**	0.621**	0.582**	0.447*
	p-value	0.830	.000	0.001	0.001	0.019

\*. Correlation is significant at the 0.05 level (2-tailed), \*\*. Correlation is significant at the 0.01 level (2-tailed)

## 7. Acknowledgement

DR. Shrikant Srivastava & Dr. Shailendra Mohan Tripathi, Assistant Professor, Department of Geriatric Mental Health, King George's Medical University, Lucknow and Dr. Smita Pandey, Lecturer-Clinical Psychology, Institute of Behavioural Sciences, Gujraat Forensic Sciences University, Gandhi Nagar, Gujarat for supplementing and compiling the

list of domains/items as well as clustering them as per their common themes and descriptive likeness to evolve the final draft of the scale. Dr. Hitesh Khurana, Professor, Department of Psychiatry, Pt. B.D. Sharma PGIMS, Rohtak, Haryana for providing the technical guidance and valuable suggestions in statistical analysis of the data and preparing the manuscript. Mrs. Betsy Mehrotra and Dr. Safia Nazeeb for their support extended during field trial of the scale and

the participating residents of OAHs for their cooperation in the study.

## References

- [1] Director General of Health Services, Ministry of health & family welfare, Government of India, New Delhi. (2011). National Program for Health Care of the Elderly.
- [2] Central Statistics Office, Ministry of Statistics and Programme Implementation, Government of India, New Delhi, (2011). Situation Analysis of the Elderly in India.
- [3] Shah, A.M. (1998). The Family in India: Critical Essays. Orient Longman Limited.
- [4] Doty, P.J. (1992). The oldest old and the use of institutional long term care from an international perspective. In The oldest old (eds. R. Suzman, DP Willis, KG Manton). New York: Oxford University Press; 250-259.
- [5] Hegde V.N, Kosgi S., Rao S., Pai. N & Mudgal S.M. (2012). A Study of Psychiatric and Physical Morbidity among Residents of Old Age Home. International Journal of Health Sciences & Research; 2(1): 57-74.
- [6] Kumar,P., Das A., Rautela U. (2012) Mental and Physical Morbidity in Old Age Homes of Lucknow, India. Delhi Psychiatry Journal; 15(1): 111-117.
- [7] Mishra, Jayanta, A. (2008). A Study of the Family Linkage of the Old Age Home Residents in Orissa. Indian Journal of Gerontology; 22 (2): 196-212.
- [8] Mudey, A., Ambekar S., Goyal, R.C., Agarekar, S.,Wagh, V.V. (2011). Assessment of Quality of Life among Rural and Urban Elderly Population of Wardha District, Maharashtra, India. Ethno Med; 5(2): 89-93.
- [9] Das N.P., Shah U. A Study of Old Age Homes in the Care of the Elderly in Gujarat. M.S. University of Baroda 2004.
- [10]Nagaraj AKM, Mathew J, Nanjegowda R.B, Majgi SM, Purushothama SM, Psychiatric Morbidity Among Elderly People Living in Old Age Homes and in the Community. A comparative study. Online J Health Allied Scs. 2011 ; 458-464.
- [11]Laferriere R: Client satisfaction with home health care nursing. J Community Health Nurs 1993, 10:67-76.
- [12]Bear M, Sauer M, Norton A: Client satisfaction with service coordinators' provision of home-based long-term care services. Home Health Care Serv Q 1999, 18:47-60.
- [13]Geron SM, Smith K, Tennstedt S, Jette A, Chassler D, Kasten L: The home care satisfaction measure: a client-centred approach to assessing the satisfaction of frail older adults with home care services. J Gerontol 2000, 55B:S259-S270.
- [14]Okamoto H. Development of social activities-related daily life satisfaction scale for the elderly and evaluation of its reliability and validity. Nihon Kosshu Eisei Zasshi. 2010 Jul;57(7):514-25.