

- [33] Sharma, K. D., Lal, N and Pathak, P. D. 1981. Water quality of sewage drains entering Yamuna at Agra. *Indian J. Environ, Hlth* 23: 118-122.
- [34] Singh, A. K. and Singh, D. K. 1999. A comparative study on the phytoplanktonic primary production of the river Ganga and Pond of Patana (Bihar). *India J. Environ. Biol.* 20(3): 263-270.
- [35] Singh, V. P. 1960. Phytoplankton ecology of inland waters of Uttar Pradesh *Proc. Symp on Algology, ICAR, New Delhi*, 243-271.
- [36] Sreenivasan, A. 1964. Hydrobiological study of a tropical impoundment Bhavanisagar Reservoir Madras State, India for the year 1956-1961. *Hydrobiologia* 24(4) : 514-539.
- [37] Sreenivasan, A. R., Sunder Raju and Franlin, J. 1974. Diurnal and seasonal changes in a productive shallow pond *Phycos* 12 : 86-103.
- [38] Sverdrup, H. H., Johnson, M. W. and Fleming, R. H. 1942. The oceans, their physics, chemistry and general biology. *Prentice Hall, Inc, New York*.
- [39] Tripathi, A. K. and Pandey, S. N. 1990. Water Pollution *Ashish Publishing House, New Delhi* pp. 326.
- [40] Trivedi, R. K. and Goel, P. K. 1984. Chemical and Biological methods for water pollution studies *Environ. Publications, Karad, Maharashtra (India)*.
- [41] Vankasteswarlu, V 1969b. An ecological study of the algae of the river Moosi, Hyderabad (India) with special reference to water pollution II factors influencing the distribution of algae. *Hydrobiologia*.33:352-363.
- [42] Vyas, L. N. and Kumar, H. D. 1968. Studies on the phytoplankton and other algae of Indrasagar tank, Udaipur *Hydorbiol.* 31(3/4): 421-434.
- [43] Welch, P. S. 1952. Limnology, 2nd ed. *McGrew Hill Book Co. N. Y.* pp 536.