









accuracy results by implementing the formula of ST in Visual Studio codes. In conclusion, all the objectives of this research had been successfully achieved. In terms of high accuracy and short time of calculation.

## References

- [1] Barbour, J., *The nature of time*. arXiv preprint arXiv:0903.3489, 2009.ed., vol. 2. Oxford: Clarendon, 1892, pp.68-73.
- [2] Spottiswoode, S.J.P., Apparent association between effect size in free response anomalous cognition experiments and local sidereal time. *Journal of Scientific Exploration*, 1997. **11**(2): p. 109-122.
- [3] Drever, R.W., A search for anisotropy of inertial mass using a free precession technique. *Philosophical Magazine*, 1961. **6**(65): p. 683-687.
- [4] Capitaine, N. and A.-M. Gontier, Accurate procedure for deriving UT1 at a submilliarcsecond accuracy from Greenwich Sidereal Time or from the stellar angle. *Astronomy and Astrophysics*, 1993. **275**: p. 645.
- [5] Smylie, D., G. Clarke, and T. Ulrych, *Analysis of irregularities in the earth's rotation*. *Methods in computational physics*, 2012. **13**: p. 391-430.
- [6] Guinot, B., *Solar time, legal time, time in use*. *Metrologia*, 2011. **48**(4): p. S181.
- [7] Zaatri, A., et al., Comparison of the sidereal angular velocity of subphotospheric layers and small bright coronal structures during the declining phase of solar cycle 23. arXiv preprint arXiv:0907.4099, 2009.
- [8] Kang, G., et al., *An in-orbit radiometric calibration method of the geostationary ocean color imager*. *Geoscience and Remote Sensing, IEEE Transactions on*, 2010. **48**(12): p. 4322-4328.
- [9] Goodman, S.J., et al., *The GOES-R Geostationary Lightning Mapper (GLM)*. *Atmospheric Research*, 2013. **125**: p. 34-49.
- [10] Sarddar, D., et al., An Adaptive Scheme for Efficient Utilization of Resources in Handover and New Channel Allocation in LEO Satellites. *Programmable Device Circuits and Systems*, 2011. **3**(14): p. 808-815.