

- [12] Hadacek, F. 2002. Secondary metabolites as plant traits: Current assessment and future perspectives. *Crit. Rev. Plant Sci.* **21**: 273-322.
- [13] Jaworski, E.G., 1971. Nitrate reductase activity assay in intact plant tissue. *Biochem. Biophys. Res. Commun.* **43**: 1274-1279.
- [14] Jayaraman, J. 1981. Laboratory Manual in biochemistry, Wiley Eastern Limited, Madras. pp. 180.
- [15] Kaur, S., Gupta, A.K. and Kaur, N. 2000. Effect of GA₃, kinetin and indole acetic acid on carbohydrate metabolism in chickpea seedlings germinating under water stress. *Plant Growth Regulation.* **30**: 61-70.
- [16] Kochhar, S., Kochhar, V.K., Sing, S.P., Katiyar, R.S. and Pushpangadan, P., 2005. Different rooting and sprouting behavior of yield of two *Jatropha* Species and associated physiological and biochemical changes. *Curr. Sci.* **89**: 936-936.
- [17] Kumar, P.A., Lakshmikumaran, M. and Abrol, Y.P. 1993. Hormonal regulation of nitrate reductase gene expression in *Hordeum vulgare*. *Ind. J. Exp. Biol.* **31**: 472-473.
- [18] Lakshamma, P. and Subba Rao, I.V. 1996. Response of *Vigna mungo* to shade and Naphthalene acetic acid. *Ind. J. Plant Physiol.* **1**: 63-64.
- [19] Lowry's O.H., Rosenbury, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the Folin-Phenol reagent. *J. Biol. Chem.* **193**: 262-275.
- [20] Mirecki, R.M. and Teramura, A.H. 1984. Effects of ultraviolet-B irradiance on soybean. The dependence of plant sensitivity on the photosynthetic photon flux density during and after leaf expansion. *Ind. J. Plant Physiol.* **74**: 478-480.
- [21] Muthuchelian, K., Murugan, C., Hari Govindan., Nedunchezhi, N and Kulanadaivelu, G. 1994. Effect of triacontanol flooded (*Erythrina variegata*) seedlings. Changes in ¹⁴C fixation ribulose. 1,5-biphosphate carboxylase. Photosystem and nitrate reductase activities. *Photosynthetica.* **30**: 407-409.
- [22] Naeem, M., Bhatti, I., Ahmad, R.H. and Ashraf, M.Y. 2004. Effect of some growth hormones (GA₃, IAA and kinetin) on the morphology and early or delayed initiation of bud of lentil (*Lens culinaris* Medik). *Pak. J. Bot.* **36**: 801-809.
- [23] Premabatidevi, R.K. 1998. Effect of IAA, GA₃ and kinetin on nitrate reductase and nitrite reductase in the leaves of a tree legume (*Perkia javanika* Merr). *Ind. J. Plant Physiol.* **3**: 97-101.
- [24] Rane, J., Lakkineni, K.C., Ansnda Kumar, P and Aberol, Y.P. 1995. Salicylic acid protects nitrate reductase activity of wheat leaves. *Plant Physiol. Biochem.* **22**: 119-121.
- [25] Sarkar, P.K., Haque, M.S. and Karim, M.A. 2002. Effects of GA₃ and IAA and their frequency of application on morphology, yield contributing characters and yield of soybean. *J. Agron.* **1**: 119-122.
- [26] Treas and Evans WC. Text book of Pharmacognosy. 2002; 15th edition: 402-403.
- [27] Vuylsterker, C., Leleu, O. and Rambour, S. 1997. Influence of BAP and NAA on the expression of nitrate reductase in excised chicory roots. *J. Exp. Bot.* **48**: 1079-1085.
- [28] Wellburn, A.R. and Lichtenthaler, H. 1984. Formulae and program to determine total carotenoids and chlorophyll *a* and *b* of leaf extracts in different solvents. In: Advances in Photosynthesis Research (Sybesma, C. ed.,) Martinus Nijhoff / Dr. W. Junk, The Hague, Vol. II: pp. 9-12.