

# Knowledge Transfer Using Cost Sensitive Online Learning Classification

Dhanashree M. Patil<sup>1</sup>, R. N. Phursule<sup>2</sup>

<sup>1</sup>Department of Computer Engineering, JSPM's Imperial College of Engineering and Research, Wagholi, Pune, India

<sup>2</sup>Professor, Department of Computer Engineering, JSPM's Imperial College of Engineering and Research, Wagholi, Pune, India

**Abstract:** *A real assumption in numerous machine learning area and data mining algorithms is that the future data and training necessary to be in the similar feature space and have the similar distribution. Moreover, in numerous applications, this presumption may not hold. For illustration, we once in a while have task of a classification in one space of interest, yet we just have sufficient preparing data in an alternate area of interest, where the recent data may be in an alternate feature space or take after an alternate distribution of data. In such cases, knowledge transfer, if done effectively, would extraordinarily enhance the execution of learning by staying away from much costly data-naming efforts. Recently, transfer learning has developed as another learning structure to address this issue. Another machine learning structure called Online Transfer Learning (OTL) that plans to transfer information from some source space to an online learning assignment on a target domain. A famous methodology to cost-sensitive learning is to rescale the classes as per their mis-classification costs. In spite of the fact that this methodology is successful in managing with binary class issues, late studies demonstrate that it is frequently not all that supportive while being connected to multi-class issues specifically. In this paper, we have focus the survey on cost sensitive on machine learning and various methods used. This paper also focuses on online learning methods.*

**Keywords:** Online Transfer learning, cost sensitive, classification

## 1. Introduction

Online learning speaks to an imperative group of efficient and adaptable machine learning algorithms for substantial scale applications. All in all, online learning algorithms are quick, normal, and regularly make few measurable assumptions, making them appropriate to an extensive variety of applications. Online learning has been effectively considered in a few groups, including machine learning, artificial knowledge and statistics. Over the previous years, different things of online learning algorithms have been surveyed here, however so far there is not very many far library which incorporates a large portion of the cutting edge algorithms for specialists to make simple comparison side-by-side and for developer to investigate their different applications. Transfer learning (TL) has been effectively considered as of late (Pan & Yang, 2009) [1]. It essentially means to address the machine learning task of building models in a new target space by exploiting data from an alternate existing source space through learning transfer. Transfer learning is essential for some applications where preparing data in another area might be restricted or excessively expensive to gather. In spite of the fact that transfer learning has been effectively investigated, generally existing deal with transfer learning were regularly concentrated on in a disconnected from the net learning style, which needs to expect training data in the new space is given from the earlier. Such an showing up in suspicion may not generally hold for some genuine applications where training data may come in an online/sequential way.

Dissimilar to the current transfer learning studies, in this paper, we survey another structure of Online Transfer Learning (OTL), which addresses the transfer learning issue utilizing an online learning system. As the main endeavour to this issue, we address some OTL challenges in two separate settings. In the first setting, we have study over the homogeneous OTL where the target area has the same

peculiarity space as the old/source one. In the second setting, we address the heterogeneous OTL where the feature space of the target area is not the same as that of the source space. We propose algorithms to tackle both issues, and hypothetically break down their error limits. At last, we exactly inspect their execution on a few testing OTL tasks [2]. Moreover, both cost-sensitive classification and online learning have been concentrated on broadly in data mining and machine learning groups, individually, there were not very many extensive studies on Cost-Sensitive Online classification in both data mining and machine learning survey. In this paper, we formally research this issue by endeavouring to create cost-sensitive algorithms for calculating an online cost-sensitive classification assignment. As a complete study is surveyed to address the given task. The challenge is instructions to build up a viable cost-sensitive online algorithm which can specifically improve a predefined cost-sensitive measure for an online task of classification [3].

The paper is organized as follows: Section II about the literature review and overall study on methods used. In Section III proposed work is explained which are planning to implement. Finally, concluding remark in Section IV with future direction.

## 2. Literature Review

In [2], by Peilin Zhao research another machine learning structure called Online Transfer Learning (OTL) that expects to transfer learning from some source space to an online learning jobs on a target area. The good point of this methodology is enhancing an online learning responsibility in a target space by exploiting the information that had been gained from extensive measure of preparing data in source spaces. The disadvantage in this methodology is it didn't expect the target data takes after the same class or generative circulation as the source data.

Volume 4 Issue 3, March 2015

[www.ijsr.net](http://www.ijsr.net)

Licensed Under Creative Commons Attribution CC BY

In [3], Jialei Wang proposed two novel cost-sensitive online algorithms for classification, which are intended to specifically advance two extraordinary cost-sensitive measures: (i) The weighted aggregate of sensitivity and specificity maximization, and (ii) minimization of weighted misclassification cost. In this methodology it was contrasted CSOGD algorithms and different online learning algorithms, including Perceptron, "ROMMA" and its forceful rendition "agg ROMMA", and two various version of the PA algorithms. The preference of this methodology is the proposed method could be an exceedingly effective and compelling tool to handle cost-sensitive online task of classification in different application areas. The point of interest of the proposed algorithms is for illuminating a certifiable task of online anomaly discovery which is regularly exceptionally class-imbalanced. The limit of this methodology is enhancing two cost-sensitive measures need critical computing. In [4] by Peilin Zhao, proposed two CSOAL algorithms and investigate their hypothetical execution as far as cost-sensitive limits. The key preference is the proposed CSOAL system has the capacity impressively beat various directed cost-sensitive or cost-insensitive online learning algorithms for malevolent URL recognition. The limit of this methodology is proposed algorithm has discriminating time complexity one can enhance this by utilizing inadequate usage trap to further decrease the time and space cost. The Koby Crammer in [5] recommended that portray and investigate a few task of online learning through the same prism of algorithm. A basic online algorithm which is a Passive-Aggressive (PA) is for a binary online classification. The benefits of the proposed algorithms are in a progression of tries different things with synthetic and genuine data sets. The limit is the PA system that works in the domain of limited memory requirements.


In [6] Y. Freund and R. E. Schapire proposed running the perceptron algorithm in a higher dimensional space utilizing part capacities creates exceptionally significant changes in performance, yielding precision levels that are practically identical, however still inferior, to those realistic with help vector machines. Algorithm is much faster and simpler to execute than the recent system. Algorithm can be effectively utilized as a part of high dimensional spaces utilizing kernel capacities. The limit is for the less progress in performance. In [7] by Yaoyong Li proposed The perceptron algorithm with a margin is a straightforward, quick and viable learning algorithm for linear classifiers; it makes decision hyperplane inside some consistent degree of the large margin. The basic good point is algorithms yield equivalent or good performance than support vector machines, while decreasing preparing time and sparsely, in classification. The disadvantage is the Perceptron algorithm with uneven margin, customized for report categorisation issues. The author F. Rosenblatt proposed in [8] a hypothesis is produced for a nervous system called a perceptron. The hypothesis serves as an extension in the middle of biophysics and psychology. It is conceivable to predict learning curves from neurological variables and the other way around. The statistical quantitative methodology is productive in the understanding of the association of cognitive frameworks.

In [9] Metacost author Pedro Domingos proposed a principled strategy for making a discretionary classifier cost sensitive by wrapping a cost minimizing method around it. This method is called Metacost. The good thing is Metacost delivers great result. Disadvantage is based learner to the new set of training. The constraint is it is stable concerning the variety in the training set. Metacost can't be successful with the algorithm introduce in paper like KNN and Naive Bayes. The author P. D. Turney proposed another algorithm for classification of cost-sensitive [10]. ICET utilizes a genetic algorithm to develop a crowd of predispositions for a decision tree induction algorithm. The central issue examined here is the issue of minimizing the classification cost when the tests are costly. The Zhi-Hua Zhou in [11] proposed methodology to cost-sensitive learning is to rescale the classes as indicated by their misclassification costs. In spite of the fact that this methodology is compelling which is in the managing with binary class issues. The proposed methodology is useful when unequal misclassification costs and imbalance class happen all the while, and can likewise be utilized to handle safe imbalance class learning. Hence, the proposed methodology gives a unify structure to utilizing rescaling to address multi-class cost-sensitive learning and multi class-learning. The fundamental issue is identified with ROC and cost curve for paired class cases.

The requirement for transfer learning may emerge when the information can be effortlessly old fashioned. For this situation, the label information gotten in one time period may not take after the same distribution in a later time period. For instance, in indoor Wifi issues, which expects to catch a client's current area focused around beforehand gathered Wifi information, it is extremely costly to balance Wifi information for building restriction models in an expansive scale environment, so the fact that a client needs to mark an expansive accumulation of Wifi signal information at every area. Then again, the Wifi signal-quality qualities may be a capacity of time, gadget, or other dynamic variables. A model prepared in one time period or on one device might cause the execution for area estimation in an alternate time period or on an alternate device to be minimized. To minimized the recalibration exertion, we may wish to adjust the model for localization prepared in one time period for another time period, or to adjust the restriction model prepared on a cell phone for another cell phone (the target), as done in [12].

### 3. Related Work

Following Figure 1 shows the proposed system architecture. We are implementing this by using our proposed idea.



**Figure 1: System Architecture**

The framework is for the online cost sensitive learning transfer. The label data is trained at site1 with some features. Classifier learning algorithm is used. For building classifier, training data is used. Classifier 1 is fabricating via preparing dataset 1 in phase 1 P1 and classifier C1. Then in the phase 2 P2 label data is used for training purpose with several features. In the step of feature selection, we have to choose the feature from P2 which are display in P1 for learning at phase 2. In step of knowledge transfer, classifier 1 from phase 1 is used. For predicting the class of the instance classifier c1 and c2 is utilized. To consolidate classifier at round we will utilize weight parameters for individual classifiers utilized. At last, the suffer loss is formulated by taking update function. We are planning to implement this work.

#### 4. Conclusion

In this paper, we have studied over the new issue of Online Transfer Learning (OTL), which expects to knowledge transfer from a source domain to task of online learning undertaking on a target domain. The task of OTL in various settings and exhibited some novel OTL algorithms. We depicted an online algorithmic structure for taking care of various prediction issues going from characterization to prediction sequence. This paper describes cost sensitive classification , Online learning concept and Online transfer learning concepts. From above studied concepts there is scope to apply cost sensitive classification concept and online learning for online transfer learning.

#### References

[1] Pan, Sinno Jialin and Yang, Qiang, "A survey on transfer learning", IEEE Transactions on Knowledge and Data Engineering, 2009.  
 [2] Peilin Zhao, Steven C.H. Hoi, "OTL: A Framework of Online Transfer Learning", 2010.  
 [3] Jialei Wang, Peilin Zhao, and Steven C.H. Hoi, "Cost-Sensitive Online Classification", IEEE Transaction On Knowledge and Data Engineering, Vol. 26, No. 10, October 2014.  
 [4] Peilin Zhao, Steven C.H. Hoi, "Cost-Sensitive Online Active Learning with Application to Malicious URL Detection, ACM. 2013 ACM 978-1-4503-2174-7/13/08.

[5] K. Crammer, O. Dekel, J. Keshet, S. Shalev-Shwartz, and Y. Singer, "Online passive-aggressive algorithms," J. Mach. Learn. Res., vol. 7, pp. 551–585, Mar. 2006.  
 [6] Y. Freund, "Large Margin Classification Using the Perceptron Algorithm", Mach. Learn., vol. 37, no. 3, pp. 277–296, 1999.  
 [7] Y. Li, H. Zaragoza, R. Herbrich, J. Shawe-Taylor, and J. S. Kandola, "The Perceptron algorithm with uneven margins," in Proc. 19<sup>th</sup> ICML, San Francisco, CA, USA, 2002, pp. 379–386.  
 [8] F. Rosenblatt, "The perceptron: A probabilistic model for information storage and organization in the brain," Psych. Rev., vol. 65, no. 6, pp. 386–408, 1958.  
 [9] P. Domingos, "Metacost: A general method for making classifiers cost-sensitive," in Proc. 5th ACM SIGKDD Int. Conf. KDD, San Diego, CA, USA, 1999, pp. 155–164.  
 [10] P. D. Turney, "Cost-sensitive classification: Empirical evaluation of a hybrid genetic decision tree induction algorithm," J. Artif. Intell. Res., vol. 2, pp. 369–409, Mar. 1995.  
 [11] Z.-H. Zhou and X.-Y. Liu, "On multi-class cost-sensitive learning," Compute. Intel., vol. 26, no. 3, pp. 232–257, 2010.  
 [12] S.J. Pan, V.W. Zheng, Q. Yang, and D.H. Hu, "Transfer Learning for WiFi-Based Indoor Localization," Proc. workshop Transfer Learning for Complex Task of the 23rd Assoc. for the Advancement of Artificial Intelligence (AAAI) Conf. Artificial Intelligence, July 2008.