











- 19, no. 5, pp. 1184–1194.
- [3] Bratcu, I. Munteanu, S. Bacha, D. Picault, and B. Raison (2009), ‘Power optimization strategy for cascaded DC–DC converter architectures of photovoltaic modules’, in Proc. IEEE Int. Conf. Ind. Technol., Churchill, Victoria, Australia, pp. 1–8.
- [4] R. W. Erickson and D. Maksimovic (1997), ‘Fundamentals of Power Electronics’. New York: Chapman & Hall.
- [5] T. Eswam and P. L. Chapman (2007), ‘Comparison of photovoltaic array maximum power point tracking techniques’, IEEE Trans. Energy Convers., vol. 22, no. 2, PP 439–449.
- [6] L. Gao, R. A. Dougal, S. Liu, and A. P. Iotova (2009), ‘Parallel-connected solar PV system to address partial and rapidly fluctuating shadow conditions’, IEEE Trans. Ind. Electron., vol. 56, no. 5, pp. 1548–1556.
- [7] R. Gonzalez, J. Lopez, P. Sanchis, and L. Marroyo (2007), ‘Transformerless inverter for single-phase photovoltaic systems’, IEEE Trans. Power Electron., vol. 22, no. 2, pp. 693–697.
- [8] M.Kolhe (2009), ‘Techno-economic optimum sizing of a stand-alone solar photovoltaic system’, IEEE Trans. Energy Convers., vol. 24, no. 2, pp. 511–519.
- [9] L. Linares, R. W. Erickson, S. MacAlpine, and M. Brandemuehl (2009), ‘Improved energy capture in series string photovoltaics via smart distributed power electronics’, in Proc. IEEE Appl. Power Electron., Conf, pp 904–910.
- [10] Y.Li, X.Raun, D. Yang, F. Liu, and C. Tse (2010), ‘Synthesis of multiple input DC-DC converters’, IEEE Trans. Power Electron., vol. 25, no. 9, pp. 2372–2385