[6] Chisti Y., 2007. Biodiesel from microalgae. *Biotechnology Advances*. 25:294-306.
[7] Chisti, Y. 2007. Biodiesel from microalgae. *Biotechnol. Adv., 25*, 294–306.
[8] Chisti, Y., 2008. Biodiesel from microalgae beats bioethanol. *Trends Biotech. 26*, 126–131.
[9] Desikachary, T. V. 1959. Cyanophyta. I.C.A.R.New Delhi. pp. 1-686.
[10] Desikachary, T. V., 1959. Cyanophyceae. ICAR Monographs on Algae. New Delhi.
[11] Dote, Y., S. Sawayama, and S. Yokoyama. 1992. Liquefaction of hydrocarbon-rich microalga. In *Preprints of Papers Presented at the 204th American Chemical Society National Meeting*, 1836-1839. R. G. Jenkins, ed. Washington, D.C.: American Chemical Society.
[12] Fritsch, F. E. 1913. Observations on phytoplankton of the river Tames Ann. Bot.17: 631-647.
[13] Ganapati, S. V. 1960. Ecology of tropical waters. Proc. Symp. Algol. ICAR, New Delhi. 1: 214-218.
[14] Inoue, H., T. Korenaga, H. Sagami, T. Koyama, H. Sugiyama, and K. Ogura. 1994. Formation of farnesyl oleate and three other farnesyl fatty acid esters by cell-free extracts from *Botryococcus braunii* B race. *Phytochem.* 36(5): 1203-1207.
[15] Iyengar, M. O. P. 1938. The vegetation of Madras and its environs In. Scientific survey of Madras and its environs. Univ. Madras. Pp: 52-59.
[16] Iyengar, M. O. P. and Desikachary. 1981. Volvocales ICAR Monograph, New Delhi. 1-532.
[17] Iyengar, M. O. P. and G. Venkataraman. 1951. The ecology and Seasonal sccession of the river Cooum at Madras with specialreference to Diatomataceae. J. Madras Univ. 21: 140-192.
[18] Koh L. P, Ghazoul J. Biofuels, biodiversity, and people: understanding the conflicts and finding opportunities. *Biological Conservation*. 2008; 141: 2450-2460.
[19] Lewis, N. S.; Nocera, D. G., 2006., Powering the planet: Chemical challenges in solar energy utilization. *Proc. Natl. Acad. Sci. U.S.A.* 2006, *103* (43), 15729-15735
[20] **Mulbry W., Konrad S. and Buyer J., 2008.** Treatment of dairy and swine manure effluents using freshwater algae: fatty acid content and composition of algal biomass at different manure loading rates" Journal of Applied Phycology, 9314-9318
[21] **Philipose, M. T. 1960.** Freshwater phytoplankton of Inland fisheries, Proc. Symp. Algol., ICAR., New Delhi. 272-291.
[22] **Philipose, M. T. 1967.** Chlorococcales. I.C.A.R. New Delhi. pp.1-365.
[23] **Philipose, M. T. 1983.** Contribution to our knowledge of Indian algae III. Euglenineae - Part-I. The genus Euglena Ehrenberg. Proc. Indian Acad. Sci. (Plant Sci.). **91 (6):** 551-599.
[24] **Richmond, A.**, 2000. Microalgal biotechnology at the turn of the millennium: A personal view. *J. Appl. Phycol. 12* (3), 441-451.
[25] **Rodolfi L., Zitelli G.C. Bassi N., Padovani G., Bonini G., Biondi N. And Tredici M.R., 2009.** Lipid production from microalgae: Strain selection, induction of lipid synthesis and outdoor cultivation in pilot photobioreactors. Biotechnology and Bioengineering 102 (1): 100-112
[26] **Thompson GA., 1996.** Lipids and membrane function in green algae. *Biochemica et Biophysica* 1306:17-45
[27] **Xiufeng L., Han Xu and Qingyu W., 2007**. Large-scale production from microalgae *Chlorella protothecoides* through heterotrophic cultivation in bioreactors. Biotechnology and Bioengeneering 98 (4): 764-771.
[28] **Abubakar, L.U., Mutie, A.M., Kenya, E.U. and Muhoho A., 2012.** Journal of Drawing plied hytotechnology in environment sanitation. http://www.trisanita.org/japes
[29] **Y.P.Nagarajal, Chandrashekhar Biradar1, K.S.Manasa and H.S.Venkatesh,** International journal of current Microbiology and applied sciences. http://www.ijcmas.com