

- [18]Hidalgo, B., C. Detrembleur, et al. (2014). "The efficacy of manual therapy and exercise for different stages of non-specific low back pain: an update of systematic reviews." *J Man Manip Ther* 22(2): 59-74.
- [19]Waddell, G. (1996). "Low Back Pain: A Twentieth Century Health Care Enigma." *Spine* 21(24): 2820-2825.
- [20]Scott D. Haldeman, W. H. K.-W. N. B. J., 2002. An Atlas of back pain. 1st ed. New york and London: The Parthenon Publishing Group.
- [21]Cossette JW, Farfan HF, Robertson GH, et al. The instantaneous center of rotation of the third lumbar intervertebral joint. *J Biomech* 1971;4:149-153.
- [22]Bogduk N, Towmey L. *Clinical Anatomy of the Lumbar Spine*. London: Churchill Livingstone, 1987.
- [23]Farfan HF, Sullivan JD. The relation of facet orientation to intervertebral disk failure. *Can J Surg* 1967;10:179-185.
- [24]Farfan HF. The effects of torsion on the intervertebral joints. *J Bone Joint Surg Am* 1970;52:468-497.
- [25]Dutton, M., february 3, 2008. *Orthopaedic Examination, Evaluation, and Intervention*. 2nd ed. s.l.:The McGraw-Hill medical.
- [26]Scott D. Haldeman, W. H. K.-W. N. B. J., 2002. An Atlas of back pain. 1st ed. New york and London: The Parthenon Publishing Group.
- [27]Hayden, J. A., M. W. van Tulder, et al. (2005). "Systematic Review: Strategies for Using Exercise Therapy To Improve Outcomes in Chronic Low Back Pain." *Annals of Internal Medicine* 142(9): 776-785.
- [28]Battié, M. C., D. C. Cherkin, et al. (1994). "Managing Low Back Pain: Attitudes and Treatment Preferences of Physical Therapists." *Physical Therapy* 74(3): 219-226.
- [29]Van Tulder, Maurits W.*; Scholten, Rob J. P. M.*; Koes, Bart W.†; Deyo, Rick A.‡ 1 October 2000 - Volume 25 - Issue 19 - pp 2501-2513
- [30]Preyde, M. (2000). "Effectiveness of massage therapy for subacute low-back pain: a randomized controlled trial." *Canadian Medical Association Journal* 162(13): 1815-1820.
- [31]Walker, B. F. (2000). "The Prevalence of Low Back Pain: A Systematic Review of the Literature from 1966 to 1998." *Journal of Spinal Disorders & Techniques* 13(3): 205-217.
- [32]Taimela, S., U. M. Kujala, et al. (1997). "The Prevalence of Low Back Pain Among Children and Adolescents: A Nationwide, Cohort-Based Questionnaire Survey in Finland." *Spine* 22(10): 1132-1136.
- [33]Beurskens, A. J., H. C. de Vet, et al. (1995). "Measuring the Functional Status of Patients With Low Back Pain: Assessment of the Quality of Four Disease-Specific Questionnaires." *Spine* 20(9): 1017-1028.
- [34]Ostelo, R. W. J. G., R. A. Deyo, et al. (2008). "Interpreting Change Scores for Pain and Functional Status in Low Back Pain: Towards International Consensus Regarding Minimal Important Change." *Spine* 33(1): 90-94
10.1097/BRS.1090b1013e31815e31813a31810.
- [35]Deyo, R. A., M. Battie, et al. (1998). "Outcome Measures for Low Back Pain Research: A Proposal for Standardized Use." *Spine* 23(18): 2003-2013.
- [36]Grotle, M., J. I. Brox, et al. (2004). "Concurrent Comparison of Responsiveness in Pain and Functional Status Measurements Used for Patients With Low Back Pain." *Spine* 29(21): E492-E501.
- [37]Taylor, S. J., A. E. Taylor, et al. (1999). "Responsiveness of Common Outcome Measures for Patients With Low Back Pain." *Spine* 24(17): 1805.

Author Profile



Dr. Umer Shabbir is Physiotherapist in National Hospital, Department of Physical Therapy, DHA, Lahore



Dr. Asad Aziz is in charge Physiotherapy Department, Rasheed Hospital DHA, Lahore and Ex.Head Of Physiotherapy Department CORC/KKT



Dr. Umer Maqsood is Senior Lecturer at Azra Naheed Medical College, Department of Physical Therapy, Main Raiwind Road,, Lahore