













- [7] Jens Wahlstrom and Anders Soderberg, "A pin-on-disc simulation of airborne wear particles from disc brakes", *Wear*, Volume 268, 2010, pp 763–769.
- [8] L. Wang and Y. He, "Effect of temperature on the frictional behaviour of an aluminium alloy sliding against steel during ball-on-disc tests", *Tribology International*, Volume 43, 2010, pp 299–306.
- [9] Jiupeng Song and MahdiarValefi, "A mechanical model for surface layer formation on self-lubricating ceramic composites", *Wear*, Volume 268, 2010, pp 1072–1079.
- [10] G.K. Sfantos and M.H. Aliabadi, "A boundary element formulation for three-dimensional sliding wear simulation", *Wear*, Volume 262, 2007, pp 672–683.
- [11] Helena Ronkainen and AnssiLaukkanen, "Friction in a coated surface deformed by a sliding sphere", *Wear*, Volume 263, 2007, pp 1315–1323.
- [12] Utpal Borah and ShreedharVenugopal, "A FEM based methodology for the design of dies for near-net-shaped manufacturing of Petals for fabrication of multiple curvature large size vessels of fast breeder reactor project", *Indian Institute of Metals*, Volume 60, October 2007, pp.511-530.
- [13] H. Benabdallah and D. Olender, "Finite element simulation of the wear of polyoxymethylene in pin-on-disc configuration", *Wear*, Volume 261, 2006, pp1213–1224.
- [14] M. Meozzi, "Special use of the ball on disc standard test", *Tribology International*, Volume 39, 2006, pp 496–505.
- [15] Kenneth Holmberg and AnssiLaukkanen, "Tribological contact analysis of a rigid ball sliding on a hard coated surface.Part I: Modelling stresses and strains" *Surface & Coatings Technology*, Volume 200, 2006, pp 3793 – 3809.
- [16] V Hegadekatte and N Huber, "Finite element based simulation of dry sliding wear", *Modeling and Simulation in Materials Science and Engineering*, Volume13, 2005, pp 57–75.
- [17] Nam Ho Kim and Dongki Won, "Finite element analysis and experiments of metal/metal wear in oscillatory contacts", *Wear*, Volume 258, 2005, pp 1787–1793.
- [18] C.Gonzalez , A. Martin, "Numerical analysis of pin on disc tests on Al–Li/SiC composites", *Wear*, Volume 259, 2005, pp 609–612.
- [19] I. Garcia-Prieto and M.D. Faulkner, "The influence of specimen misalignment on wear in conforming pin on disk tests", *Wear*, Volume 257, 2004, pp157–166.
- [20] Louis Ferranti Jr., Ronald W. Armstrong, "Elastic/plastic deformation behavior in a continuous ball indentation test", *Materials Science and Engineering A*, Volume 371, 2004, pp 251–255.
- [21] Wenyi Yan and Noel P. O'Dowd, "Numerical study of sliding wear caused by a loaded pin on a rotating disc", *Journal of the Mechanics and Physics of Solids*, Volume 50, 2002, pp 449 – 470.
- [22] S. Guicciardi and C. Melandri, "On data dispersion in pin-on-disk wear tests", *Wear*, Volume 252, 2002, pp 1001–1006.
- [23] C. Christofides and P.E. McHugh, "Wear of a thin surface coating: modelling and experimental investigations", *Computational Materials Science*, Volume 25, 2002, pp 61–72.
- [24] PritPodra, SorenAndersson, "Simulating sliding wear with finite element method", *Tribology International*, Volume 32, 1999, pp 71–81.
- [25] R. KouitatNjiwaand R. Consiglio, "Boundary element modelling of a coating–substrate composite under an elastic, Hertzian type pressure field: cylinder on flat contact geometry", *Surface and Coatings Technology*, Volume 102, 1998, pp 138–147.
- [26] PritPodra and SorenAndersson, "Wear simulation with the Winkler surface model", *Wear*, Volume 207, 1997, pp 79–85.