

of the Mauddud Formation, central and southern Iraq. Springer Arab J. Geosci., 5 (2), 297-312.

- [28] **Nichols, G. J. & Fisher, J. A. (2007).** Processes, facies and architecture of fluvial distributary system deposits. Elsevier Sedim. Geology, 195G (1-2), 75-90.
- [29] **Sergio, G. L. (2007).** Sedimentary facies and sequence stratigraphy of coarse-grained Gilbert-type deltas within the Pliocene thrust-top Potenza Basin (Southern Apennines, Italy). Elsev. Sed. Geol., 210 (3-4), 87-110.
- [30] **Folk, R. L. (1966).** A review of grain size parameters. Sedimentology, 6, 73-93.
- [31] **Mitchum, R. M., Vail, P. R. & Thompson, S. (1977).** Seismic stratigraphy and global changes of sea level; part 2: the depositional sequence as a basic unit for stratigraphic analysis. In : Payton, CE (Eds): Seismic stratigraphy – applications to hydrocarbon exploration. The American Association of Petroleum geologists, Memoir 26, 53-62.
- [32] **Tucker, M. (1995).** Sedimentary petrology: An introduction to the origin of sedimentary rocks. Geosciences texts, Blackwell Science, Oxford, 260p.
- [33] **Friedman, G. M. (1962).** Grain-size representation by Mz/δi patterns as geological tool. Journal of Sédim. Petrol., 6, 75-85.
- [34] **Friedman, G. M. & Sanders, J. F. (1978).** Principles of sedimentology. John Wiley & Sons, New York, 792 p.




Figure 1: Geological draft of the area of El Ma Labiod (Durozoy, 1949 and 1956), reinterpreted by the authors, and the position of the four profiles A, B, C and D.





Figure 2: Geological map of the Eastern Saharan Atlas at the Algerian-Tunisian borders (Wildi, 1983), simplified by the authors




Figure 3: Classification of tortonian sediments (according to Czermski, 1955)




Figure 4: Lower Tortonian: geological profiles (A) and (B)

