

Even with this special consideration for states is that it must correlate with additional scheme. Many requirement and problematic are alike with other scheme. Thus it is necessary to come in work with the collaboration and develop an AMI to integrate with a smart grid system.

In Asia demand of electricity is varied but due to demand of increasing electricity we can improve the amount requirement in India and China after getting the information of improve smart grid and placement in Korea. In Asia the quantity of placement regarding to the placement, controlling and security and distribution is quite less in modern society. Therefore the need of the hour and for modern revolutionizing societies of Asia-Pacific region is to consider as a Smart Grid Vision.

References

- [1] Bourhis G, Moumen K, Pino P, Rohmer S, Pruski A. Context of smart grids. Systems Engineering in the Service of Humans: Proceedings of the IEEE International Conference on Systems, Man and Cybernetics; 2013 Oct 17–20; Le Touquet, France. Piscataway (NJ): IEEE; 2013. p. 553–58.
- [2] Boy ES, Teo CL, Burdet E. Automation of power grids. Proceedings of the 2012 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS); 2012 Sep 30–Oct 5; Lausanne, Switzerland. Piscataway (NJ):IEEE; 2012. p. 1511–16.[3]B. Rebsamen, C. L. Teo, Q.
- [3] Zeng, M. H. Ang Jr., E. Burdet, C. Guan, H. Zhang, and C. Laugier. Controlling power distribution through central server. IEEE Intelligent Systems, 22(2):18–24, 2012.
- [4] Keating D, Warwick K. Smart cities with efficient power distribution. Proceedings of the IEEE International Conference on Systems, Man and Cybernetics; 2012 Oct 17–20; Le Touquet, France. Piscataway (NJ): IEEE; 2013. p. 489–93.
- [5] Masato Nishimori, Takeshi Saitoh and Ryosuke Konishi, "Intelligent smart grids,"2011.
- [6] SICE Annual Conference 2007, International Conference on Instrumentation, Control and Information Technology, 2007, pp.336–340.
- [7] Moon, M. Lee, J. Chu, and M. Mun, "Control system for power grids," Proc. of the 2005 IEEE Int. Conf. on Robotics and Automation, pp. 2649-2654, 2005.
- [8] R. Green, .Competition in Generation: The economic foundations,. IEEE Proceedings, vol. 88, no. 2, February2000.
- [9] U.S. Department of Energy, .Grid 2030 A NationalVision for Electricity.sSecond100Years..www.electricity.doe.gov/documents/Electric_Vision
- [10]IEEE Power Engineering Society FACTS Application Task Force, FACTS Applications, IEEE Publication96TP116-0, 1996.
- [11]M. Ryan, S. Markose, F. Liu, B. McMillin, and Y. Cheng,. Structured Object-oriented Co-analysis/Co-design of Hardware/Software for the FACTS Powers System ,. 29thAnnual International Computers Software and Applications Conference, Edinburgh, U.K., July 26-28, 2005, pp. 396-402.
- [12]A. Armbruster, M. Gosnell, B. McMillin, and M. Crow,. Power Transmission Control Using Distributed Max-Flow,. Proceedings of the 29th International Computers, Software, and Applications Conference, Edinburgh, Scotland, July,2005, pp. 256-263.
- [13]K. Tomsovic, D. Bakken, V. Venkatasubramanian, and, A. Bose, .Designing the Next Generation of Real-TimeControl, Communication and Computations for Large Power Systems,. Proc. of the IEEE, Vol. 93, No. 5, May 2005, pp.965-979.
- [14]T. Aswathanarayana, V. Subramonian, D. Niehaus and C.Gill, .Design and Performance of Configurable Endsystem Scheduling Mechanisms,. 11th IEEE Real-Time and Embedded Technology and Applications Symposium (RTAS'05), San Francisco, CA, March 7-10, 2005.