

- [5] L. Bui, R. Srikant, and A. L. Stolyar, "Optimal resource allocation formulticast flows in multihop wireless networks," *Ser. A*, vol. 366, pp. 2059–2074, 2008.
- [6] L. Ying, S. Shakkottai, and A. Reddy, "On combining shortest-pathand back-pressure routing over multihop wireless networks," in *Proc. IEEE INFOCOM*, Apr. 2009, pp. 1674–1682.
- [7] S. Katti, H. Rahul, W. Hu, D. Katabi, M. Medard, and J. Crowcroft, "XORs in the air: Practical wireless network coding," *Comput. Commun. Rev.*, vol. 36, pp. 243–254, 2006.
- [8] M. Leconte, J. Ni, and R. Srikant, "Improved bounds on the throughput efficiency of greedy maximal scheduling in wireless networks," in *Proc. ACM MobiHoc*, 2009, pp. 165–174.
- [9] H. Seferoglu, A. Markopoulou, and U. Kozat, "Network coding-aware rate control and scheduling in wireless networks," in *Proc. Coding Multimedia Streaming*, Cancun, Mexico, Jun. 2009, pp. 1496–1499.
- [10] S. B. S. Sengupta and S. Rayanchu, "An analysis of wireless network coding for unicast sessions: The case for coding-aware routing," in *Proc. IEEE INFOCOM*, Anchorage, AK, May 2007, pp. 1028–1036.
- [11] T. Ho and H. Viswanathan, "Dynamic algorithms for multicast withintra-session network coding," *IEEE Trans. Inf. Theory*, vol. 55, no. 2, pp. 797–815, Feb. 2009.
- [12] A. Eryilmaz, D. S. Lun, and B. T. Swapna, "Control of multi-hop communication networks for inter-session network coding," *IEEE Trans. Inf. Theory*, vol. 57, no. 2, pp. 1092–1110, Feb. 2011.
- [13] L. Tassiulas and A. Ephremides, "Stability properties of constrained queueing systems and scheduling policies for maximum throughput in multihop radio networks," *IEEE Trans. Autom. Control*, vol. 37, no. 12, pp. 1936–1948, Dec. 1992.
- [14] A. Brzezinski, G. Zussman, and E. Modiano, "Enabling distributed throughput maximization in wireless mesh networks - a partitioning approach," in *Proc. ACM Mobicom*, Sep. 2006.
- [15] B. Awerbuch and T. Leighton, "A simple local-control approximation algorithm for multicommodity flow," in *Proc. 34th Annu. Symp. Found. Comput. Sci.*, 1993, pp. 459–468.
- [16] A. Dimakis and J. Walrand, "Sufficient conditions for stability of longest-queue-first scheduling: Second-order properties using fluid limits," *Adv. Appl. Probab.*, vol. 38, no. 2, Jun. 2006.
- [17] C. Joo, X. Lin, and N. B. Shroff, "Understanding the capacity region of the greedy maximal scheduling algorithm in multi-hop wireless networks," in *Proc. IEEE INFOCOM*, 2008, pp. 1103–1111.
- [18] A. Brzezinski, G. Zussman, and E. Modiano, "Enabling distributed throughput maximization in wireless mesh networks: A partitioning approach," in *Proc. ACM Mobicom*, Sep. 2006, pp. 26–37.
- [19] M. Leconte, J. Ni, and R. Srikant, "Improved bounds on the throughput efficiency of greedy maximal scheduling in wireless networks," in *Proc. ACM MobiHoc*, 2009, pp. 165–174.
- [20] B. Li, C. Boyaci, and Y. Xia, "A refined performance characterization of longest-queue-first policy in wireless networks," in *Proc. ACM MobiHoc*, 2009, pp. 65–74.
- [21] X. Lin and N. B. Shroff, "Joint rate control and scheduling in multihop wireless networks," in *Proc. 43rd IEEE Conf. Decision Control*, Dec. 14–17, 2004, vol. 2, pp. 1484–1489.
- [22] M. J. Neely, E. Modiano, and C. Li, "Fairness and optimal stochastic control for heterogeneous networks," in *Proc. IEEE INFOCOM*, 2005, vol. 3, pp. 1723–1734.
- [23] A. L. Stolyar, "Maximizing queueing network utility subject to stability: Greedy primal-dual algorithm," *Queueing Syst.*, vol. 50, no. 4, pp. 401–457, 2005.
- [24] A. Eryilmaz and R. Srikant, "Fair resource allocation in wireless networks using queue-length-based scheduling and congestion control," in *Proc. IEEE INFOCOM*, 2005, vol. 3, pp. 1794–1803.
- [25] A. Eryilmaz and R. Srikant, "Joint congestion control, routing and MAC for stability and fairness in wireless networks," *IEEE J. Sel. Areas Commun.*, vol. 24, no. 8, pp. 1514–1524, Aug. 2006.
- [26] X. Lin, N. Shroff, and R. Srikant, "A tutorial on cross-layer optimization in wireless networks," *IEEE J. Sel. Areas Commun.*, vol. 24, no. 8, pp. 1452–1463, Aug. 2006.
- [27] M. Bramson, "Convergence to equilibria for fluid models of FIFO queueing networks," *Queueing Syst. Theory Appl.*, vol. 22, pp. 5–45, 1996.
- [28] Sprint, Overland Park, KS, "Sprint IP network performance," 2011 [Online]. Available: <https://www.sprint.net/performance/>
- [29] www.netbeans.org/features/platform/features.html
- [30] [www.wikipedia.org/wiki/Swing_\(Java\)](http://www.wikipedia.org/wiki/Swing_(Java))
- [31] www.netbeans.org
- [32] www.javabeginner.com/java-swing/java-swing-tutorial
- [33] http://en.wikipedia.org/wiki/Wireless_sensor_network
- [34] <http://www.sensor-networks.org>
- [35] http://en.wikipedia.org/wiki/Backpressure_routing
- [36] <http://theucguy.net/shadow-redundancy-in-exchange>
- [37] <http://computernetworkingnotes.com/network-technologies/basic-networking.html>
- [38] http://en.wikipedia.org/wiki/Linear_network_coding

Author Profile



Ms. Vijayadeepa Salimatha is pursuing MTECH (CSE) in CMR Institute of Technology, Bangalore, India. She completed her B.E (CSE) from SLN College of Engineering, Raichur, Karnataka in 2013. She is presently a student pursuing Post Graduation, in CMR Institute of Technology, Bangalore. She has Presented 2 papers in national conferences. Her research areas include computer networks and Image Processing.



Mr. Manoj Challa is pursuing Ph.D (CSE) in S.V. University, Tirupati, India. He completed his M.E (CSE) from Hindustan College of Engineering, Tamil Nadu in 2003. He is presently working as Associate Professor, CMR Institute of Technology, Bangalore. He published 19 papers in national and international journal/conferences. His research areas include Artificial intelligence and computer networks.