

results in a significant reduction in detection rate when most malicious transactions are only reading data items illegally. We also create report which shows all malicious transaction carried out and on the basis of that we give some preventive measures to avoid future attacks.

References

- [1] Mina Sohrabi, M.M.Javidi, S.Hashemi “Detecting intrusion transactions in database systems: a novel approach” J Intell Inf Syst 42:619-644 DOI 10.1007 Springer 2014.
- [2] Hu and Panda, B. “Mining inter-transaction data dependencies for database intrusion detection”. In Proceedings of innovations and advances in computer sciences and engineering. Springer 2010.
- [3] Hu and Panda, “A data mining approach for database intrusion detection.” In Proceedings of the ACM symposium on applied computing (pp. 711716) ACM 2004.
- [4] Hashemi, S., Yang, Y., Zabihzadeh, D., Kangavari, M. “Detecting intrusion transactions in databases using data item dependencies and anomaly analysis”. Expert Systems, 25(5), 460473 2008.
- [5] Lee, V.C., Stankovic, J., Son, S.H. “Intrusion detection in real-time database systems via time signatures.” In Proceedings of the 6th IEEE real time technology and applications symposium (RTAS00) (pp.124133). New York: IEEE Press 2000.

Author Profile

Dhanashree Parchand is currently working towards her M.E. (Computer Engineering) degree at Savitribai Fule Pune University, India. She received her B.E. (Computer Engineering) degree from the RTMNU, Nagpur University, India in 2012. Her research interests include Computer Security, Data Mining and Networks, Data Security.

Harmeet Kaur Khanuja is currently working in Marathwada Mitra Mandal's College of Engineering, Pune as Head of the Computer Department. She received her B.E and M.tech degree from Pune University, India. She is now doing her Ph.D. from RTMNU, Nagpur University, India. Her research interests include Data Mining and Database Forensics, Mobile Computing.