









- [3] R. G. Hosssein and S. K. Raziye (2001). "A thermodynamic study of complex formation between 15-crown-5 with  $Mg^{+2}$ ,  $Ca^{+2}$ ,  $Sr^{+2}$  and  $Ba^{+2}$  in acetonitrile methanol binary mixtures using conductometric method," *Iran. J. Chem & Chem. Eng* 20:82-89.
- [4] A. Chaudhary, N. Bansal, A. Gajraj and R.V. Singh (2003). "Antifertility, antibacterial, antifungal and percent disease incidence aspects of macrocyclic complexes of manganese(II)," 96:393-400.
- [5] D. Singh and R. Kumar (2007). "Trivalent metal ion directed synthesis and characterization of Macrocyclic complexes," *J. Serb. Chem. Soc* 72:1069:1074.
- [6] D. S. Wankhede, P. B. Wagh and O. Shankarrao (2012). "Synthesis, characterization and biological activities of Macrocyclic complexes of alkaline earth metals such as Mg(II), Ca(II) and Ba(II)," *Asian. J. Bio. Pharma. Res* 2:126-134.
- [7] R. N. Prasad, M. Agrawal and S. Malhotra (2004). "Ca(II) complexes of tetraazamacrocycles derived from 3, 4-hexenedione and diaminoalkanes," *J. Serb. Chem. Soc* 69:661-668.
- [8] M. G. B. Drew, J. Nelson and S. M. Nelson (1981). "Metal-ion-controlled transamination in the synthesis of macrocyclic Schiff-base ligands. Part 2. Stepwise synthesis, ring expansion/contraction, and the crystal and molecular structure of a ten-co-ordinate barium(II) complex," *J. Chem. Soc., Dalton Trans.*, 1678-1684.
- [9] R. N. Prasad and S. Gupta (2002). "Synthesis and characterization of 2,3,13,14-tetramethyl (ethyl or *p*-tolyl)-1,4,12,15-tetraazacyclodocosa-1,3,12,14-tetraene complexes of Mg(II), Ca(II), Sr(II) and Ba(II)" *J.Serb.Chem.Soc.* 67(7):523-530.
- [10] S. Chandra and L.K. Gupta (2007). "Synthesis spectroscopic and biological approach in the characterization of novel  $[N_4]$  Macrocyclic ligand and its transition metal complexes," *Trans. Met. Chem.* 32:558-563.
- [11] W. Kern, S. Iwabuchi, H. Sato and V. Bohmer (1979). "A convenient synthesis of  $\alpha$ - $\omega$ - diamino substituted oligo(oxyethylene)s," *Makromol, Chem* 180:2539:2542.
- [12] V. C. Sekera and C. S. Marvel (1933). "Higher alkyl sulfonates," *Urbana, illionis* 55:345-349.
- [13] J. B. Chauhan, R. B. Subramanian and P. K. Sanyal (2002). "Influence of heavy metals and a fungicide on growth profiles of nematophagous fungus, *Arthrodutrys musiformis* A potential biocontrol agent against animal parasitic nematodes," *Indian j. Environ. Toxicol.* 12:22.
- [14] T. D. Wilkins, L.V. Holdeman, I. J. Abramson and W. E. C. Moore (1972). "Standardized single-disc method for antibiotic susceptibility testing of anaerobic bacteria," *Antimicrob. Agents.Chemothe.* 6:451.
- [15] M. S. Rafat, S. Chandra and M. Tyagi (2010). "Spectroscopic, thermal and biocidal studies on Mn(II), Co(II), Ni(II) and Cu(II) complexes of tridentate ligand having semicarbazone moieties," *Journal of thermal analysis and calorimetry*, 61:261-267.
- [16] H. I. Ugras, I. Basaran, T. Kilic and U. Cakir (2006). "Synthesis, complexation and antifungal, antibacterial activity studies of a new Macrocyclic Schiff base," *J Heterocyclic Chem* 43:1679.
- [17] M. EI-Behery and H. EI-Twigry (2007). "Synthesis, magnetic, spectral and antimicrobial studies of Cu(II), Ni(II), Co(II), Fe(III) and  $UO_2(II)$  complexes of a new Schiff base hydrazone derived from 7-chloro-4-hydrazinoquinoline," *Spectrochimica Acta A* 66:28-36.