

- [50] Hernandez-Reif M, Field T, Krasnegor J, Theakston H. "Lower back pain is reduced and range of motion increased after massage therapy," *International Journal of Neuroscience* 2011, 106, 3-4, 131-145.
- [51] Cherkin DC, Sherman KJ, Deyo RA, Shekelle PG. "A review of the evidence for the effectiveness, safety, and cost of acupuncture, massage therapy, and spinal manipulation for back pain," *Annals of Internal Medicine* 2003, 138;11, 898-906.
- [52] Preyde M. "Effectiveness of massage therapy for subacute lowback pain: a randomized controlled trial," *Canadian Medical Association Journal* 2000, 162; 13, 1815-1820.
- [53] Klinsrisuk S, Eungpinichpong W, Sumanont S, Chatchawan U. "The effect of modified Thai therapeutic massage on pain reduction and knee function in individuals with primary knee osteoarthritis: a randomized control trial," *Journal of Medical Technology and Physical Therapy* 2007, 9, 3; 248-260.
- [54] Perlman AI, Sabina A, Williams A, Njike VY, Katz DL. "Massage therapy for osteoarthritis of the knee: a randomized controlled trial," *Archives of Internal Medicine* 2006, 166, 22; 2533-2538.
- [55] Atkins DV and Eichler DA. "The effects of self-massage on osteoarthritis of the knee: a randomized, controlled trial," *International Journal of Therapeutic Massage and Bodywork* 2013, 6; 1, 4-14.
- [56] Felson DT, Lawrence RC, Hochberg MC, et al. Osteoarthritis: new insights, II: treatment approaches. *Ann Intern Med.* 2000; 133:726-737.
- [57] Naesdal J, Brown K. NSAID-associated adverse effects and acid control aids to prevent them: a review of current treatment options. *Drug Saf.* 2006; 29:119-132.
- [58] Hogenmiller MS, Lozada CJ. An update on osteoarthritis therapeutics. *Curr Opin Rheumatol.* 2006; 18:256-260.
- [59] Hogue JH, Mersfelder TL. Pathophysiology and first-line treatment of osteoarthritis. *Ann Pharmacother.* 2002;36:679-686.
- [60] Malonne H, Coffiner M, Sonet B, Sereno A, Vanderbist F. Efficacy and tolerability of sustained-release tramadol in the treatment of symptomatic osteoarthritis of the hip or knee: a multicenter, randomized, double-blind, placebo-controlled study. *Clin Ther.* 2004; 26:1774-1782.
- [61] Perneger TV, Whelton PK, Klag MJ. Risk of kidney failure associated with the use of acetaminophen, aspirin, and nonsteroidal antiinflammatory drugs. *N Engl J Med.* 1994;331:1675-1679.
- [62] Ernst E. Musculoskeletal conditions and complementary/alternative medicine. *Best Pract Res Clin Rheumatol.* 2004; 18:539-556.
- [63] Nayak S, Matheis RJ, Schoenberger NE, Shiflett SC. Use of unconventional therapies by individuals with multiple sclerosis. *Clin Rehabil.* 2003; 17:181-191.
- [64] Ramsey SD, Spencer AC, Topolski TD et al. Use of alternative therapies by older adults with osteoarthritis. *Arthritis Rheum.* 2001; 45: 222-227.
- [65] Setty AR, Sigal LH. Herbal medications commonly used in the practice of rheumatology: mechanisms of action, efficacy, and side effects. *Semin Arthritis Rheum.* 2005; 34:773-784.
- [66] Kirby BS, Carlson RE, Markwald RR, Voyles WF, Dinunno FA (2007) Mechanical influences on skeletal muscle vascular tone in humans: insight into contraction-induced rapid vasodilatation. *J Physiol* 583: 861-874.
- [67] Sefton JM, Yarar C, Berry JW, Pascoe DD (2010) Therapeutic massage of the neck and shoulders produces changes in peripheral blood flow when assessed with dynamic infrared thermography. *J Altern Complement Med* 16: 723-732.
- [68] Cambron JA, Dexheimer J, Coe P, Swenson R (2007) Side-effects of massage therapy: a cross-sectional study of 100 clients. *Journal of Alternative & Complementary Medicine* 13: 793-796.
- [69] Billhult A, Lindholm C, Gunnarsson R, Stener-Victorin E, Gunnarsson R (2009) The effect of massage on immune function and stress in women with breast cancer—a randomized controlled trial. *Autonomic Neuroscience-Basic & Clinical* 150: 111-115.
- [70] Poole A, Ionescu M, Fitzcharles M, Billingham R (2004) The assessment of cartilage degradation in vivo: development of an immunoassay for the measurement in body fluids of type II collagen cleaved by collagenases. *J Immunol Methods* 294: 145-153.
- [71] Schaible H-G, Grubb B (1993) Afferent and spinal mechanisms of joint pain. *Pain* 55: 5-54.
- [72] Ahles TA, Tope DM, Pinkson B, Walch S, Hann D, et al. (1999) Massage therapy for patients undergoing autologous bone marrow transplantation. *Journal of Pain and Symptom Management* 18: 157.
- [73] Diego M, Field T, Hernandez-Reif M, Shaw K, Friedman L, et al. HIV adolescents show improved immune function following massage therapy. *International Journal of Neuroscience* 2001; 106: 35.
- [74] Sagar SM, Dryden T, Myers C. Research on therapeutic massage for cancer patients: potential biologic mechanisms. *Journal Of The Society For Integrative Oncology* 2007; 5: 155-162.
- [75] Oosterveid FG, Rasker JJ. Treating arthritis with locally applied heat or cold. *Semin Arthritis Rheum.* 1994;24(2):82-90.
- [76] Brosseau L, Yonge KA, Robinson V, et al. Thermotherapy for treatment of osteoarthritis. *Cochrane Database Syst Rev.* 2003;(4): CDO04522
- [77] Denegar CR, Dougherty DR, Friedman JE et al. Preferences for heat, cold or contrast in patients with knee osteoarthritis affect treatment response. *Clin Interv Aging* 2010; 5, 199-206.
- [78] Bonham S, Gall T, Werder Y, Petersen W. The effect of a contrast therapy recovery technique on the post one hour performance of netball players. University of Otago, Dunedin.
- [79] Shehata AE, Fareed ME. Effect of cold, warm or contrast therapy on controlling knee osteoarthritis associated problems. *International Journal of Medical, Health, Biomedical and Pharmaceutical Engineering* 2013; 7 (9), 204-210.
- [80] John Ebnezar and Bali Yogitha. Effectiveness of Yoga Therapy with the Therapeutic Exercises on Walking Pain, Tenderness, Early Morning Stiffness and

- Disability in Osteoarthritis of the Knee Joint - A Comparative Study. *Journal of Yoga and Physical Therapy*. 2012.
- [81] Raub JA. Psychophysiologic effects of Hatha Yoga on musculoskeletal and cardiopulmonary function: a literature review. *J Altern Complement Med* 2002; 8(6):797-812.
- [82] Ebnezar J, Nagarathna R, Bali Y, Negendra HR. Effect of integrated approach of yoga therapy on quality of life in osteoarthritis of the knee joint: A randomized control study. *Int J Yoga*. 2011; 4:55-63.
- [83] Tekur P, Singhpow C, Nagarathna HR, Raghuram N. Effect of short term intensive yoga program on pain, functional disability, and spinal flexibility in chronic low back pain: A randomized control study. *J Altern and Complement Med*. 2008; 14:637-44.
- [84] Garfinkel MS, Schumacher R, Husain A, Levy M, Reshetar RA. Evaluation of a yoga based regimen for treatment of osteoarthritis of the hands. *J Rheumatol*. 1994; 21:2341-3
- [85] Yogitha B, Nagarathna R, John E, Nagendra H. Complimentary effect of yogic sound resonance relaxation technique in patients with common neck pain. *Int J Yoga*. 2010; 3:18-25.
- [86] Bennell KL, Hinman RS, Metcalf BR, Buchbinder R, McConnell J, McColl G et al. Efficacy of physiotherapy management of knee joint osteoarthritis: a randomised, double blind, placebo controlled trial. *Ann Rheum Dis* 2005; 64: 906-912.
- [87] Adegoke BO, Mordi EL, Akinpelu OA, et al.: Isotonic quadriceps-hamstring strength ratios of patients with knee osteoarthritis and apparently healthy controls. *Afr J Biomed Res*, 2007, 10: 211-216.
- [88] Emrani A, Bagheri H, Hadian MR, et al.: Isiokentic strength and functional states in knee osteoarthritis. *J Phys Ther Sci*, 2006, 18: 107-114.
- [89] Hurley MV, Scott DL "Improvements in quadriceps sensorimotor function and disability of patients with knee osteoarthritis following a clinically practicable exercise regime": *British Journal of Rheumatology* 1998, 37, 1181-1187.
- [90] Duncan A Reid and Peter J McNair, "Effects of a six week lower limb stretching programme on range of motion, peak passive torque and stiffness in people with and without osteoarthritis of the knee" *NEW ZEALAND JOURNAL OF PHYSIOTHERAPY* , 39(1), 2-9.
- [91] Vignon E, Valat JP, Rossignol M, et al.: Osteoarthritis of the knee and hip and activity: a systematic international review and synthesis (OASIS). *Joint Bone Spine*, 2006, 73: 442-455.
- [92] Van Baar ME, Assendelft WJ, Dekker J, et al.: The effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review of randomized clinical trial. *Arthritis Rheum*, 1999, 42: 1361-1369.
- [93] Fransen M, McConnell S, Bell M: Exercise for osteoarthritis of the hip or knee. *Cochrane Database Syst Rev*, 2003, 3: CD004286.
- [94] Hendry M, Williams NH, Markland D, et al.: Why should we exercise when our knees hurt? A qualitative study of primary care patients with osteoarthritis of the knee. *Fam Pract*, 2006, 23: 558-567.
- [95] Kulig K, Beneck GJ, Selkowitz DM, Popovich JM. "An Intensive, Progressive Exercise Program Reduces Disability and Improves Functional Performance in Patients After Single-Level Lumbar Microdiscectomy" 2011, 89; 11.
- [96] Mondam S., Srikanth Babu V., Raviendra Kumar B., Prakash J. "A Comparative Study of Proprioceptive Exercises versus Conventional Training Program on Osteoarthritis of Knee" :*Research Journal of Recent Sciences*, 2012, 1(12), 31-35.

Author Profile

Dr. Rukamani Nair is Medical Superintendent of Babu Nature Cure Hospital and Yogashram. She is a Naturopathy Doctor from Osmania University and Principal Investigator in this DST funded project of Osteoarthritis of Knees.

Dr. Gaurav Kaushik is PhD in Life Science from All India Institute of Medical Sciences (AIIMS), New Delhi. He is presently working as a Research Coordinator in Science, Research and Innovation Division of Babu Nature Cure Hospital and Yogashram, Delhi.

Dr V. N. Gaur is an Orthopaedic Doctor (MBBS, MD) in a private Hospital and Co-PI in this DST project of Osteoarthritis of Knees.

Dr. Ravi Pratap Singh is a physiotherapist (BPT), presently working at Science, Research and Innovation Division of Babu Nature Cure Hospital and Yogashram, Delhi.