Computer Technology and Electronics Engineering (IJCTEE) Volume 2, Issue 1, ISSN 2249-6343.

[38] Mitsuhiro Nishida, Nikolaos Makris, David N. Kennedy, Mark Vangel,Bruce Fischl,Kalpathy S. Krishnamoorthy, Verne S. Caviness, and P. Ellen Grant,' Detailed semiautomated MRI based morphometry of the neonatal brain: Preliminary results', www.elsevier.com/locate/ynimg,NeuroImage 32 (2006) 1041 – 1049.

[39] G. Noyel, J. Angulo, D. Jeulin, D. Balvay, C-A. Cuenod,' FILTERING, SEGMENTATION AND REGION CLASSIFICATION BY HYPERSPECTRAL MATHEMATICAL MORPHOLOGY OF DCE-MRI SERIES FOR ANGIOGENESIS IMAGING', 978-1-4244-2003-2/08/$25.00 ©2008 IEEE.

[40] Annesha Malakar , Joydeep Mukherjee,' Image Clustering using Color Moments, Histogram, Edge and K-means Clustering', International Journal of Science and Research (IJSR), India Online ISSN: 2319-7064, Volume 2 Issue 1, January 2013.

[41] K. Somasundaram1and T. Genish,' Binarization of MRI with Intensity Inhomogeneity using K- Means Clustering for Segmenting Hippocampus', The International Journal of Multimedia & Its Applications (IJMA) Vol.5, No.1, February 2013.

[42] Gobert N. Lee and Hiroshi Fujita,' K-means clustering for classifying unlabelled MRI data', Digital Image Computing Techniques and Applications, 0-7695-3067-2/07 $25.00 © 2007 IEEE DOI 10.1109/DICTA.2007.11 .

## Author Profile

**Professor Azzedine Riahi** received his PhD in Nuclear Physics in 1987 CENBG at the University of Bordeaux, France, he graduated in Nuclear Medicine, he is a professor the upper education at university chouaib Doukkali since 1988, it is currently Director of laboratory instrumentation, measurement and control (IMC).