



















- of epicuticular interference reflectors of tiger beetles (*Cicindela*). *J. Exp. Biol.* 117, 88–110.
- [18] Kurachi, M., Takaku, Y., Komiya, Y. and Hariyama, T. 2002. The origin of extensive color polymorphism in *Plateumaris sericea* (Chrysomelidae, Coleoptera). *Naturwissenschaften* 89,
- [19] Kinoshita S, Cai D, Cole JB. 2009. Investigation of structural colors in *Morpho* butterflies using the nonstandard-finite-difference time-domain method: Effects of alternately stacked shelves and ridge density. *Phys Rev E Stat Nonlin Soft Matter Phys.* 2009 Nov; 80(5 Pt 1):051924.
- [20] Chan C, Ho K, Soukoulis C. 1991. Photonic band gaps in experimentally realizable periodic dielectric structures. *Europhys Lett.*, 16: 563–568.
- [21] Galusha JW, Richey LR, Gardner JS, Cha JN, Bartl MH. 2008. Discovery of a diamond-based photonic crystal structure in beetle scales. *Phys Rev E*;77:050904
- [22] Wilts BD, Michielsen K, De Raedt H, Stavenga DG. 2012. Hemispherical Brillouin zone imaging of a diamond-type biological photonic crystal. *J R Soc Interface*, 9:1609–1614
- [23] Pouya C, Stavenga DG, Vukusic P. 2011. Discovery of ordered and quasi-ordered photonic crystal structures in the scales of the beetle *Eupholus magnificus*. *Opt Express*; 19:11355–11364.