









## 6. Conclusion

The file DE duplication is addressed, in this paper. To securely check the duplication we have proposed a novel method. Cloud computing has reached its maturity level. That means the cloud is used by commercial users in very large amounts. It does not mean that all the problems of cloud computing are solved totally. According to the situation, these problems are only tolerated. Due to this, cloud computing is more of a research part. To remove duplicate files from the cloud storage, we have proposed a novel scheme. This method ensures that the proposed method successfully removes the duplicate files from the cloud storage.

## 7. Acknowledgment

The author would like to take this opportunity to express our profound gratitude and deep regard to my guide prof. Sonali Rangdale for his exemplary guidance, valuable feedback, and constant encouragement throughout the duration of the project. His valuable suggestions were of immense help throughout my project work. His perceptive criticism kept me working to make this project in a much better way. Working under him was an extremely knowledgeable experience for me.

## References

- [1] M. Bellare, S. Keelveedhi, and T. Ristenpart. Dupless: Server-aided encryption for deduplicated storage. In USENIX Security Symposium, 2013.
- [2] P. Anderson and L. Zhang. Fast and secure laptop backups with encrypted de-duplication. In Proc. of USENIX LISA, 2010.
- [3] J. Li, X. Chen, M. Li, J. Li, P. Lee, and W. Lou. Secure deduplication with efficient and reliable convergent key management. In IEEE Transactions on Parallel and Distributed Systems, 2013.
- [4] S. Halevi, D. Harnik, B. Pinkas, and A. Shulman-Peleg. Proofs of ownership in remote storage systems. In Y. Chen, G. Danezis, and V. Shmatikov, editors, ACM Conference on Computer and Communications Security, pages 491–500. ACM, 2011.
- [5] J. Li, X. Chen, M. Li, J. Li, P. Lee, and W. Lou. Secure deduplication with efficient and reliable convergent key management. In IEEE Transactions on Parallel and Distributed Systems, 2013.
- [6] C.-K. Huang, L.-F. Chien, and Y.-J. Oyang, “Relevant Term Suggestion in Interactive Web Search Based on Contextual Information in Query Session Logs,” J. Am. Soc. for Information Science and Technology, vol. 54, no. 7, pp. 638-649, 2003.
- [7] S. Bugiel, S. Nurnberger, A. Sadeghi, and T. Schneider. Twin clouds: An architecture for secure cloud computing. In Workshop on Cryptography and Security in Clouds (WCSC 2011), 2011.
- [8] W. K. Ng, Y. Wen, and H. Zhu. Private data deduplication protocols in cloud storage. In S. Ossowski and P. Lecca, editors, Proceedings of the 27th Annual ACM Symposium on Applied Computing, pages 441–446. ACM, 2012.
- [9] R. D. Pietro and A. Sorniotti. Boosting efficiency and security in proof of ownership for deduplication. In H. Y. Youm and Y. Won, editors, ACM Symposium on Information, Computer and Communications Security, pages 81–82. ACM.
- [10] S. Quinlan and S. Dorward. Venti: a new approach to archival storage. In Proc. USENIX FAST, Jan 2002.
- [11] A. Rahumed, H. C. H. Chen, Y. Tang, P. P. C. Lee, and J. C. S. Lui. A secure cloud backup system with assured deletion and version control. In 3rd International Workshop on Security in Cloud Computing, 2011.
- [12] R. S. Sandhu, E. J. Coyne, H. L. Feinstein, and C. E. Youman. Role-based access control models. IEEE Computer, 29:38–47, Feb 1996.
- [13] J. Stanek, A. Sorniotti, E. Androulaki, and L. Kencl. A secure data deduplication scheme for cloud storage. In Technical Report, 2013.
- [14] C. Ng and P. Lee. Revdedup: A reverse deduplication storage system optimized for reads to latest backups. In Proc. of APSYS, Apr 2013.