











encouraging. It has produced a recognition accuracy of 99.46% with an equal error rate of 0.54%.

## References

- [1] A.K. Jain, A. Ross, S. Prabhakar, An introduction to biometric recognition, IEEE Transactions on Circuits and Systems for Video Technology, Special Issue on Image- and Video-Based Biometrics 14 (1), pp. 4–20, 2004.
- [2] Nalini Ratha and Ruud Bolle, Automatic Fingerprint Recognition Systems, Springer-verlag, 2003.
- [3] Davide Maltoni, Dario Maio, A. K. Jain and Salil Prabhakar, Handbook of Fingerprint Recognition, Second Edition, Springer, 2009.
- [4] Herbert Bay, Andreas Ess, Tinne Tuytelaars and Luc Van Gool, Speeded-Up Robust Features (SURF). Computer Vision and Image Understanding, 110(3), pp. 346-359, 2008.
- [5] Herbert Bay, Tinne Tuytelaars and Luc Van Gool, SURF: Speeded up robust features, In Proceedings of 9th European Conference on Computer Vision (ECCV'06), pp. 404-417, 2006.
- [6] David G. Lowe, Object recognition from local scale-invariant features, Proceedings of the International Conference on Computer Vision. 2. pp. 1150–1157, 1999