











- solutions for the 3G long-term evolution,” IEEE Commun. Mag., vol. 44, no. 3, pp. 38–45, 2006.
- [3] A. Ghosh, R. Ratasuk, B. Mondal, N. Mangalvedhe, and T. Thomas, “LTE-Advanced: next-generation wireless broadband technology,” IEEE Trans. Wireless Commun., vol. 17, no. 3, pp. 10–22, 2010.
- [4] Y. Yang, H. Hu, J. Xu, and G. Mao, “Relay technologies for WiMAX and LTE-Advanced mobile systems,” IEEE Commun. Mag., vol. 47, no. 10, pp. 100–105, 2009.
- [5] X. Tao, X. Xu, and Q. Cui, “An overview of cooperative communications,” IEEE Commun. Mag., vol. 50, no. 6, p. 65, 2012.
- [6] P. Bhat, S. Nagata, L. Campoy, I. Berberana, T. Derham, G. Liu, X. Shen, P. Zong, and J. Yang, “LTE-Advanced: an operator perspective,” IEEE Commun. Mag., vol. 50, no. 2, pp. 104–114, 2012.
- [7] S. Peters, A. Panah, K. Truong, and R. Heath, “Relay architectures for 3GPP LTE-Advanced,” EURASIP J. Wireless Commun. Netw., vol. 2009, 2009.
- [8] C. Hoymann, W. Chen, J. Montojo, A. Golitschek, C. Koutsimanis, and X. Shen, “Relaying operation in 3GPP LTE: challenges and solutions,”