



















- [20] Fleming, H., McFeeters, R., Use of Microbial Cultures: Vegetable Products. Food technology. 35 (1) (1981); pp. 84-87.
- [21] Karovičová, J., Kohajdová, Z., Lactic acid fermented vegetable juices. Horticultural Science. 30 (4) (2003); pp. 152-158.
- [22] Chin, H.S., Breidt, F., Fleming, H., Shin, W.C., Yoon, S.-S., Identifications of predominant bacterial isolates from the fermenting kimchi using ITS-PCR and partial 16S rDNA sequence analyses. Journal of microbiology and biotechnology. 16 (1) (2006); pp. 68-76.
- [23] Caplice, E., Fitzgerald, G.F., Food fermentations: role of microorganisms in food production and preservation. International journal of food microbiology. 50 (1) (1999); pp. 131-149.
- [24] De Vuyst, L., Vandamme, E.J., 1994. Antimicrobial potential of lactic acid bacteria. Springer.
- [25] Chaves-López, C., Serio, A., Grande-Tovar, C.D., Cuervo-Mulet, R., Delgado-Ospina, J., Paparella, A., Traditional Fermented Foods and Beverages from a Microbiological and Nutritional Perspective: The Colombian Heritage. Comprehensive Reviews in Food Science and Food Safety. 13 (5) (2014); pp. 1031-1048.
- [26] Stamer, J., Stoyla, B., Dunckel, B., Growth rates and fermentation patterns of lactic acid bacteria associated with the sauerkraut fermentation. Journal of milk and food technology. (1971); pp. 521-525

