

- the Western Ghats of India. *Hydrobiologia*, **501**: 167-177.
- [24] Ramesh, Ch. (2002) Seasonal occurrence of water borne fungi in different streams of Uttar Kannada region, Karnataka state, India. *Kavaka*, **30**: 31-52.
- [25] Sati, S.C., Pargaian, N. & Belwal, M. (2006) Three species of aquatic Hyphomycetes as new root endophytes of temperate forest plants. *Nat. Acad. letters*, **29**: 9-10.
- [26] Sati, S.C. & Tiwari, N. & Belwal, M. (2002) Conidial aquatic fungi of Nainital, Kumaun Himalaya, India. *Mycotaxon*, **81**: 445-455.
- [27] Sati, S.C. & Tiwari, N. & Belwal, M. (2003) Additions to Indian aquatic mycoflora. *Ind. Phytopath.*, **56**: 491-493.
- [28] Sridhar, K.R. & Karamchand, K.S. (2009) Diversity of water-borne fungi in stemflow and throughfall of tree canopies in India. *Sydowia*, **61**: 347-364.
- [29] Sridhar, K.R. & Kaveriappa, K.M. (1982) Aquatic fungi of the Western Ghat forest in Karnataka. *Indian Phytopath.*, **35**: 293-296.
- [30] Sridhar, K.R. & Kaveriappa, K.M. (1984) Aquatic Hyphomycetes of Western Ghat in Karnataka. *Ind. Phytopath.*, **37**: 546-548.
- [31] Sridhar, K.R. & Kaveriappa, K.M. (1985) Water-borne fungi of Kunthi river in Silent valley, Kerala. *Ind. Phytopath.*, **38**: 371-372.
- [32] Sridhar, K.R., Chandrashekar, K.R. & Kaveriappa, K.M. (1992) Research on the Indian Subcontinent. In: *The Ecology of Aquatic Hyphomycetes* (ed. Balocher, F.), Springer-Verlag, Berlin, pp. 182-211.
- [33] Subramanian, C.V. & Bhat, D.J. (1981) Conidia from fresh water foam samples from the Western Ghats, Southern India. *Kavaka*, **9**: 45-62.
- [34] Sutton, B.C. (1980) *The Coelomycetes: Fungi Imperfecti with Pycnidia, Acervuli and Stromata*. CMI, Kew, Surrey, England, pp. 1-696.
- [35] Sutton, B.C. & Alcorn, J.L. (1990) New species of *Mycoleptodiscus* (Hyphomycetes). *Mycol. Res.*, **94**: 564-566.
- [36] Thomas, K. (1996) Fresh water fungi. In: *Introductory Volume to the Fungi*. Part 2 C, Fungi of Australia, Vol. 1B, ABRS (ed. Grgurinovic), pp. 1-37.
- [37] Tubaki, K. & Yokoyama, K. (1971) Notes on the Japanese Hyphomycetes V. *Trans. Mycol. Soc. Japan*, **12**: 18-28.
- [38] Volkmann-Kohlmeyer, B. & Kohlmeyer, J. (1996). How to prepare truly permanent microscopic slides. *Mycologist*, **10**: 107-108.

Figure Legends

- Fig. 1. *Mycoleptodiscus laterlis* Alcorn and Sutton,
 Fig. 2. *Pseudorobillarda phragmitis* (Cunnell) M. Morelet,
 Fig. 3. *Speiopsis scopiformis* Kuthubutheen and Nawawi,
 Fig. 4. *Trinacrium subtile* Riess,

