













- INFOCOM*, 2010, pp. 1–9.
- [22] S. Nath and P. B. Gibbons, “Communicating via fireflies: Geographic routing on duty-cycled sensors,” in *Proc. IPSN*, 2007, pp. 440–449.
- [23] C. Zhu, L. T. Yang, L. Shu, J. J. P. C. Rodrigues, and T. Hara, “A geo-graphic routing oriented sleep scheduling algorithm in duty-cycled sensor networks,” in *Proc. IEEE ICC*, 2012, pp. 5473–5477.
- [24] H. Takagi and L. Kleinrock, “Optimal transmission ranges for randomly distributed packet radio networks,” *IEEE Trans. Commun.*, vol. COM-32, no. 3, pp. 246–257, Mar. 1984.
- [25] H. Frey and I. Stojmenovic, “On delivery guarantees of face and combined greedy-face routing in *ad hoc* and sensor networks,” in *Proc. MobiCom*, 2006, pp. 390–401.
- [26] K. Seada, A. Helmy, and R. Govindan, “Modeling and analyzing the correctness of geographic face routing under realistic conditions,” *Ad Hoc Netw.*, vol. 5, no. 6, pp. 855–871, Aug. 2007.
- [27] Q. Fang, J. Gao, and L. J. Guibas, “Locating and bypassing routing holes in sensor networks,” in *Proc. IEEE INFOCOM*, 2004, pp. 2458–2468.
- [28] F. Yu *et al.*, “A modeling for hole problem in wireless sensor networks,” in *Proc. IWCMC*, 2007, pp. 370–375.
- [29] L. Shu *et al.*, “TPGF: Geographic routing in wireless multimedia sensor networks,” *Telecommun. Syst.*, vol. 44, no. 1/2, pp. 79–95, Jun. 2010.
- [30] M. Zorzi and R. R. Rao, “Geographic random forwarding (GERAF) for *ad hoc* and sensor networks: Energy and latency performance,” *IEEE Trans. Mobile Comput.*, vol. 2, no. 4, pp. 349–365, Oct.–Dec. 2003.
- [31] C. Ma *et al.*, “A geographic routing algorithm in duty-cycled sensor networks with mobile sinks,” in *Proc. MSN*, 2011, pp. 343–344.
- [32] B. Chen, K. Jamieson, and H. Balakrishnan, “Span: An energy-efficient coordination algorithm for topology maintenance in *ad hoc* wireless networks,” *Wireless Netw.*, vol. 8, no. 5, pp. 481–494, Sep. 2002.
- [33] C. Zhua, L. T. Yang, L. Shu, T. Q. Duong, and S. Nishio, “Secured energy-aware sleep scheduling algorithm in duty-cycled sensor networks,” in *Proc. IEEE ICC*, 2012, pp. 1953–1957.
- [34] E. M. Royer, P. M. Melliar-Smith, and L. E. Moser, “An analysis of the optimum node density for *ad hoc* mobile networks,” in *Proc. IEEE ICC*, 2001, pp. 857–861.
- [35] J. Reich, V. Misra, D. Rubenstein, and G. Zussman, “Connectivity maintenance in mobile wireless networks via constrained mobility,” *IEEE J. Sel. Areas Commun.*, vol. 30, no. 5, pp. 935–950, Jun. 2012.
- [36] S. Zhang, J. Cao, L. Chen, and D. Chen, “Locating nodes in mobile sensor networks more accurately and faster,” in *Proc. IEEE SECON*, 2008, pp. 37–45.
- [37] S. Guo, Y. Gu, B. Jiang, and T. He, “Opportunistic flooding in low-duty-cycle wireless sensor networks with unreliable links,” in *Proc. MobiCom*, 2009, pp. 133–144.
- [38] H. Zhang, L. Shu, J. J. P. C. Rodrigues, and H.-C. Chao, “Solving network isolation problem in duty-cycled wireless sensor networks,” in *Proc. MobiSys*, 2013, pp. 543–544.
- [39] L. Shu, M. Hauswirth, H.-C. Chao, M. Chen, and Y. Zhang, “NetTopo: A framework of simulation and visualization for wireless sensor networks,” *Ad Hoc Netw.*, vol. 9, no. 5, pp. 799–820, Jul. 2010.
- [40] S. Subramanian and S. Shakkottai, “Geographic routing with limited information in sensor networks,” *IEEE Trans. Inf. Theory*, vol. 56, no. 9, pp. 4506–4519, Sep. 2010.
- [41] C. Zhu, L. T. Yang, L. Shu, T. Hara, and S. Nishio, “Implementing top-k query in duty-cycled wireless sensor networks,” in *Proc. IWCMC*, 2011, pp. 553.