



















proper diet and exercises to be taken instead of witnessing undeserved experience from the inadequate medical staff. In the future work, culture should be considered specifically to reflect on the feeding habit. This will enable DEAS system to capture cultural background of different ethnic groups as it affects the feeding habit. Also, the system should be evaluated to determine the usability goals using user-centric approach. (Juha, 2014) pointed out that developing recommender systems that truly serve their users, user-centric testing is a must.

## References

- [1] Bianca L. M. (2005). The Relationship of Healthy Eating, Exercise and Sleep with Subjective Well-being, Thesis submitted to the Faculty of Health and Behavioral Sciences, School of Psychology, Burwood Campus, Deakin University.
- [2] Carol A. M. (2010). Promoting Healthy Eating and Physical Activity for a Healthier Nation, *the Division of Nutrition and Physical Activity National Center for Chronic Disease Prevention and Health Promotion*.
- [3] Ganesh, K. M (2009). Physical activity, Dietary Habits and Blood Pressure among Hypertensive patients in Phutthamonthon district, Nakornpathom province, Thailand.
- [4] Heber, David; Freedland, Stephen J.; Jones, Lee W. and Nelson, William G. (2005). Nutrition, Exercise and Prostate Cancer. Asper Publisher, Illinois, USA.
- [5] <http://en.wikipedia.org/wiki/Implementation> , accessed on 19<sup>th</sup> May , 2015 by 01:00 pm;
- [6] [http://goodhealthandbeauty.com/?page\\_id=331](http://goodhealthandbeauty.com/?page_id=331), accessed on 19<sup>th</sup> May , 2015 by 01:00 pm;
- [7] Jennifer Fischer Wilson (1998). "Doctor's Caught in Preventive Care Squeeze," ACP Observer, American College of Physicians.
- [8] <  
<http://www.acpinternist.org/archives/1998/02/squeeze.htm>>
- [9] Juha Leino (2014). User Factors in Recommender Systems: Case Studies in e Commerce, News Recommending, and e-Learning, ISBN 978-951-44-9551-9, ISSN 1456-954X, Acta Electronica Universitatis Tampereensis; 1452,
- [10] Kelsey A. Kurth, BA (2012). Relationship Between Electronic Health Record Use And Preventive Health Counseling: Will Meaningful Use Improve Counseling Services? A Thesis submitted to the Faculty of the Graduate School of Arts and Sciences of Georgetown University in partial fulfillment of the requirements for the degree of Master of Public Policy in Public Policy
- [11] Malkawi A.M. (2012). The effectiveness of physical activity in preventing type 2 diabetes in high risk individuals using well-structured interventions: a systematic review, Journal of Diabetology, June 2012; 2:1 <http://www.journalofdiabetology.org/>
- [12] Ness A.R. & Powles J.W. (1999) High costs of poor eating patterns in the United States. In: Frazao E, editor. *America's Eating Habits: Changes and Consequences*. Washington, DC: U.S. Department of Agriculture, Economic Research Service, Food and Rural Economics Division, 1999:5-32. Agriculture Information Bulletin No. 750. Available at [www.ers.usda.gov/publications/aib750](http://www.ers.usda.gov/publications/aib750).
- [13] Steyn NP, Mann J., Bennett P., Temple N., Zimmet P., Tuomilehto J., Lindstrom J. and Louheranta A. (2002). Diet, nutrition and the prevention of type 2 diabetes, DOI: 10.1079/PHN2003586, Public Health Nutrition: 7(1A), 147-165
- [14] Thompson D, Edelsberg J, Colditz GA, Bird AP, Oster G (1999). Lifetime health and economic consequences of obesity. *Arch Intern Med* 1999;159:2177-83.
- [15] Zhanle W. (2012). The Diabetic Patient Software Agent, a Thesis Submitted to the Faculty of Graduate Studies and Research, in Partial Fulfillment of the Requirements for the Degree of Master of Applied Science in Electronic Systems Engineering University of Regina, Saskatchewan, Canada.