









- [7] C. Stauffe and W. E. L. Grimson “Adaptive background mixture models for real-time tracking,” in Proc. IEEE Conf. Comput. Vis. Pattern Recognit, vol. 2. Jun. 1999, pp, 246–252.
- [8] J. A. Sethian, “Level set methods and fast marching methods: Evolving interfaces in computational geometry,” in Fluid Mechanics, Computer Vision, and Materials Science. Cambridge, U.K.: Cambridge Univ. Press in 1999.
- [9] T. F. Chan and L. A. Vese, “Active contours without edges,” *IEEE Trans. Image Process*, vol. 10, no. 2, pp. 266–277, Feb. 2001.
- [10] D. X. Xu, J. N. Hwang, and C. Yuan, “Segmentation of multi-channel image with Markov random field based active contour model”, *J. VLSI Signal Process*, vol. 31, no. 1, pp, 45–55, May 2002.
- [11] B. Lucas and T. Kanade, “An iterative image registration technique with an application to stereo vision,” in Proc. Int. Joint Conf. Artif. Intell., 1981, pp, 674–679.
- [12] V. Caselles, R. Kimmel and G. Sapiro, “Geodesic active contours,” *Int. J. Comput. Vis.*, vol. 22, no. 1, pp. 61–79, Feb. 1997.
- [13] N. Paragios, R. Deriche, “Geodesic active contours and level sets for the detection and tracking of moving objects,” *IEEE Trans, Mach. Intell.*, vol. 22, no. 3, pp. 266–280, Mar. 2000.
- [14] T. Baillouel, “Active contours and prior knowledge for change analysis: Application to digital urban building map updating from optical highresolution remote sensing images,” Ph.D. dissertation, National Laboratory of Pattern Recognition, Inst. Automation, Chinese Academy of Sciences, Beijing, China, Oct. 2005.
- [15] S. C. Zhu and A. Yuille, “Region competition: Unifying snakes, region growing and bayes/MDL for multiband image segmentation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 18, no. 9, pp. 884–900, Sep. 1996.
- [16] A. Yilmaz, X. Li, and M. Shah, “Object contour tracking using level sets”, in *Proc. Asian Conf. Comput. Vis*, 2004, pp. 1–7.
- [17] Y. Shi and W. C. Karl, “Real-time tracking using level sets,” in *Proc. IEEE Conf. Comput. Vis Pattern Recognit*, vol 2, May 2005, pp, 34–41.
- [18] M. Leventon, E. Grimson and O. Faugeras, “Statistical shape influence in geodesic active contours,” in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, vol. 1. Jun. 2000, pp, 316–323.
- [19] D. Cremers, “Dynamical statistical shape priors for level set based tracking”, *IEEE Tran Patten Anal. Mach. Intell.*, vol. 28, no. 8, pp, 1262–1273, Aug 2006.
- [20] N Paragios and M. Rousson, “Shape priors for level set representations,” in *Proc. Eur. Conf. Comput. Vis.*, 2002, pp 78–92.