

- cations?. Characterisation of $[\text{AlCl}_2\text{nAmide}]^+[\text{AlCl}_4]^-$ and comparison with imidazolium based systems, *Chem. Commun.*, (2011), P.3523-3525.
- [4] G. Drake, T. Hawkins, K. Tollison, L. Hall, A. Vij and S. Sobaski, in *Ionic Liquids IIIB: Fundamentals, Progress, Challenges, and Opportunities, Transformations and Processes*, ed. R. D. Rogers and K. R. Seddon, ACS Symposium Series 902, American Chemical Society, Washington DC, (2005), P.259.
- [5] K. Alexander, *Advanced Applications of Ionic Liquids in Polymer Science*, *Ionic Liquids: Applications and Perspectives*, (2011), ISBN: 978-953-307-248-7.
- [6] R. D. Rogers, and K. R. Seddon, *Ionic Liquids: Industrial Applications for Green Chemistry*, ACS Symposium Series, Vol. 818, American Chemical Society, (2005).
- [7] M. Ali; "Ultraviolet Visible investigation of some transition metal compounds in room temperature ionic liquids molten salts", M.Sc. Thesis, Al-Nahrain University, Iraq, (2008).
- [8] I. J. Zsigrai, S. B. Gad^zuri^c, and B. Matijevi^c, Metal Complex Formation in Melts of Acetamide-Ammonium Nitrate-Water Mixtures, Part I. Cobalt(II) Chloride Complexes, *Z. Naturforsch.* 60a, 201 – 206 (2005).
- [9] S. Jelena, N. Ruzica and V. Agan, Cobalt(II) chloride complex formation in Acetamide- Calcium nitrate tetrahydrat melt, *J. of Solution Chemistry*, (2004), p. 287-300.
- [10] Z. N. RAJAB, Electronic Spectroscopy of some Transition Metal Ion Compounds in A New Ionic Liquid, M.Sc. Thesis, Al-Nahrain University, Iraq, (2009).
- [11] Z. N. Al-Qudsi and H. M. A. Abood, The Electronic Transition Behavior Cr(III), Fe(III), Fe(II) and Ni(II), Transition Metal Cations In Ammonium Alum-Urea Room Temperature Ionic Liquid, *J. of Al-Nahrain University*, Vol.16, (2013), p.46-55.
- [12] E. I. Eweka and D.H. Kerridge, Solution chemistry of molten amide-nitrate eutectic, *Chem. Papers*, (1999), 53, p.11-15.
- [13] Yu. Linpo and Z. C. George, Cryo-solvatochromism in ionic liquids, *J. Royal Society of Chemistry* (2014).
- [14] M. Kurtoglu, Synthesis, complexation spectra, antibacterial and antifungale activity of 2,4-dihydroxy-S-(E-phenyldiozenil)benzaldehyde oxime, *j. serb. chem. soc.* (2010).
- [15] D. Fox, H. C. De Long, P. C. Trulove, R. Mantz, R. Hagiwara and S. Dai, *Molten Salts and Ionic Liquids 16*, Published by The Electrochemical Society, (2009).
- [16] D. Bejan, N. Ignat^ev, H. Willner, New ionic liquids with the bis[bis(pentafluoroethyl)phosphinyl]imide anion, $[(\text{C}_2\text{F}_5)_2\text{P}(\text{O})]_2\text{N}^-$ -Synthesis and characterization, *J. Fluorine Chem.*, (2010), 325 -332.
- [17] H. Köppel, D. R. Yarkony, H. Barentzen, *The Jahn-Teller Effect: Fundamentals and Implications for Physics and Chemistry*, Springer Science and Business Media, (2009).