











- [9] Badr AE. Marginal adaptation and cytotoxicity of bone cement compared with amalgam and mineral trioxide aggregate as root-end filling materials. *J Endod* 2010; 36:1056-60.
- [10] Hashem AA, Hassanien EE. ProRoot MTA, MTA-Angelus and IRM used to repair large furcation perforations: sealability study. *J Endod* 2008; 34:59-61.
- [11] Shipper G, Grossman ES, Botha AJ et al. Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study. *Int Endod J* 2004; 37:325-36.
- [12] De-Deus, Reis C, Brandão C et al. The ability of Portland cement, MTA and MTA Bio to prevent trough-and-trough fluid movement in repaired furcal perforations. *J Endod* 2007; 33:1374-7.
- [13] Di Caprio, MP, Spagnuolo G, D'Anto V et al. Biocompatibility of a new Portland cement-based materials for endodontics. PEP of the IADR, London, UK, Sep. 10-12, 2008, poster 439.
- [14] Park JW, Hong SH, Kim JH et al. X-ray diffraction analysis of white Pro-Root MTA and Diadent BioAggregate. *Oral Surg, Oral Med, Oral Pathol, Oral Radiol, Endod*, 2010; 109:155-8.
- [15] Bioaggregate™ – product information.
- [16] De-Deus, G, Canabarro A, Alves G et al. Optimal cytocompatibility of a bioceramic nanoparticulate cement in primary human mesenchymal cells. *J Endod* 2009; 35:1387-90.
- [17] Yuan Z, Peng B, Jiang H et al. Effect of Bioaggregate on mineral-associated gene expression in osteoblast cells. *J Endod* 2010; 36:1145-8.
- [18] Zhang H, Pappen FG and Haapasalo M. Dentin enhances the antibacterial effect of mineral trioxide aggregate and Bioaggregate. *J Endod* 2009; 35:221-4.
- [19] Aureoseal™ – product information.
- [20] Guiliani V, Nieri M, Pace R et al. Effects of pH on surface hardness and microstructure of mineral trioxide aggregate and Aureoseal: in vitro study. *J Endod* 2010; 36:1883-6.
- [21] Ciaramela, F, Sassese A, Ulianich L. et al. In vitro cytotoxic effects of several endodontic cements. IADR General session, July 14-17, 2010.
- [22] Biodentine™ Active Biosilicate Technology. Scientific file. Septodont, Research and Development department, Paris, 2010.
- [23] Rekha CV, Varma B, Jayanthi. Comparative evaluation of tensile bond strength and microleakage of conventional glass ionomer cement, resin modified glass ionomer cement and compomer: An in vitro study. *Contemp Clin Dent* 2012; 3:282-7.
- [24] Suihkonen RW, Vandewalle KS, Dossett JM. Bond strength of resin-modified glass ionomer restorative materials using a no-rinse conditioner. *Gen Dent* 2012; 60:e413-7.
- [25] Ritwik P. No difference in caries outcome between resin-modified glass ionomer cement and resin-based composite. *J Am Dent Assoc* 2012; 143:1351-2.
- [26] Saldanha DV, Gomes SC, Souza DM et al. Periodontal response to subgingival restorations in dog with periodontitis. *Acta Odontol Latinoam* 2012; 25:45-52.
- [27] Selimović-Dragaš M, Huseinbegović A, Kobašlija S et al. A comparison of the in vitro cytotoxicity of conventional and resin modified glass ionomer cements. *Bosn. J Basic Med Sci* 2012; 12:273-8.
- [28] Fuji VIII™ – product information.
- [29] Bidar M, Moradi S, Jafarzadeh H et al. Comparative SEM study of the marginal adaptation of white and gray MTA and Portland cement. *Aust Endod J* 2007; 33:2-6.
- [30] Rosares-Leal, J.I., V. Gaya, M. Capilla et al. Influence of cavity preparation technique (rotary vs ultrasonic) on microleakage and marginal fit of six root filling material. *Med. Oral Patol. Oral Cir. Bucal*. 2011, 16, (2): 185-189.
- [31] Bortoluzzi E, Broon AHJ, Bramante CM et al. Sealing ability of MTA and radiopaque Portland cement with or without calcium chloride for root-end filling. *J Endod* 2006; 32:897-900.
- [32] Shahi S, Rahimi S, Hasan M et al. Sealing ability of mineral trioxide aggregate and Portland cement for furcal perforation repair: a protein leakage study. *J Oral Sci* 2009; 51:601-6.
- [33] Matt GD, Thorpe JR, Strother JM et al. Comparative study of white and gray mineral trioxide aggregate (MTA) simulating one- or two-step apical barrier technique. *J Endod* 2004; 30:876-9.
- [34] El Sayed, M., Saeed M. In vitro comparative study of sealing ability of Diadent BioAggregate and other root-end filling materials. *J Conserv Dent* 2012; 15:249-52.