













- Potamotrygonocotyle. *Zoologica Scripta*, 40(6), pp.638–658.
- [8] Fels, D. & Kaltz, O., 2006. Temperature-dependent transmission and latency of *Holospira undulata*, a micronucleus-specific parasite of the ciliate *Paramecium caudatum*. *Proceedings of the Royal Society B: Biological Sciences*, 273(1589), pp.1031–1038.
- [9] Fozail, A., Singh, D. & Arya, P.V., 2015a. In silico phylogenetic studies on some members of parasitic genus *Gyrodactylus* (Monogenea: Gyrodactylidae) for assessment of evolutionary relatedness inferred from 28S ribosomal RNA and geomapping the sample. *International Journal of Recent Scientific Research*; 6(7), pp.4970-4977.
- [10] Fozail, A., Singh, D. & Arya, P.V., 2015a. Comparative evaluation of speciation and zoogeographical distribution for *Lamellodiscus* (Monogenea: Diplectanidae) using 18S rRNA. *International Journal of Innovation Science and Research (IJSR)*; 4 (6), pp.235-241.
- [11] Geisberg, J.V., Zarmik, M., Xiochun, F., Fatih, O. & Kevin, S., 2014. Global Analysis of mRNA Isoform Half-Lives Reveals Stabilizing and Destabilizing Elements in Yeast. *Cell*, 156(4), pp.812–824.
- [12] Gevertz, J., 2005. In vitro RNA random pools are not structurally diverse: A computational analysis. *RNA*, 11(6), pp.853–863.
- [13] Gilad, S., Eti, M., Yariv, V., Sima, B., Danit, L., Noga, Y., Hila, B., Michal, K., Hila, C. & Nir, M., 2008. Serum MicroRNAs Are Promising Novel Biomarkers S. Williams, ed. *PLoS ONE*, 3(9), pp.e3148.
- [14] Glennon, V., Chisholm, L.A. & Whittington, I.D., 2006. Three unrelated species, 3 sites, same host-monogenean parasites of the southern fiddler ray, *Trygonorrhina fasciata*, in South Australia: egg hatching strategies and larval behaviour. *Parasitology*, 133(Pt 1), pp.55–66.
- [15] Greatorex, J., Chisholm, L.A. & Whittington, I.D., 2006. Structure and stability of wild-type and mutant RNA internal loops from the SL-1 domain of the HIV-1 packaging signal. *Journal of Molecular Biology*, 322(3), pp.543–557.
- [16] Katz, L., 2003. Widespread Selection for Local RNA Secondary Structure in Coding Regions of Bacterial Genes. *Genome Research*, 13(9), pp.2042–2051.
- [17] Keller, A., Frank, F., Tobias, M., Thomas, D., Jorg, S. & Matthias, W., 2010. Including RNA secondary structures improves accuracy and robustness in reconstruction of phylogenetic trees. *Biology Direct*, 5, pp.4-6.
- [18] Lescoute, A., 2005. Recurrent structural RNA motifs, Isostericity Matrices and sequence alignments. *Nucleic Acids Research*, 33(8), pp.2395–2409.
- [19] Leslie, A.C., Ian, D.W., Jess, A.T. & Robert, D.A., 2001. Phylogenetic analysis of the Monocotylidae (Monogenea) inferred from 28S rDNA sequences. , 31: 1537–1547.
- [20] Nancy, A. Moran, J.D.L., 1998. Deleterious mutations destabilize ribosomal RNA in endosymbiotic bacteria. *PNAS*, 95: 4458–4462.
- [21] Mendlová, M., Yves, D., Kristina, C., Antony, P., Andrea, S. & Filatov, D.A., 2012. Monogeneans of West African Cichlid Fish: Evolution and Cophylogenetic Interactions D. A. Filatov, ed. *PLoS ONE*, 7(5), pp.e37268.
- [22] Millanes, A.M., Camille, T., Martin W., Paul, D. & Mats, W., 2014. Host switching promotes diversity in host-specialized mycoparasitic fungi: uncoupled evolution in the *Biatoropsis-usnea* system. *Evolution; International Journal of Organic Evolution*, 68(6), pp.1576–1593.
- [23] Rogers, A.D., 2007. Evolution and biodiversity of Antarctic organisms: a molecular perspective. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 362(1488), pp.2191–2214.
- [24] Šimková, A. & Morand, S., 2008. Co-evolutionary patterns in congeneric monogeneans: a review of *Dactylogyrus* species and their cyprinid hosts. *Journal of Fish Biology*, 73(9), pp.2210–2227.
- [25] Sun, F.-J. & Caetano-Anollés, G., 2008. Evolutionary Patterns in the Sequence and Structure of Transfer RNA: Early Origins of Archaea and Viruses P. E. Bourne, ed. *PLoS Computational Biology*, 4(3), p.e1000018.
- [26] Thompson, J., Kim, D.F., O'Connor, M., Lieberman, K.R., Bayfield, M.A., Gregory, S.T., Green, R., Noller, H.F. & Dahlberg, A.E., 2001. Analysis of mutations at residues A2451 and G2447 of 23S rRNA in the peptidyltransferase active site of the 50S ribosomal subunit. *Proceedings of the National Academy of Sciences*, 98(16), pp.9002–9007
- [27] Trotta, E., 2014. On the Normalization of the Minimum Free Energy of RNAs by Sequence Length D. Barash, ed. *PLoS ONE*, 9(11), pp.e113380.
- [28] Tuplin, A., Jonny, W., Evans, D.J. & Peter, S., 2002. Thermodynamic and phylogenetic prediction of RNA secondary structures in the coding region of hepatitis C virus. *RNA (New York, N.Y.)*, 8(6), pp.824–841.
- [29] Vaillant, J.J., Bock, D.G. & Cristescu, M.E., 2013. Speciation patterns and processes in the zooplankton of the ancient lakes of Sulawesi Island, Indonesia. *Ecology and Evolution*, 3(9), pp.3083–3094.
- [30] Wongsurawat, T., Jenjaroenpun, P., Kwoh, C.K. & Kuznetsov, K., 2012. Quantitative model of R-loop forming structures reveals a novel level of RNA-DNA interactome complexity. *Nucleic Acids Research*, 40(2), pp.e16–e16.
- [31] Zhang, J., Ming, L., Rong, C., Wei, W. & Jie, L., 2008. Discrete state model and accurate estimation of loop entropy of RNA secondary structures. *The Journal of Chemical Physics*, 128(12), pp.125107.