























#### 4. Acknowledgements

Authors are thankful to Director, Harman Institute of Science Education and Research, Thanjavur for his assistance.

#### References

- [1] Apata DF (1990). Biochemical, nutritional and toxicological assessment of some tropical legume seeds. Ph.D Dissert, Deptt. Anim. Sci. Univ. Ibadan, Nigeria. embryogenesis. *Photosynthetica.*, 19:194-197.
- [2] Autin A and Ram A (1971). Studies on chapathi making quality of wheat. Indian council of agric. Res. Tech. bull. No.31 ICAR, New Delhi.
- [3] Basantpure D, Kumbhar BK, Awasthi P (2003). Optimization of level of ingredients and drying air temperature in development of dehydrated carrot halwa using response surface methodology.
- [4] Gacula Jr MC and Singh (1994). Statistical methods in food consumer research, New York; Academic Press, Inc., pp214-272.
- [5] Khuri AL and Cornell JA (1997). Response Surfaces Design and Analysis, Marcel Dekker Inc, New York.
- [6] Parameshwari S. and P. Nazni (2015). Analysis of Bioactive Compounds Inraw (Dried), Autoclaving, Boiling and Roasted Linum Usitatissimumseed Using Gas Chromatography and Mass Spectroscopy. Indian Journal Of Applied Research, 5(8): 168- 172.
- [7] Shahidi F (2002). Nutraceuticals & functional foods: research addresses bioactive components. Food Technol. 56(5):23.