

Chemical Constituents and Medicinal Properties of *Solanum Xanthocarpum*. A Review

Dr. K. Subharani

Department of Chemistry Standard College, Kongba

Abstract: Manipur is well known for medicinal plants and with its knowledge of rich ancient traditional systems of medicine provides a strong base for the utilization of a large number of plants in general healthcare. Large number of herbal drugs existing in India, very few has been studied systematically so far. *Solanum xanthocarpum* is an important medicinal herb in Ayurvedic medicine. Various studies indicated that *Solanum xanthocarpum* possesses antiasthmatic, hypoglycemic, hepatoprotective antibacterial and insect repellent properties. The present review aims to document the medicinal properties of *Solanum xanthocarpum* and its potential prospects for the further scientific investigation for the development of effective therapeutic compounds.

Keywords: Medicinal plants, *Solanum Xanthocarpum* pharmacology, herbal drugs

1. Introduction

Solanum Xanthocarpum (Schradt and Wendl) is an herb which grows as a wild plant in many parts of India particularly the hills and valley of Manipur. The fruits are edible and local people of Manipur have been using the fruits for the treatment of various ailments as traditional folk medicine. Various phytoactive drugs such as Salasodine, Diosgenin, β -Sitosterol and Carpesterol are extracted from the plant. This article attempts a brief review of its phytochemical works including its bio-profile and medicinal importance. *Solanum Xanthocarpum* is a well known medicinal plant in traditional medicinal system and recent scientific studies have emphasized the possible used

of *Solanum Xanthocarpum* in modern medicine. The present reviews aims to document the medicinal properties of *Solanum Xanthocarpum* and its potential prospects for the further scientific investigation for the development of effective therapeutic compounds.

Chemical Constituents

Solanum xanthocarpum plant contains alkaloids, sterols, saponins, flavonoids and their glycosides and also carbohydrates, fatty acids, amino acids etc. Structures of some phytoactive compounds from *Solanum xanthocarpum* are illustrate in figure 1.




Figure 1: Some phytoactive compounds from *Solanum xanthocarpum*

Medicinal Properties of *Solanum xanthocarpum*

Solanum xanthocarpum is an important medicinal plant and in recent history this plant is reported for various medicinal properties.

Anti-Fertility activity

Solasodine, an alkaloid of *Solanum xanthocarpum* possesses antispermatogenic activity [4]. In Dixit VP 1980 study, chronic administration of solasodine (20mg/kg each other day oral for 60 days) rendered male rats and dogs infertile. Mating test showed 87% infertility in rats, this returned to normal after 60 days cessation of drug feeding. Solasodine is well tolerated and inhibits spermatogenesis and Sperm motility. No significant change was noticed in the weight of testes and accessory sex organs. The RNA, protein, sialic acid and glycogen contents of the test were reduced significantly, serum proteins, triglycerides, Serum enzymes (GOT/GPT /Alkaline phosphatase) none sterified fatty acids levels were in normal range. Solasodine is estrogen free but inhibits testosterone release from dispersed mouse Leydig cells (200 uM significantly inhibited unstimulated and LH stimulated release). Solasodine can be developed as male pill of plant origin [5].

Antihyperlipidemic activity

The Ant hyperglycemic activity was associated with increase in plasma insulin. Though the exact mechanism of action is not known, it could be due to increased pancreatic secretion of insulin from existing β -cells. It is known that certain alkaloids and flavonoids present in *Solanum xanthocarpum* exhibit hypoglycemic activity and is also known for their ability of beta cell regeneration of pancreas [6].

Hepatoprotective activity

In Chandana VR et al. investigation, *Solanum xanthocarpum* extracts was evaluated for hepatoprotective activity using CCl₄ induced hepatotoxicity in rats. The hepatotoxicity induced by CCl₄ is due its metabolites CCl₃. Rats administered with CCl₄ but treated with *Solanum xanthocarpum* extracts showed significant increased in the level of enzyme which indicates the antioxidant activity of *Solanum xanthocarpum*. Jigrine is a polypharmaceutical herbal formulation containing aqueous extracts of 14 medicinal plants including *Solanum xanthocarpum* and used for liver ailments [7]. A K Najmi et al. investigated the DPPH-free radical scavenging activity, hepatoprotective and antioxidant activity of Jigrine against galactosamine induced hepatotoxicity in rats [8].

Apoptosis Inducing activity

Lupeol, apigenin and solamargine from *Solanum xanthocarpum* exhibited anticancer property. Appearance in solamargine-treated cells of chromatin condensation, DNA fragmentation, and a sub-G1 peak in a DNA histogram suggested that solamargine induced cell death by apoptosis [9-11]. Bhutani KK et al. 2010 study shows that steroidal constituents from *Solanum xanthocarpum* and *Asparagus racemosus* clearly have the capacity to tumor cell death and these natural products represent interesting lead compounds for the development of potential cancer therapeutics. This is the first report on apoptosis inducing activity of immunoside, which was found to be the most active inducer

of apoptosis amongst all the compounds tested in the study in HCT 116 human colon carcinoma cell line. Our data suggest that the presence of sugar moieties in *Solanum* compounds is associated with induction of necrotic cell death [12].

Antiasthmatic activity

A pilot study on the clinical efficacy of *Solanum xanthocarpum* and *Solanum trilobatum* in bronchial asthma were undertaken to prove the significant use of herbs in treatment of asthma [13]. Major literature data supports use of whole plants. Gautam et al 2008 evaluated the therapeutic effect of ethanolic extract of *Solanum xanthocarpum* i.e. asthma relieving or antihistaminic, antiallergic property. Gautam et al. 2008 studied effects of *Solanum xanthocarpum* extract on some of the parameters like smooth muscle relaxation, and antagonism of asthma mediators such as histamine, eosinophils and protection against mast cell degranulation which seemed to be prominent in pathophysiology of asthma [14]. Further they showed that ethanol extract of *Solanum xanthocarpum* shown a significant antihistaminic activity in histamine induced contraction in goat tracheal chain preparation. Thus, the significant inhibition of histamine induced contractions produced by ethanol extract of *Solanum xanthocarpum* flower on isolated goat tracheal chain preparation indicates that the *Solanum xanthocarpum* flower has antihistaminic (H₁- receptor antagonist) action. While screening the all three extracts of flowers of *Solanum xanthocarpum*, results were indicative that only ethanolic extract of *Solanum xanthocarpum* at a dose of 50 and 100 mg / kg= reduced milkinduced eosinophilia of statistical significance. *Solanum xanthocarpum* at a dose of (50- 100 mg/kg, i.p) showed significant mast cell stabilization as compared to standard drug Disodiumchromoglycate (DSCG).

Hypoglycemic activity

The aqueous extract showed significant hypoglycemic effect in both normal and streptozotocin induced diabetic rats at dose of 100 and 200 mg/kg. The activity showed by aqueous extract was comparable to that of standard oral hypoglycemic agent glibenclamide. The experimental results indicated that it exhibited a potent blood glucose lowering property both in normal and streptozotocin induced diabetic rats. The LD₅₀ of the extract was found to be high indicating high margin of safety [15].

Antifilarial activity

Lalit Mohan et al. reported the larvicidal potential of crude extracts of *Solanum xanthocarpum* and suggested its suitability as an ecofriendly, effective larvicide in the management of mosquito populations and in limiting the outbreak of various vector borne epidemics [16].

Mosquito larvicidal activity

The fruit extracts of *Solanum xanthocarpum* revealed larvicidal activity against *An. stephensi* and *Cx. quinquefasciatus* and one culicine species *Ae. Aegypti*. Volatile oil obtained from *Solanum xanthocarpum* exhibited repellency against mosquito *Cx. quinquefasciatus* at a very lower concentration than those of the plants studied earlier. The lethal concentrations of fruit extract at LC₅₀ and LC₉₀ levels against *An. culicifacies*, *An. stephensi* and *Ae.*

Aegypti were determined as 0.112 and 0.258, 0.058 and 0.289 and 0.052 and 0.218% respectively. The root extract is also effective against anopheline and culicine mosquito species, though at higher concentrations in comparison to fruit extract [17].

Anti-inflammation activity

Stigmasterol, carpenterol and diosgenin showed Antiinflammation Effect [18, 19]. Lupeol in *Solanum xanthocarpum* also acted as multi-target agent with immense anti-inflammatory potential, targeting key molecular pathways, which involved nuclear factor kappa B (NFkB), cFLIP, Fas, Kras, phosphatidylinositol-3-kinase (PI3)/Akt and Wnt/ β -catenin in a variety of cells. Lupeol at its effective therapeutic doses exhibited no toxicity to normal cells and tissues. Hence, it may serve as atherapeutic and chemopreventive agent for treatment of inflammation [20].

2. Conclusion

Solanum xanthocarpum is an important source of many pharmacologically and medicinally important chemicals, particularly steroidal hormone solasodine and other chemicals like solasonine, campesterol, campeferol, diosgenin and various useful alkaloids. *Solanum xanthocarpum* safe for human use and is regarded as a valuable plant in both Ayurvedic and modern drug development areas for its versatile medicinal uses. The plant is widely studied for the various pharmacological activities like antiasthmatic, hepatoprotective, cardiovascular, hypoglycemic and mosquito repellent properties. Most of the pharmacological studies were preliminary, carried out in animals and are not sufficient for the development of a pharmaceutical product. Further studies of phytochemical compounds will possibly lead to exploration of new method for therapeutic and industrial application.

References

- [1] Pandey MM, Rastogi S, Rawat AK; Indian herbal drug for general healthcare: An overview. *Internet J Altern Med.*, 2008; 6:1.
- [2] Sachin Parmar, Amit Gangwal, Navin Shet; *Solanum xanthocarpum* (Yellow Berried NightShade): A review. *Der Pharmacia Lettre*, 2010; 2(4): 373-383.
- [3] Ghani A; Medicinal plants of Bangladesh - chemical constituents and uses. *Asiatic Society of Bangladesh, Dhaka*, 1998.
- [4] Dixit VP, Gupta RS; Antispermogenic/antiandrogenic properties of solasodine (C₂₇H₄₃O₂N) obtained from *Solanum xanthocarpum* berries on the male rats and dogs. *J Steroid Biochem.*, 1986; 25: 27s.
- [5] Dixit VP; Antifertility effects of Solasodine obtained from *Solanum xanthocarpum* berries in male rats and dogs. Department of Zoology, University of Rajasthan, Jaipur: India, 1980.
- [6] Sridevi M, Kalaiarasi P, Pugalendi KV; Antihyperlipidemic activity of alcoholic leaf extract of *Solanum surattense* in streptozotocin diabetic rats. *Asian Pacific Journal of Tropical Biomedicine*, 2011; 4(2): 276-280.
- [7] Chandana VR, Gupta RK, Talib Hussain; Hepatoprotective effects of *Solanum xanthocarpum* fruit extract against CCl₄ induced acute liver toxicity in experimental animals. *Asian Pacific Journal of Tropical Biomedicine*. 2011; 14(3): 964-968.
- [8] Najmi AK, Pillai KK, Pal SN, Aqil M; Free radical scavenging and hepatoprotective activity of jigrine against D-GalN induced hepatopathy in rats. *J Ethnopharmacol.*, 2005; 97: 521-525.
- [9] Chaturvedi PK, B hui K, Shukla T; Lupeol: Connotations for chemoprevention. *Cancer Lett.*, 2008; 263:1-13.
- [10] Siddiqui TH, Beg T and Afzal M; A ntigenotoxic effect of apigenin against anti cancerous drugs. *Toxicology in Vitro*, 2008; 22: 625-631.
- [11] Kuok W, Hsu SH, Li YP, Lin WL, Liu LF, Chang LC et al.; Anticancer activity evaluation of the solanum glycoalkaloid solamargine: Triggering apoptosis in human hepatoma cells. *Biochem Pharmacol*, 2000; 60:1865-1873.
- [12] Bhutani KK, Paul AT; Apoptosis inducing activity of steroidal constituents from *Solanum xanthocarpum* and *Asparagus racemosus*. *Phytomedicine*, 2010; 17 (5): 789-793.
- [13] Mohan L, Sharma P, Srivastava CN; Comparative efficacy of *Solanum xanthocarpum* extracts alone and in combination with a synthetic pyrethroid, cypermethrin, against malaria vector, *Anopheles Stephensi*. *Southeast Asian Journal of Tropical Medicine and Public Health*, 2007; 38(2):256-260.
- [14] Vadnere GP, Gaud RS, Singhai AK; Evaluation of Anti-Asthmatic Property of *Solanum Xanthocarpum* Flower Extracts. *Pharmacology online*, 2008; 1: 513-522.
- [15] Gupta S, Mal M, Bhattacharya P; Evaluation of hypoglycemia potential of *Solanum xanthocarpum* (Solanaceae) fruits in normal and streptozotocin induced diabetic rats. *Eur Bull Drug Res.*, 2005;13:51-55.
- [16] Mohan L, Sharma P, Srivastava CN; Evaluation of *Solanum xanthocarpum* extract as a synergist for cypermethrin against larvae of the filarial vector *Culex quinquefasciatus*(Say). *Entomol Res.*, 2006; 36(4): 220-225.
- [17] Mohan L, Sharma P, Srivastava CN; Evaluation of *Solanum xanthocarpum* extracts as mosquito larvicides. *J Environ Biol.*, 2005; 26(2): 399-401.
- [18] Gabay O, Sanchez C, Salvat C, Chevy F, Breton M, Nourissat G et al.; a phytosterol with potential anti-osteoarthritic properties. *Osteoarthritis Cartilage*, 2010; 18:106-116.
- [19] Bhattacharya TK, Ghosh MN, Subramanian SS; A note on anti inflammatory activity of carpenterol. *Fitoterapia*, 1980; 51: 265-268.
- [20] Saleem M, Lupeol; a novel anti inflammatory and anti cancer dietary triterpene. *Cancer Lett*, 2009; 285:109-115.
- [21] Bhubani KK.Paul AT. Inducing activity of steroidal constituents from *Solanum Xanthocarpum* and *Asparagus racemosus*. *Phytomedicine*. 2010 Jan 17:17(5), 789-793.