

- [19] N. Mohammed, D. Mohamed and S. Cik Soh, "Second Hankel determinant for certain generalized classes of analytic functions", *Int. J. Math. Anal.*, 6, No 17-20 (2012), 807–812.
- [20] Murugusundaramoorthy, Gangadharan., Magesh, N., "Coefficient inequalities for certain classes of analytic functions associated with Hankel determinant", *Bull Math Anal. Appl.* 1(3) (2009), 85-89.
- [21] J. W. Noonan and D. K. Thomas, "On the second Hankel determinant of a really mean p -Valent functions", *Trans. Amer. Math. Soc.* 223(2) (1976), 337-346.
- [22] K. I. Noor, "Hankel determinant problem for the class of functions with bounded boundary rotation", *Rev. Roum. Math. Pures Et Appl.* 28(8) (1983), 731-739.
- [23] S. Owa and H. M. Srivastava, "Univalent and starlike generalised hypergeometric functions", *Canad. J. Math.* 39(5) (1987), 1057-1077.
- [24] Ch. Pommerenke, "Univalent functions", Gottingen: Vandenhoeck and Ruprecht, 1975.
- [25] Ch. Pommerenke, "On the Hankel determinants of univalent functions", *Mathematika*, 14 (1967), 108-112.
- [26] Ch. Pommerenke, "On the coefficients and Hankel determinants of univalent functions", *J. Lond. matha. Soc.*, 41 (1966), 111-122.
- [27] T. RamReddy and D. Vamshee Krishna, "An upper bound to the second Hankel determinant for a subclass of analytic functions", *Bull. Inst. Math. Virtual Inst.*, 4 (2014), 17–26.
- [28] Sakaguchi, "On a certain univalent mapping", *J. Math. Soc. Japan*, 11 (1959), 72–80.
- [29] B. Simon, "Orthogonal polynomials on the unit circle", Part 1. Classical theory, American Mathematical Society Colloquium Publications, 54, Part 1, American Mathematical Society, Providence, RI, 2005.
- [30] L. Spacek, "Contribution a la theorie des fonctions univalents (in Czech)", *Casop Pest. Mat. Fys.*, 62(1933), 12-19.
- [31] D. Vamshee Krishna and T. RamReddy, "An upper bound to the second Hankel determinant for a subclass of analytic functions", *Proc. Jangeon Math. Soc.*, 16, No 4 (2013), 559–568.
- [32] D. Vamshee Krishna and T. RamReddy, "Coefficient inequality for uniformly convex functions of order α ", *J. Adv. Res. Pure Math.*, 5, No 1 (2013), 25–41.
- [33] D. Vamshee Krishna and T. RamReddy, "Coefficient inequality for certain subclasses of analytic functions", *New Zealand J. Math.*, 42 (2012), 217–228.
- [34] D. Vamshee Krishna and T. RamReddy, "Coefficient inequality for certain subclass of analytic functions", *Armenian J. Math.*, 4, No 2 (2012), 98–105.
- [35] D. Vamshee Krishna and T. RamReddy, "Hankel determinant for p -valent starlike and convex functions of order α ", *Novi Sad J. Math.*, 42, No 2 (2012), 89–96.
- [36] D. Vamshee Krishna and T. RamReddy, "An upper bound to the non-linear functional associated with Hankel determinant for a subclass of analytic functions", *Ind. J. Maths.*, 54, No 3 (2012), 343–355.
- [37] D. Vamshee Krishna and T. RamReddy, "Coefficient Inequality for certain subclasses of analytic functions associated with Hankel Determinant", *Indian J. Pure Appl. Math.*, 46 (1) (2015): 91-106